


ME by Starck One-piece toilet Duravit Rimless® for SensoWash®
f # 2190012005


| < 360 mm > |



One-piece toilet Duravit Rimless® for SensoWash® f	Dimension	Weight	Order number
rimless, US-version, elongated with syphonic jet action, 305 mm/12" rough-in, only in combination with SensoWash f, vertical outlet			
Colors			
20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
Variant			
1,32/0,92 gpf (5/3,5 lpf), with Dual Flush mechanism	360 x 750 mm	67.000 kilogram	2190012005
Infobox			
Not available in WonderGliss			
Accessory			
Mounting set for One-piece and Two-piece toilets, Outflow 3/8" - external thread, Wall Connection 1/2" - internal thread, 1/2", US-version		0.480 kilogram	001417
Mounting set for One-piece and Two-piece toilets, 1/2", ASIA-version		0.480 kilogram	001416
Suitable products			
SensoWash® Starck f Plus shower toilet seat Rear-, Lady- and Comfortwash, Seat heating, Warm air dryer, individual adjustment of water-, air- and seat temperature as well as spray wand position and water spray intensity, Night light, Intelligent energy saving mode, Remote control included, App operation, Self-cleaning spray wand, Descaling function, Automatic drainage in periods of prologed disuse, 378 x 574 mm	378 x 574 mm		612000

SensoWash® Starck f SensoWash® Starck f Plus shower toilet seat # 612000..2000320 / 612000..1001321 / 612000..2400323

|< 378 mm >|



SensoWash® Starck f Plus shower toilet seat	Dimension	Weight	Order number
Rear-, Lady- and Comfortwash, Seat heating, Warm air dryer, individual adjustment of water-, air- and seat temperature as well as spray wand position and water spray intensity, Night light, Intelligent energy saving mode, Remote control included, App operation, Self-cleaning spray wand, Descaling function, Automatic drainage in periods of prologed disuse			
Colors			
00 White Alpin 01 White			
Variant			
** , Seat/lid material duroplast, Odor extraction, Automatic odor extraction, Adjustable odor extraction follow-up time, Automatic opening/closing of lid, Electromotive actuated lid, with concealed connections, 2 individually programmable user profiles	378 x 574 mm	7.000 kilogram	612000..2000320
100-120V 50/60Hz, **, Taiwan, Odor extraction, Automatic odor extraction, Adjustable odor extraction follow-up time, Automatic opening/closing of lid, Electromotive actuated lid, with concealed connections, 2 individually programmable user profiles, Seat/lid material thermoplastic	378 x 574 mm	7.000 kilogram	612000..1001321
220-240V 50/60Hz, Odor extraction, Automatic odor extraction, Adjustable odor extraction follow-up time, Automatic opening/closing of lid, Electromotive actuated lid, 4 individually programmable user profiles, with concealed connections, Seat/lid material thermoplastic	378 x 574 mm	7.000 kilogram	612000..2400323
Infobox			
** This SensoWash shower toilet seat is not available for European countries			
Installation accessories			

SensoWash® Starck f SensoWash® Starck f Plus shower toilet seat # 612000..2000320 / 612000..1001321 / 612000..2400323

|< 378 mm >|

wall holder frame type, for permanent remote control fixation, suitable for SensoWash Plus remote control	100724
Suitable products	
Toilet wall mounted Duravit Rimless for SensoWash® f rimless, washdown model, only in combination with SensoWash f, 375 x 575 mm	251009
One-piece toilet Duravit Rimless® for SensoWash® f rimless, US-version, elongated with syphonic jet action, 305 mm/12" rough-in, only in combination with SensoWash f, vertical outlet, 360 x 750 mm	219001

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.

ME by Starck One-piece toilet Duravit Rimless® for SensoWash®
f # 2190012005

|< 360 mm >|

SensoWash® Starck f Lite shower toilet seat Rear-, Lady- and Comfortwash, Seat heating, Intelligent energy saving mode, Warm air dryer, individual adjustment of water-, air- and seat temperature as well as spray wand position and water spray intensity, Automatic drainage in periods of prologed disuse, Descaling function, Night light, Remote control included, App operation, Self-cleaning spray wand, Seat/lid material thermoplastic, 378 x 574 mm

378 x 574 mm

612001

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.