CATALOGUE 2023/2024

STROHM





INDEX

| Strohm | 4 |
|----------------------------------|-----|
| Shower columns and taps | 10 |
| Ceramic toilets and basins | 124 |
| Bathtubs | 142 |
| Vanity units, basins and mirrors | 148 |
| Shower enclosures | 210 |
| Shower trays | 256 |
| Bathroom accessories | 264 |

Strohm belongs to the Swiss holding company Heritage B and is the Group brand for integral bathroom solutions, with a holistic approach to bathroom spaces that goes well beyond the sum of the various units.

Strohm boasts more than 100 years of experience in the industry, along with a solid reputation for quality products manufactured in our plants in Spain, China and Hungary.

Design, sustainability, innovation and technology are the cornerstones of a brand concept aimed at enhancing the role of bathrooms within every home.

Strohm provides state-of-the-art bathroom solutions: taps, shower systems, vanity units, lights, basins, screens, bathtubs, mirrors, toilets, bidets and bathroom accessories, all adapted to needs and lifestyles of our customers.

Our customers and their preferences for relaxation, comfort and intimacy are the core of everything we do at Strohm.

TEKA



Inspiring bathrooms



STROHM: INSPIRING **BATHROOMS FOR NOW AND THE FUTURE.**



OUR HISTORY



Casa Buades

Originally founded under the name of Casa Buades, the company was exclusively dedicated to making taps.



1989

1900

Teka Group

Teka Group acquired Casa Buades in order to broaden its business line.

This business unit specialised in the manufacture of kitchen and bathroom taps.



Acquisition of Mofém

Teka acquired MOFÉM, the leading company in the Hungarian market, dedicated to the manufacture of bathroom products and industrial valves.



Factory in China Kaiping Teka Faucets is established in China to manufacture taps, bringing our products to other continents.



At the ISH Trade Fair in Frankfurt, Strohm Teka was presented as the global bathroom solutions brand.



Strohm becomes independent, along with its Mófem brands and its Kaiping Teka Faucets plant. It opens its first showroom in Madrid and sets up



Strohm opens its own showroom in Budapest.

Creation of Strohm Teka

A new milestone its main offices in this city.


New site A space devoted to the end user.

2006 2019 2020





R & D AND QUALITY



We are continuously in pursuit of efficient solutions designed to improve the quality of life of bathroom users, by creating innovative and safe bathroom products.

Our quality control process begins with our brainstorming and design sessions to take every detail into consideration, from user experience and the design of every component through to the selection of materials and highest quality suppliers.

Strohm products undergo a strict internal quality control process in our own laboratories as well as by external quality certification entities such as AENOR in Spain and NF in France.

Our factories and processes are ISO 9001 certified and continuously being reviewed to ensure that every product and process meets the highest standard of excellence. Our goal as a brand is to create inspiring products that enhance the lives of our users, with health and safety at the forefront of all our work.



ACS





SHOWER COLUMNS AND TAPS

| 180° Novelty! | 16 |
|------------------|-----|
| HEALTHY | 22 |
| THERMOSTATIC | 26 |
| DUAL CONTROL | 30 |
| SINGLE LEVER | 32 |
| LAVI Novelty! | 40 |
| SENSE | 48 |
| SOLLER Novelty! | 54 |
| FORMENTERA | 62 |
| ITACA | 68 |
| CALVIA | 76 |
| ALAIOR | 80 |
| MT PLUS | 84 |
| MANACOR Novelty! | 88 |
| INCA | 96 |
| DESSIN Novelty! | 100 |
| INNOVAT Novelty! | 106 |
| SPECIAL TAPS | 109 |



MAIN FEATURES **OF OUR TAP SETS**



Safe Touch System

This safety system adds extra comfort to daily tap use thanks to a plastic part built into the main body of the tap designed to prevent high temperatures from transferring to the metal, thus avoiding scalding.



VIDEO

Easy Fix System Installing a tap has never been easier. Easy Fix taps can be installed without using tools, thanks to its screw mechanism that reduces installation time by 60%.





Super eco: This product saves water. It uses under 5 litres per minute.



Noise reducer: The bath-shower and shower mixer taps have built-in noise reducers, sustainably reducing the sound of water running through the tap.



Environmental commitment: This product has been made with 80% sustainable materials. Less water and energy have been used in its manufacturing process.



Easy installation: Installation does not require additional works.



PVD: Metal coating available in a wide range of colours that is highly resistant to abrasion and chemicals.



Anti-fingerprint system: A special coating that is applied post-PVD to avoid fingerprints from marking the taps. Available for products with PVD treatment in black,

rose gold and bronze.

MULTIBOX

Multifunctionality

A concealed system for built-in bathroom solutions: double shower system, added bathtub outlet, side showers...

Safety and comfort

This concealed system helps to reduce scalding due to hot water running through pipes. The noise reduction pieces significantly reduce the sound of running water.

Looks better and saves space

A more homogeneous surface on the wall looks better and makes better use of bathroom space.

Easy to use


All controls are on a single panel (temperature, flow regulators, inverter...).


Easy to clean

A solution that saves space in the shower and bath also means that there is less surface area to clean.

A single concealed body for many models, making installation easier

Its independent adjustable legs means that the box can be installed in both flat and irregular surfaces. Once installed, the front of the Multi-box can be adjusted using the 4 adjustment screws. Easy to install thanks to the adjustable tabs and the 27 mm installation range in the box.







Strohm | Teka





4



Ref.: 1065200





Shower column with hidden hand shower set.

Worldwide novelty!



VIDEO



Strohm | Teka

180° **SHOWER SYSTEM COLUMN** WITH HIDDEN HAND SHOWER SET



18<mark>0</mark>°



180° Healthy Thermostatic shower system

- Metallic flexible hose and 1 function magnetic hand shower hidden in the shower column
- Thermostatic mixer with safety temperature stop at 38° C
 Safe Touch technology to avoid scalding ensuring tap body outer surface cold to the touch
- Integrated ceramic diverter
 Ø25 cm metal shower head
- \cdot Check valves protected by filters



| Finish | REF. |
|--------|-----------|
| Chrome | 182540200 |

180° Healthy Dual Control shower system


- Metallic flexible hose and 1 function magnetic hand shower hidden
- Healthy Technology: Automatic emptying of water left in pipes after
- every use
 Dual control: Single mixer with thermostatic mixer appearance
 Ø25 cm metal shower head
- - · Check valves protected by filters


Finish

Chrome

RFF 182560200


Healthy Technology: Automatic emptying of water left in pipes after
























HEALTHY CLEAN WATER FROM START TO FINISH

Healthy, a clean and silent shower that improves your quality of life.



Healthy 0% bacteria 0% dripping 100% health

The new Healthy thermostatic shower by Strohm cares for your health and that of your family. Thanks to the automatic release of the water retained in the shower column set, Healthy guarantees total sanitation of the ducts, as well as eliminating any possibility of dripping and annoying noises once the tap is turned off.

Healthy is responsible for eliminating the risk of bacteria generation due to water stagnation, protecting your skin and providing a safe and pleasant shower experience.

Anti-bacterial

Helping to prevent diseases with drain water technology after each use.

Scalding prevention

All our thermostatic mixers are fitted with a 38° C temperature stop. This device prevents unwanted temperature variations, thus reducing the risk of burns.







HEALTHY

Healthy Thermostatic shower system

- Healthy Thermostatic shower system
 Automatic release of the water retained in the shower column set after every use
 Thermostatic shower mixer with upper outlet
 International patent
 Thermostatic mixer with safety temperature stop at 38° C
 Integrated ceramic diverter
 Adjustable round telescopic rail:

 Mix. height: 1300 mm
 Ø250 mm/2 mm thickness
 Ultraslim metal shower head with antiscale system
- - system 5 functions black hand shower with antiscale
- system Black 1.5 m PLEX shower hose with antitwist
- system
 Sliding shower holder
 Check valves protected by filters

| EASY S | |
|--------|--|
| | |

Finish REF. 182310200 Chrome-Black

Healthy Thermostatic shower system

- Healthy Thermostatic shower system
 Automatic release of the water retained in the shower column set after every use
 Thermostatic shower mixer with upper outlet
 International patent
 Thermostatic mixer with safety temperature stop at 38° C
 Integrated ceramic diverter
 Adjustable round telescopic rail:

 Min. height: 790 mm
 Max. height: 1300 mm

 Ø250 mm ABS shower head with antiscale system


- 0250 mm ABS shower he system
 3 functions hand shower
 1.5 m FLEX shower hose
 Sliding shower holder




1

182300200

REF.





THERMOSTATIC SAFETY, COMFORT AND PRECISION

What is a thermostatic mixer? It is a water mixer that automatically keeps the water temperature constant within the selected range even in the event of temperature or flow fluctuations.

How does it work?


The Strohm Thermostatic Mixer automatically mixes hot and cold water. All you have to do is select the desired temperature with the temperature regulator, which will be reached by the water flow in just a few seconds and kept constant throughout your shower.

What are the advantages of this mixer?

The Strohm Thermostatic Mixer ensures maximum user comfort and safety, as well as saving 50% energy and water consumption.

AIR CHAMBER / SAFE TOUCH CASING WATER FLOW THERMOSTATIC MIXER





Safe Touch Technology

Internal ABS device that creates an internal pocket of air preventing high temperatures from being transferred to the outer metal casing. Ensures maximum comfort and safety as well as saving 50% energy and water consumption.

Environment-friendly

Thermostatic Mixers help to save water and energy, thus protecting the environment.

Scalding prevention

All our thermostatic mixers are fitted with a 38° C temperature stop. This device prevents unwanted temperature variations, thus reducing the risk of burns.





THERMOSTATIC

THERMOSTATIC

Itaca thermostatic shower

Automatic diverter

Shower mixer with upper outlet

Noise reducers in S-connectors

Adjustable round telescopic rail:
 Min. height: 840 mm

Max. height: 1350 mm
290x300 mm metallic ultra slim

triangular shower head • 3 functions hand shower with antiscale system
1.5 m PLEX shower hose

svstem

Finish

Chrome

672380200

upper outlet

Manacor Thermostatic shower

system with movable spout

Thermostatic shower mixer with

Safe Touch technology to avoid

scalding • Thermostatic mixer with safety

Adjustable round telescopic rail: Min. height: 800 mm

· Ultraslim metallic shower head with

Movable spout with diverter function

temperature stop at 38° C • Ceramic diverter

- Max. height: 1310 mm

antiscale system:
 - Ø200 mm ABS shower head
 3 functions hand shower with

antiscale system • 1.5 m FLEX shower hose

 Sliding shower holder Check valves protected by filters

Finish

Chrome

841480200





Loval Bronze

67237020BZ

28 | SHOWER COLUMNS AND TAPS

622381200



Manacor Thermostatic Shower system

- Thermostatic shower mixer with upper outlet
- Safe Touch technology to avoid scalding • Thermostatic mixer with safety
- temperature stop at 38° C Integrated automatic diverter
- Adjustable round telescopic rail: Min. height: 800 mm
- Max. height: 1310 mm Ultraslim metal head shower with
- Ø200 mm ABS shower head (2mm thickness)
- 3 functions hand shower with antiscale system
- 1.5 m FLEX shower hose Sliding shower holder
- Check valves protected by filters

Finish Chrome RFF 842380200

Finish

Black REF

84238020N



Dessin thermostatic shower system

- Thermostatic shower mixer with upper outlet
- Safe Touch technology to avoid scalding • Thermostatic mixer with safety
- temperature stop at 38° C 3 Way diverter: Bath spout, hand
- shower and head shower
 Adjustable round telescopic rail:
- Min. height: 930 mm Max. height: 1530 mm
- ABS shower head with antiscale system:
- Ø246 mm
- 1 function hand shower with antiscale system
- 1.5 m PLEX shower hose
- Sliding shower holder
- Check valves protected by filters

Finish Chrome RFF 30138020C3

DUAL CONTROL THERMOSTATIC DESIGN WITH SINGLE LEVER MIXER **FUNCTIONALITY**

THERMOSTATIC

AESTHETICS

The Strohm Dual Control shower system blends the aesthetics of thermostatic taps with the practicality of a standard single lever. An elegant product that does not require maintenance.

The 180°, Soller, Manacor, Inca and Healthy collections boast this new technology, along with the Safe Touch technology in the Soller and Manacor collections, which prevent hot water temperature from heating the metal body of the tap, thus preventing scalding and making it ideal for use by children and the elderly

HOT COLD

Temperature Control The right side of this single lever mixer regulates temperature. Turn to the right/left to achieve desired water temperature.

SINGLE LEVER


TECHNOLOGY

Dual Control.

The elegance of a thermostatic system, the practicality of single lever system.



VIDEO



Left lever has a double function: Selection of water outflow (showerhead or hand-shower and Flow regulation.

DUAL CONTROL

Soller Dual Control Shower System

 Mixer with thermostatic mixer appearance

- Safe Touch technology to avoid scalding • Integrated automatic diverter
- Adjustable round telescopic rail:
 Min. height: 800 mm
- Max. height: 1310 mm
 200x200 mm ABS shower head with
- Hand shower with antiscale system
- 1.5 m anti-twist PLEX shower hose
- Sliding shower holder
 Check valves protected by filter



Manacor Dual Control Shower System

 Mixer with thermostatic mixer appearance Safe Touch technology to avoid

- scalding Integrated automatic diverter Adjustable round telescopic rail:
 Min. height: 800 mm
- Max. height: 1310 mm Ø200 mm ultraslim metal showe
- head with antiscale system
 3 function hand shower with
- antiscale system
 1.5 m FLEX shower hose (PLEX for
- black finish)
- Sliding shower holder
 Check valves protected by filters



600

Finish Black REF 84278020N



Inca Dual Control Shower System

- Mixer with thermostatic mixer appearance Safe Touch technology to avoid
- scalding Integrated automatic diverter
- Adjustable round telescopic rail: - Min. height: 800 mm
- Max. height: 1310 mm
 Ø250 mm ABS shower head with
- antiscale system 1 function hand shower with antiscale system
 1.5 m FLEX shower hose
- Sliding shower holder
- Check valves protected by filters



Finish Chrome 532780200

SINGLE LEVER DESIGN AND SIMPLICITY

Water saving technology that is simple to install

The classical shower system with a twist. Fitted with user-adjustable rails, an antiscale system for easy cleaning and a range of designs to suit every customer, as well as water-saving features in most models.





DIY installation You can install this product by yourself. **Water saving** If your water pressure is too high, we recommend installing the automatic flow control valve, which enables you to save water every time you take a shower.




SINGLE LEVER

SINGLE LEVER










SINGLE LEVER

SINGLE LEVER









SINGLE LEVER

Manacor single lever shower system with spout

- Bath-shower mixer with upper outlet
 Ceramic diverter
 Adjustable round telescopic rail:

 Min. height: 960 mm
 Max. height: 1338 mm

 Ø200 mm shower head with antiscale system
 3 functions hand shower with antiscale system
- Statictors rand shower with antiscale system
 High quality 1.5 m FLEX shower hose
 Sliding shower holder
 High precision and smooth ceramic cartridge



| Finish | REF. |
|--------|-----------|
| Chrome | 841980200 |

Dessin single lever shower system

- Shower mixer with upper outlet
 Automatic diverter
 Adjustable round telescopic rail:

 Min. height: 820 mm
 Max. height: 1330 mm

 Ø246 mm ABS shower head with antiscale system
- 0246 mm ABS shower head with antiscale system
 1 function hand shower with antiscale system
 High quality 1.5 m PLEX shower hose
 Sliding shower holder
 High precision and smooth ceramic cartridge








Finish Chrome

REF. 30298020C3









LAVI

Nordic inspiration in a symphony of clean and aesthetic lines that decorate your bathroom with the utmost functionality.



FINISHES





VIDEO



LAVI

LAVI



42 | SHOWER COLUMNS AND TAPS

LAVI

-140-

00

-G1/2

Ø130

-G1/2

65 min

-90 max

LAVI



- Towel hanger
 Special for free standing bathtubs
- Nordic design
 1 function handshower • 1.5 m PLEX shower hose

Availability: October



E


| Finish | REF. |
|------------------|------------|
| White/Amazon Oak | 18290020WA |
| Black/Amazon Oak | 18290020NA |


Shower column with spout

- Safe Touch technology to avoid scalding
 Single lever shower mixer

 Hidden spout for shower function
 Exposed spout for bathtub function
 High precision Ceramic cartridge
 Antiscale aerator
 Ø250 mm metallic shower head with antiscale system

- With shower set:
 1 function Antiscale hand shower
 1.5 m FLEX shower hose
 Orientable shower holder











44 | SHOWER COLUMNS AND TAPS

REF.





Chrome







Selection of outflow using buttons

Single lever shower system

2 way concealed mixer

Without shower set
Multibox not included

Finishes

Finishes

Chrome

White/Amazon Oak

Black/Amazon Oak

White/Amazon Oak Black/Amazon Oak Chrome

1 way concealed mixer Requires Multibox (ref.1065200)
 Without shower set

Multibox not included

Ref.:1065200

O

D

Ref.:1065200

Requires Multibox (ref.1065200)
Selection of outflow using buttons

REF 31170020WA 31170020NA

RFF


31240020WA


31240020NA


312400200

• Ø250 mm metallic shower head with antiscale system • Antiscale hand shower with 1 function • 1.5 m FLEX shower hose


311700200







20WA





LAVI





Finishes REF. 790075700 79007570W 79007570N Chrome White Black

Shower set

Finishes

Chrome White Black

Antiscale hand shower
1 function
Adjustable shower holder
1.75 m FLEX shower hose



Round water outlet Attachment for 1/2" flexible hose

REF.

790056900 79005690W 79005690N










VIDEO




SENSE

Connect with your senses. The most evocative shapes from the seabed inspire a collection designed to immerse you in an ocean of calm.





VIDEO



Ref.: 913460200

-ø3:

_G3/8 G1/2

__G3/8 ____G1/2

SENSE

Bidet Mixer

- Swivel ball joint
 Antiscale aerator
 3/8" and 1/2" flexible inlet pipes included
 Without pop-up waste

| Finish | REF. |
|--------|----------|
| Chrome | 91626020 |
| | |

Bath Shower Mixer without Shower Set

- Ceramic diverter integrated in the handle Equipped with noise reducers
- Antiscale aerator
 Without shower set

| -₩ <mark>Įdb</mark> Mann | | |
|-----------------------------|--|-----|
| | | |
| Finish | | REF |

Three hole deck Bath Shower Mixer

• With 1 function antiscale hand shower Fixed central spout integrated diverter
Antiscale aerator · 3/8" flexible

| Finish | REF. |
|--------|----------|
| Chrome | 91152020 |
| | |

Shower Mixer without Shower Set

- Equipped with noise reducers
 Without shower set




































ECO Finish REF. 913860200 Chrome

Three hole Washbasin Mixer

- · Easy Fix fast installation system in the spout
- Antiscale aerator
 1/2" flexible inlet pipes Without pop-up waste



Finish REF. 914310200 Chrome

Wall-mounted Washbasin Mixer


Antiscale aerator
221 mm maximum spout outflow distance
Without pop-up waste



Finish Chrome

REF. 914610200

















50 MAX-



Ceramic cartridge
 3/8" and 1/2" flexible inlet pipes included

REF.

913460200

- Without pop-up waste

Antiscale aerator

Washbasin Mixer M


ECO

Finish Chrome

Washbasin Mixer L

- Water flow limiter 5 L/min
- Saves up to 60% water
 Ideal for BREEAM and LEED projects
 Antiscale aerator
- Ceramic cartridge
 3/8" and 1/2" flexible inlet pipes included
- Without pop-up waste






SENSE


SENSE



| | 2 way Concealed Mixer • Built in section included • Ultraslim plate • Button controlled outflow selection • Without shower set | | Quick Automatic pop-up waste • Metallic push pop-up waste • Easy manual open-close system • No lift rod required • Can be used with washbasins with and • On touch spring action |
|---|---|---|---|
| | FinishREF.Chrome911710200 | | Finish REF. Chrome 1106200 |
| | 1 way Concealed Mixer Built in section included Ultraslim plate Without shower set | 100 58 58 58 58 58 58 58 58 58 58 58 58 58 | Shower head • Metallic • Ø250 mm • Antiscale • Includes swivel joint |
| | FinishREF.Chrome912410200 | | Finish REF. Chrome 790068100 |
| | Sense shower set • Antiscale hand shower • 1 function • Adjustable holder • 1.75 m shower hose (FLEX for 790056000 , PLEX for 790055800 |)) | Shower arm • Metallic • 300 mm • Ø25 mm • Thread 1/2" • Extra-solid installation |
| 1 | FinishesREF.Chrome790056000Black/Chrome790055800 | | Finish REF. Chrome 790075700 |
| | Stream shower set • Antiscale hand shower • 1 function • Adjustable holder • 1.75 m FLEX shower hose | | Vertical shower arm • Metallic • 200 mm • Ø25 mm • Thread 1/2" • Extra-solid installation |
| | FinishREF.Chrome790056600 | | FinishREF.Chrome790076000 |

C P









SOLLER

Inspired by the architecture of rail platforms and trains, SOLLER taps drive the water with maximum efficiency to invigorate and relax minds focused on design and sustainability.

VIDEO





SOLLER



SOLLER



ECO Chrome Black

Washbasin Mixer L

• Easy Fix fast installation System

Water flow limiter 5 L/min
Saves up to 60% water

Without pop-up waste

Washbasin Mixer XL

• Easy Fix fast installation System

Antiscale aerator
Ideal for BREEAM and LEED projects

Adjustable water stream directly at the aerator
 Water flow limiter 5 L/min

ECO EASY INSTALL

Finishe

Chrome

Black

Washbasin Mixer

Water flow limiter 5 L/min
Saves up to 60% water
Ideal for BREEAM and LEED projects

• Antiscale aerator • Adjustable water stream directly at the aerator • 3/8" and 1/2" flexible inlet pipes included • Without pop-up waste

REF.

Antiscale aerator
 Ideal for BREEAM and LEED projects
 Adjustable water stream directly at the aerator


REF.

853861250 85386125N

• 3/8" and 1/2" flexible inlet pipes included

853461250

85346125N



165

50×50

35 max

Ø32

hàd

-G3/8

-167-



Shower mixer

 Without shower set Equipped with noise reducers



Thermostatic Shower Mixer • 38° C safety temperature stop Safe Touch technology to avoid scalding Check valves protected by filters
 Without shower set

REF.

REF.



Finishes Chrome Black



- Built-in part included Ultraslim plate
 Without shower set

Finishes Chrome Black

851711200 85171120N

REF.



- 1 way Concealed Mixer
- Built-in part included
 Ultraslim plate
 Without shower set



REF. 852411200 85241120N






REF. 853111250 85311125N





Black



Adjustable water stream directly at the aerator
3/8" and 1/2" flexible inlet pipes included
Without pop-up waste

REF.


856261200

85626120N



Chrome Black





- Retractable spout
 Shower function when spout is hidden
- When spout is out, bathtub function Diverter concealed in spout
- High precision and smooth ceramic cartridge
- Antiscale aerator Noise reducers in S-connectors
- Without shower set



REF. 851211200


85121120N







H 165 **5**° Ø32 쁶



-131---


-G3/8


-57X57

-G1/2


Max 30-

42









080

SOLLER

4

Thermostatic Shower System

- Thermostatic shower mixer with upper outlet
 Thermostatic mixer with safety temperature stop at 38° C Thermostatic mixer with safety temperature stop at 38
 Safe Touch technology to avoid scalding
 Adjustable square telescopic rail:

 Min. height: 830 mm
 Max. height: 1310 mm

 Integrated automatic diverter
 200x200 mm ABS Shower head with antiscale system
 1 function hand shower 80 mm with antiscale system



Built in Thermostatic 2 way Shower Mixer

- · Safe Touch technology to avoid scalding
- 2 way diverter
 With safety temperature stop at 38° C
- Check valves protected by filters
 Without shower set


REF.


- Finish Chrome

Head shower

- AISI 304 stainless steel Antiscale Ultraslim
- 250x250 mm
 Includes swivel joint

| | Finishes | REF. |
|--|-----------------|------------------------|
| | Chrome Black | 790066900 79006690N |
| | | |







EASY INSTALL Finishe

Chrome Black

EASY INSTALL

Finish

Thermostatic Shower system

- Max. height: 1310 mm Ultraslim metal shower head
250x250 mm with antiscale system

Sliding shower holder
Check valves protected by filters


RFF


REF. 852780200

85278020N


SOLLER







SOLLER



SOLLER

FORMENTERA

An attractive and sophisticated design that transforms the most intimate part of your home into a place of comfort, relaxation and sensuality.





G3/8 🗔

25 MAX.

<u>G1/2</u>

G1/2

G 3/8

FORMENTERA













3/8" flexible inlet pipes Without pop-up waste ACS

Cascade Washbasin Mixer

Open cascade spout
Water flow limiter 5 L/min

• Saves up to 60% water

Ceramic cartridge

Finish Chrome

Tall Cascade Washbasin Mixer

REF.

RFF

623110200-H

623310200-H

- Open cascade spout
 Water flow limiter 5 L/min
 Saves up to 60% water
 Ceramic cartridge

- 3/8" flexible inlet pipes
 Without pop-up waste



Finish Chrome

Formentera washbasin mixer

- Water flow limiter 5 L/min
- Saves up to 60% water
 Antiscale aerator
- Ceramic cartridge
 3/8" flexible inlet pipes
- Without pop-up waste



REF. 623461200-H


Wall mounted Cascade Washbasin Mixer

- Ultraslim plate
 Water flow limiter 5 L/min
- Built-in part included
- Outlet type: open cascade
 Maximum spout distance: 170 mm
- Without pop-up waste

50x50 Ø33

47

160÷170





FORMENTERA


Bath Shower Mixer

 Automatic diverter integrated in the structure
 Equipped with noise reducers Antiscale aerator Without shower set

REF.







Chrome

Thermostatic shower mixer

 \cdot With safety temperature stop at 38° C Safe Touch technology to avoid scalding
Check valves protected by filters
Without shower set



Finish Chrome

2 way Concealed Mixer

REF

- Ultra slim plate
 Ceramic diverter Without shower set Concealed part included

Finish REF. Chrome 621710200

1 way Concealed Mixer

- Ultra slim plate
 Ceramic diverter Without shower set
- · Concealed part included

Finish

REF

622410200

REF. 626260200-H

Finish Chrome





Finish

Chrome

REF. 624910200







87 59

<u>8</u>68











Finish Chrome







FORMENTERA

FORMENTERA

Shower kit Thermostatic shower system Thermostatic shower bystem Safe Touch technology to avoid scalding Thermostatic mixer with safety temperature stop at 38° C Integrated automatic diverter \cdot 1 function hand shower Antiscale Hand shower holder with water outlet 1.75 m FLEX shower hose Integrated automatic diverter Adjustable telescopic rail: Min. height: 970 mm Max. height: 1310 mm 279x279 mm ABS shower head with antiscale system 1 function hand shower 1.5 m PLEX shower hose Sliding shower holder Check valves protected by filters 1/2" wall connection Finish REF. Chrome 790055400 Shower head • ABS • 279x279 mm Swivel ball-joint Antiscale F 1 EASY INSTALL Finish REF. Finish REF 622381200 Chrome 790066500 Chrome Shower arm Formentera single lever shower system Metallic Shower mixer with upper outlet • 300 mm • 25x25 mm Integrated automatic diverter Adjustable square telescopic rail: Adjustable square telescopic rail. Min. height: 950 mm Max. height: 1140 mm 279x279 mm XL ABS square shower head with antiscale system High quality 1.5 m FLEX shower hose Formentera 1 function hand shower with antiscale system • 1/2" thread Square flanges, for a more integrated design Sliding shower holder Check valves protected by filters Finish REF. Chrome 790075500 CONFIGURE YOUR OWN BUILT-IN SET 2 way concealed mixer Concealed part included Formentera ABS shower head Shower arm Formentera shower kit 1 function handshower Hand shower holder with water outlet 1.75 FLEX shower hose EASY INSTALL REF. Finish Chrome 622980200-H





ITACA

Takes you on a two-way journey between the classic and the modern.



METALLIC - FINISHES PVD





Ref.: 673860200

-107---

50 MAX-

--ø33

G 3/8-----

-132-

_____G3/8

50 MAX-

-Ø3

-G3/8

ITACA

Bidet Mixer

- Swivel ball joint Antiscale aerator Flexible 3/8" & 1/2" inlet pipes Anti-fingerprint treatment in PVD models
- Without pop-up waste



Finishes Chrome Pure Gold

676260200 67626020G2 67626020G3 67626020N2 67626020BZ

REF

Bath Shower Mixer without Shower Set

- Ceramic diverter High precision and smooth ceramic cartridge
- Antiscale aerator
- Noise reducers in S-connectors Anti-fingerprint treatment in PVD models
 Without shower set



Chrome

671010200 67101020G2 67101020G3 67101020N2 67101020BZ

RFF

Three hole deck bath shower mixer

- · With hand shower, antiscale treatment and 1 function
- Antiscale aerator
- Flexible 3/8" inlet pipes



- $\boldsymbol{\cdot}$ Noise reducers in S-connectors · Anti-fingerprint treatment in PVD models
- PVD ₩^{__dB}
 - RE
- Brave Black Loyal Bronze

Thermostatic Shower Mixer

- Without shower set

Finishes Chrome Pure Gold

Proud Rose Brave Black Loval Bronze

Proud Rose Brave Black Loval Bronze



فلاج فلاج فلاج






Pure Gold Proud Rose Brave Black Loyal Bronze

REF



- Fixed middle spout with integrated converter
 Automatic diverter





Finishes Chrome Pure Gold Proud Rose Brave Black

67152020G2 67152020G3 67152020N2 Loyal Bronze 67152020BZ

Shower Mixer

Without shower set



Finishes Chrome Pure Gold Proud Rose

- 672310200
 - 67231020G2 67231020G3 67231020N2 67231020BZ

- the touch Check valves protected with Filters
- · Anti-fingerprint treatment in PVD models






PVD 📉


REF.






14[°]

ø26→










-G 1/2



G1/2'





Three hole Washbasin Mixer

- · Easy Fix fast installation system in spout
- Anti-fingerprint treatment in PVD models
 Without pop-up waste



Chrome Pure Gold



PVD Ň

Finishes

Chrome

Pure Gold

Proud Rose

Brave Black

Loval Bronze

- Maximum distance from spout outflow: 218 mm
- Antiscale aerator

REF

674610200

67461020G2 67461020G3

67461020N2

67461020BZ





Finishes

Chrome

ITACA

-

70 | SHOWER COLUMNS AND TAPS



Proud Kose Brave Black Loyal Bronze







- Anti-fingerprint treatment in PVD models
- Without pop-up waste



Washbasin Mixer S size

ECO PVD

Washbasin Mixer M size

ECO PVD

Finishes

Chrome Pure Gold

Proud Rose

Brave Black

Loyal Bronze

Washbasin Mixer XL size

Finishes

Chrome

Pure Gold

Proud Rose

Brave Black

Loval Bronze

• Water flow limiter to 5 L/min • Saves 60% compared to standard single lever mixer • Ideal for BREEAM and LEED projects

673460200

67346020G2

67346020G3

67346020N2

67346020BZ

Water flow limiter to 5 L/min
 Saves 60% compared to standard single lever mixer
 Ideal for BREEAM and LEED projects
 Antiscale aerator

RFF

673860200 67386020G2


67386020G3

67386020N2

67386020BZ

Antiscale aerator
 High precision and smooth ceramic cartridge
 Anti-fingerprint treatment in PVD models
 Flexible 3/8" & 1/2" inlet pipes
 Without pop-up waste

Ideal for BREEAM and LEED projects
 Antiscale aerator
 High precision and smooth ceramic cartridge
 Anti-fingerprint treatment in PVD models
 Flexible 3/8" & 1/2" inlet pipes
 Without pop-up waste



674310200

67431020G2


67431020G3

67431020N2

REF









G 1/2-

64÷69


ITACA

2 way concealed mixer Shower head 4 Built-in part included
Ultraslim plate Metallic L Size Ø250 mm 08888880 Anti-fingerprint treatment in PVD models Antiscale
 Swivel ball-joint 100- Without shower set +66 PVD 📉 PVD **Finishes** REF Finishes REF. 66 MAX Chrome 671710200 Chrome Pure Gold Proud Rose 67171020G2 67171020G3 Pure Gold Proud Rose 67171020N2 67171020BZ Brave Black Brave Black Loyal Bronze Loyal Bronze 1 way concealed mixer Shower arm • Metallic Built-in part included Ultraslim plate • 300 mm Anti-fingerprint treatment in PVD models
 Without shower set Ø25 mm
 Thread 1/2" G 1/2 Extra-solid installation PVD 📉 PVD -65 MAX **Finishes** REF Finishes REF. 790075700 79007570G2 Chrome 672410200 Chrome 67241020G2 67241020G2 67241020G3 Pure Gold Pure Gold Proud Rose 79007570G3 Proud Rose 67241020N2 67241020BZ Brave Black Brave Black 79007570N2 Loyal Bronze 79007570BZ Loyal Bronze STREAM Shower set TIP Vertical shower arm • 1 function • 200 mm Thread 1/2" Antiscale Brass • 1.75 m FLEX shower hose PVD PVD **Finishes** REF. Finishes REF. 790056600 Chrome Chrome Pure Gold 79005660G2 Pure Gold Proud Rose Brave Black 79005660G3 79005660N2 Proud Rose Brave Black Loyal Bronze 79005660BZ Loyal Bronze Ø63 Quick Automatic pop-up waste CONFIGURE YOUR OWN BUILT-IN SET • Push pop-up waste



| No lift rod requ | pen-close system iired ith washbasins with and without overflow |
|--------------------------------------|---|
| PVD | |
| Finishes | REF. |
| Chrome | 1106200 |


REF. 1106200 Pure Gold Proud Rose 110620G2 110620G3 Brave Black 110620N2 Loval Bronze 110620BZ





1 way concealed mixer
Concealed part included Shower kit - 1 function handshower


- Hand shower holder with water
- outlet 1.75m FLEX shower hose





ITACA

a a

P







ITACA

ITACA





Proud Rose

Brave Black Loyal Bronze

Thermostatic shower system

Thermostatic Shower System Plus

 Adjustable telescopic rail: - Min. height: 970 mm - Max. height: 1310 mm

1.5 m FLEX shower hose
Check valves protected by filters Anti-fingerprint treatment in PVD models

Thermostatic shower mixer with upper outlet
Safe Touch technology to avoid scalding
Thermostatic mixer with safety temperature stop at 38° C
Integrated automatic diverter


• Ø250 mm metallic shower head with antiscale system • 1 function hand shower

REF. 672370200 67237020G2

67237020G3


67237020N2 67237020BZ











302.6

1.5m



Single lever shower column

- Single lever shower mixer with upper outlet
 Ceramic diverter
- Cerafine diverter
 Noise reducers in S-connectors
 Adjustable telescopic rail:

 min height 840 mm
 max height 1350 mm

 Ø250 mm Metallic antiscale shower head

- 1 function hand shower with antiscale tratment 1.5 m FLEX shower hose
- Sliding shower holder
 Anti-fingerprint treatment in PVD models

PVD Finishes Chrome Pure Gold

Proud Rose

Brave Black Loyal Bronze

REF. 672970200 67297020G2 67297020G3 67297020N2 67297020BZ

Single lever shower system

- Shower mixer with upper outlet

- 1.5 m PLEX shower hose

| 4 |
|---|
| |
| 5 |
| |


REF. 672980200


Finish

Chrome

74 | SHOWER COLUMNS AND TAPS







CALVIA

Balance in a bathroom is key. This collection offers a well-proportioned blend of traditional and cutting-edge design.





Ø33

G 3/8--

-121--

20

<3Ŏ 3


Ø33

G 3/8

CALVIA







Washbasin Mixer





Washbasin Mixer XL size

Easy Fix fast installation system

- Easy Fix fast installation system
 Antiscale aerator
 Hihg precision and smooth ceramic cartridge
 3/8" flexible inlet pipes
 Without pop-up waste



EASY INSTALL REF. Finish Chrome 323110200








Finish Chrome

REF.

326260200-H







Bath Shower Mixer

Chrome

321220200-H

Shower Mixer



2 way concealed mixer

- Built-in part included
- Automatic diverter
 High precision and smooth ceramic cartridge
 Without shower set

| Finish | REF. |
|--------|------|
| Chrome | 3217 |
| | |

Finish

1 way concealed mixer

Built-in part included
High precision and smooth ceramic cartridge
Without shower set


| | P | |
|--|---|--|
| | 1 | |
| | | |


REF. Chrome 322410200

















Ø160

ALAIOR

The splendour of simplicity. A minimalist collection of cylindrical forms to suit any bathroom environment.





ALAIOR











Without pop-up waste

Washbasin Mixer XL

Antiscale aerator
High precision and smooth ceramic cartridge
3/8" flexible inlet pipes
Without pop-up waste

REF.

REF. 221220200

REF.

222320200


553660200

REF.

55346E200

Washbasin Mixer XL with ECO cartridge

Cold start ECO cartridge
Flow limiter at 5 L/min
Saves up to 60% compared to standard single lever mixer
Ideal for BREEAM & LEED projects
Antiscale aerator
High precision and smooth ceramic cartridge
3/8" flexible inlet pipes
Without poopure waste



-102--

Ø33 -


-Ø50

Finish Chrome



Bath shower mixer Bath/shower mixer

- With shower setEquipped with noise reducers
- Antiscale aerator
 Diverter integrated in the mixer






Finish Chrome



Shower mixer

With shower set
Equipped with noise reducers

Finish Chrome



CUSSION STR

Free standing bathtub mixer

- Specially designed for free-standing bathtubs
 1 function hand shower
 1.5 m FLEX shower hose
 Anti-fingerprint treatment in PVD models

PVD Finishes Chrome Pure Gold Proud Rose Brave Black Loyal Bronze

REF. 182330200 18233020G2 18233020G3 18233020N2 18233020BZ

REF.


Single lever shower system


- Shower mixer with upper outlet
 Ceramic diverter
 Adjustable round telescopic rail:
 Min. height: 810 mm


- Max. height: 1320 mm Ø250 mm ABS shower head with antiscale system
- 3 functions hand shower
 1.5 m FLEX shower holder
 Sliding shower holder











MT PLUS

A classic of our times suited to a timeless home, for those who wish to add a touch of traditional elegance.





153

350

25MAX

−G1/2 ຕຶ

MT PLUS











Washbasin Mixer

ACS Finish

Chrome

Finish

Chrome

Bidet Mixer

Swivel ball joint
Antiscale aerator 3/8" flexible inlet pipes
Without pop-up waste

Antiscale aerator
3/8" flexible inlet pipes

• Without pop-up waste

REF.

REF.

REF.


REF.


466260200

463460200

















462320200 2 way concealed mixer Concealed part included
 Without shower set








G 1/2


157

ъ.















Single lever shower system

- Sliding shower holder



Finish REF. Chrome 462980200-H

Combo

Washbasin mixer (1/2" inlet pipes) 463460210
 Bath Shower mixer 461210200
 Stylo Sport Shower Set 790028200





Finish REF. Chrome 467101200

Combo L size Washbasin mixer L (3/8" inlet pipes) 463820250
Bath Shower mixer 461210280 Stylo Sport 790028200






Finish Chrome

RFF

86 | SHOWER COLUMNS AND TAPS

















467110200



Chrome


Finish


461710200







150±20













MANACOR

Inspired in the mysterious Majorcan archaeological sites known as Talaiots, we have created a collection with smooth lines to evoke ancestral simplicity.





MANACOR

Washbasin Mixer

Antiscale aerator

ECO

Finishe

Chrome

Black

Finish

Chrome

Flow limiter to 5 L/min

Without pop-up waste

Cold tap washbasin mixer

Antiscale aerator

Without pop-up waste

Washbasin Mixer XL

Antiscale aerator

Bidet Mixer

Swivel ball joint

 Antiscale aerator 3/8" flexible inlet pipes

Without pop-up waste

· Easy Fix fast installation system

Ideal for BREEAM and LEED projects

Easy Fix fast installation system

Ideal for BREEAM and LEED projects

High precision and smooth ceramic cartridge
3/8" flexible inlet pipes

REF.

843460250

84346025N

Saves up to 60% compared to standard single lever mixer














| Bath Shower Mixer |
|--|
| Antiscale aerator Noise reducer in S-connectors Automatic diverter With shower set (3 function hand shower with antiscale system, shower holder and 1.75 FLEX shower hose) |
| |

REF. 841220200 84122020N





REF.



- G3/8

845110200


Flow limiter to 5 L/min
Saves up to 60% compared to standard single lever mixer

REF.

REF. 846260200

84626020N

843110250 84311025N



35 ma

______G3/8

-141----

-100-

- 120

-181-----137-

 $\subset \subset$

Max 30

Ø42 -Ø50

- G3/8





MANACOR

Shower Mixer

shower holder and 1.50 FLEX shower hose)



REF 842320200 84232020N

Thermostatic Shower Mixer

• Safety temperature stop at 38° C Safe Touch technology to avoid scalding Check valves protected by filters
 Without shower set



Finish REF Chrome 842010200

Thermostatic Bath- Shower Mixer with spout

 Safety temperature stop at 38° C
 Safe Touch technology to avoid scalding
 Diverter in the flow mixer
 Check valves protected by filters Without shower set

| Finish |
|--------|

Chrome

REF 841910200

Thermostatic Shower System

- \cdot Thermostatic shower mixer with upper outlet
- Integrated automatic diverter
 Adjustable round telescopic rail:
- Min. height: 800 mm Max. height: 1310 mm

- Sliding shower holder
- Check valves protected by filters



REF. 842380200 84238020N



90 | SHOWER COLUMNS AND TAPS



EASY INSTALL

Finishes


Chrome

Black





É



MANACOR

Single lever shower system

- Shower mixer with upper outlet
- Ceramic diverter
- Adjustable round telescopic rail:
 Min. height: 870 mm

- - EASY INSTALL Finish REF. 842980200 84298020N Chrome Black

Single lever shower system with spout

- Bath-shower mixer with upper outlet
- Ceramic diverter
 Adjustable round telescopic rail:

- Sliding shower holder







1 way concealed mixer

 Concealed part included
 Ultraslim plate Without shower set



842410200 84241020N

MANACOR







Thermostatic Shower System with movable spout

• Thermostatic mixer with safety temperature stop at 38° C • Ceramic diverter

Max. height: 1310 min
Ultraslim metallic shower head with antiscale system:
Ø200 mm ABS shower head
3 functions hand shower with antiscale system
1.5 m FLEX shower hose

REF.

Dual Control Shower System

 Adjustable round telescopic rail: - Min. height: 800 mm - Max. height: 1310 mm

Check valves protected by filters

Mixer with thermostatic mixer appearance

Safe Touch technology to avoid scalding
 Integrated automatic diverter

841480200

max. neight: 1510 mm
Ø200 mm ultraslim metal shower head with antiscale system
3 function hand shower with antiscale system
1.5 m FLEX shower hose (PLEX for black finish)
Silding shower holder

Thermostatic shower mixer with upper outlet
Safe Touch technology to avoid scalding

Adjustable round telescopic rail: Min. height: 800 mm

Sliding shower holder
 Check valves protected by filters
 Movable spout with diverter function

- Max. height: 1310 mm

EASY INSTALL

Finish

Chrome

EASY INSTALL Finishes Chrome Black

2 way concealed mixer

Concealed part included

 Ultraslim plate Without shower set

Finish

Chrome Black






6

REF 841710200 84171020N


REF.

842780200

84278020N



G 1/2 65+70



92 | SHOWER COLUMNS AND TAPS

Ê












Min. height: 870 mm
Max. height: 1380 mm
200 mm ABS shower head with antiscale system
3 functions Stylo Sport hand shower with antiscale system
High quality 1.5 m FLEX shower hose
Sliding shower holder











MANACOR

MANACOR

Shower head Flexible hose AISI 304 stainless steel • PLEX • 1.75 m Antiscale
Ultraslim
Ø250 mm Includes swivel joint **Finishes** REF. Finishes REF. Chrome Black 790066600 79006660N 790095900 790096100 Silver Black chrome Shower arm Round water outlet 300 mm
Ø25 mm
1/2" thread
Extra-strong fastening Attachment for 1/2" flexible hose -REF. Finishes REF. **Finishes** 790075700 79007570N 790105600 79010560N Chrome Black Chrome Black Vertical shower arm GIP 200 mm
Ø25 mm
1/2" thread Extra-strong fastening Finishes REF. 790076000 79007600N Chrome Black Shower kit 3 functions hand shower
Adjustable shower holder
1.75 m FLEX shower hose **Finishes** REF. 790057000 79005700N Chrome Black Hand shower 3 function
 Antiscale system Finishes REF.

Chrome Black

790039300 790039300N

SHOWER COLUMNS AND TAPS | 95

INCA

Our most iconic collection is a living tribute to our roots.





INCA















Washbasin Mixer

AENOF

Finish

Finish

AENO

Finish

₩^{IdB} Finish

Chrome

Tall washbasin mixer

Chrome

Chrome

Swivel ball joint
Antiscale aerator

3/8" flexible inlet pipes
Without pop-up waste

Noise reducer in S-connectors

Chrome

Antiscale aerator
3/8" flexible inlet pipes

• Without pop-up waste

REF.

REF. 53346C6

RFF

shower holder and 1.75m FLEX shower hose)

REF. 5310212

5362612

Inca Bidet mixer Without pop-up waste

5334612

IDEM, flow limiter to 5 L/min, ideal for BREEAM and LEED projects




Shower Mixer







Finish Chrome



Ø33



2 way concealed mixer

 Automatic push diverter
 Concealed part included • 40 mm cartridge
• Without shower set


REF.

REF.

5324112

5317112






Finish

Chrome





Combo

• Washbasin Mixer 5334612 Bath shower Mixer 5310112
Shower set 790028200



25 MAX







REF. 533760200

RFF

5323212









537190200


Finish Chrome


Ceramic angle valve • Ceramic headpart 90° turn


Equipped with filters

Finish Chrome REF.

-13







150181200-Н - 1/2" - 1/2" 150191200-Н - 1/2" - 3/8" washine machine angle valve 150201200-H - 1/2" - 3/4"

DESSIN

A harmonious and attractive look that will turn your bathroom into a unique space.





DESSIN

Strohm | Teka

Ø33

G3/8 G1/2

DESSIN



Washbasin Mixer S Flow limiter to 5 L/min Saves up to 60% compared to standard single lever mixer

- Ideal for BREEAM and LEED projects
- Antiscale aerator
- High precision and smooth ceramic cartridge
 Flexible 3/8" and 1/2" inlet pipes
- Without pop-up waste

Finish Chrome



- Flow limiter to 5L/min Cold start. Greater ecological savings
- Saves up to 60% compared to standard single lever mixer
 Ideal for BREEAM and LEED projects

REF.

30346020C3

- Antiscale aerator
 High precision and smooth ceramic cartridge
- Flexible inlet pipes 3/8" and 1/2"
- Without pop-up waste
- Lead Free



REF. Chrome 303310270C3

Washbasin Mixer L

Antiscale aerator

Flow limiter to 5L/min

Ideal for BREEAM and LEED projects

Antiscale aerator
High precision and smooth ceramic cartridge
Flexible 3/8" and 1/2" inlet pipes





Chrome





- Flow limiter to 5L/min
 Cold start. Greater ecological savings
 Saves up to 60% compared to standard single lever mixer
 Ideal for BREEAM and LEED projects
 Antiscale aerator

303860270C3

- 3/8" flexible inlet pipes
 1/2" adapter
- High precision and smooth ceramic cartridge
- Without pop-up waste - Lead Free



Chrome



RFF


303660270C3

Flow limiter to 5 L/min
Saves up to 60% compared to standard single lever mixer
Ideal for BREEAM and LEED projects

RFF

30431020C3

- Antiscale aerator
- Without pop-up waste







Bidet Mixer Flow limiter to 5l/min

Swivel ball ioint

Without pop-up waste

Chrome

Bath shower Mixer

- Noise reducer in eccentrics
- Ceramic diverter
- PLEX shower hose) R899501

REF

REF

REF



Finish Chrome

Shower Mixer

 Noise reducer in S-connectors R899501



2 way concealed mixer

- Built-in part included Ultraslim plate
- High precision and smooth ceramic cartridge
- Ceramic diverter
 Without shower set



REF 30171020C3

1 way concealed mixer

- Built-in part included
 Ultraslim plate
- $\boldsymbol{\cdot}$ High precision and smooth ceramic cartridge
- Without shower set
- P Finish Chrome

RFF 30241020C3





Chrome


102 | SHOWER COLUMNS AND TAPS





hni





Cold start. Greater ecological savings
Saves up to 60% compared to standard single lever mixer


















DESSIN









REF. 30138020C3


Thermostatic bath shower system

- Single lever shower system

- Shower mixer with upper outlet
 Ceramic diverter
 Adjustable round telescopic rail:

 Min. height: 820 mm
 Max. height: 1330 mm

 Ø246 mm ABS shower head with antiscale system
 1 function hand shower with antiscale system
 High quality 1.5 m PLEX shower hose











INNOVAT

Electronic taps, practical and functional.



INNOVAT

INNOVAT BASIC electronic washbasin tap

- 6V batteries included
 Anti-waste filters

Finishes


Chrome Chrome

- Check valve
 Working pressure : 0.1-0.6 MPa
 Antiscale aerator (7.5-9 L/min)
 Actual size of aerator: M24x1

- With outer electromagnetic box (6V model)
- Water flow stops automatically after 5 min of continuous use Washing sensor indicates low energy level of battery (6V model)
- Water flow stops automatically when battery is depleted
 Flow limiter to 5 L/min
- 3/8" flexible input pipes
- Parameters can be configured using remote control

REF.

753080200 (6V) 7530802F0 (24V)



SPECIAL TAPS

Medical washbasin mixer

- Medical handle
 Water flow limiter 5 L/min
- Antiscale aerator
 3/8" flexible input pipes
 Without pop-up waste





Cold tap

Equipped with ceramic headpart
360 orientable spout

REF

161480200



Finish Chrome

UNIVERSE

(C


Universe Pro Shower system


- Universal installation system Ceramic diverter
- Ceramic diverter
 Adjustable telescopic rail:
 Min. height: 975 mm
 Max. height: 1150 mm
 250 mm Ice L ABS shower head
- Ice Hand shower 3 functions
 Adjustable hand shower holder
 1.5 m FLEX shower hose
- Connecting metal flexible hose
 (80 cm) between mixer and shower
- systemMinimum recommended pressure:
- 1.5 Bar Please note that mixer is not included



790027200

108 | SHOWER COLUMNS AND TAPS







Finish Chrome REF 790028600

HAND SHOWER





Duo Air hand Shower Bubble aerated spray
Ø13.5 cm
1 function



Sense hand shower 5 functions

Antiscale system
Ø12.5 cm




Finish Chrome REF 790038500

Stream hand shower

 1 function Antiscale system
Anti-fingerprint treatment in PVD models







-

Finish Chrome REF. 790038600 **HAND SHOWER**

Sense hand shower

5 functions
Antiscale
Ø12.5 cm

Finish Black / Chrome RFF 790038400

Ice hand shower

 3 functions Antiscale system • Ø10 cm

Finish

REF.

Chrome

790037000

• 3 functions

Itaca hand shower

Antiscale system



Finish Chrome REF.

Soller hand shower 1 function Antiscale system



Cuadro Duo hand shower 1 function
 Antiscale



Finish Black / Chrome REF 790036800

Stylo sport hand shower

3 functions
Antiscale system

790036500



790038800 Finish

Black REF. 79003880N



Artik hand shower

- Auto cleaning system
 3 functions
 Antiscale system
 Ø12 cm

Finish Chrome **REF.** 790038700

Stick hand shower





Finish

Chrome REF. 7900355

Formentera hand shower

- 1 function
 Antiscale system



Finish Chrome REF. 790038000

HAND SHOWER / SHOWER KIT


1 function
Antiscale system

Calm sport hand shower



Finish Chrome RFF 790036600







Manacor hand shower 3 functions Antiscale system



Stream shower set

- 1 function Antiscale
- Brass
 1.75 m FLEX shower hose
- Anti-finger print treatment in PVD models



79005660G2 79005660G3 Proud Rose Brave Black 79005660N2 79005660B7 Loyal Bronze



79005690W 79005690N Black Sense hand shower kit Hand shower with antiscale system
5 functions
Ø12.5 cm

REF.

790056900

Finishes

Chrome

White

Adjustable shower holder
 1.75 m PLEX shower hose

Finish Black / Chrome REF. 790055800

SHOWER KIT

- Soller hand shower kit 80x80 mm Soller hand shower 1 function
- Adjustable shower holder
 1.75 m PLEX shower hose

Finish Chrome RFF 790056500

Finish

Black

REF.

79005650N

1 function

Lavi Shower set

Antiscale hand shower

Adjustable shower holder
 1.75 m FLEX shower hose



Finish Chrome RFF

790056000

Formentera shower kit

Sense hand shower kit

Ø12.5 cm
Adjustable shower holder

1.75 m PLEX shower hose

 Antiscale hand shower 5 functions

- Antiscale hand shower
- 1 function Adjustable shower holder
 1.75 m FLEX shower hose





Finish Chrome REF. 790055300

Sense shower kit with water outlet

- Antiscale hand shower
- 5 functions • Ø11 cm
- · Water outlet with integrated hand
- shower holder 1.75 m PLEX shower hose



Finish Black / Chrome 790055900







Itaca shower kit

- Function selection buttons
- Antiscale hand shower

- Aftiscale hand shower
 3 functions
 Ø11 cm
 Adjustable shower holder
 1.75 m PLEX shower hose

Finish Chrome

REF. 790056200

Itaca shower kit with water outlet

- Function selection buttons
 Antiscale hand shower

- 3 functions
 Ø11 cm
 Adjustable support with
- integrated water inlet 1.75 m FLEX shower hose

Finish

Chrome

REF. 790056300

Sense shower kit with water outlet

- Antiscale hand shower 5 functions
- Ø11 cm
 Water outlet with integrated hand
- shower holder 1.75 m PLEX shower hose

Finish Chrome REF. 790056100

SHOWER KIT



Manacor shower kit with water outlet

3 functions hand shower
Adjustable shower holder
1.75 m FLEX shower hose

Finish

Finish


Black **REF.** 79005700N

water outlet

Formentera shower kit with

Anti-scale hand shower
1 function
Water outlet with integrated hand shower holder
1.75 m FLEX shower hose

Chrome REF. 790057000




- 80x80 mm Soller hand shower
 1 function
 Water outlet with integrated hand
- shower holder 1.75 m PLEX shower hose



SHOWER HEAD



Chrome REF. 790056400







114 | SHOWERS

SPA Built-in rectangular shower head

- AISI 304 stainless steel
 2 functions: cascade and rainfall
 Antiscale
 700x380 mm

Finish REF. 790067400 Polished steel

Spa built in chromotherapy multifunction shower head

- Spa built in chromotherapy multirund
 AISI 304 stainless steel
 4 function shower
 LED lighting
 Water-resistant lighting remote control
 Recommended thermostatic mixer: 780240200
 Antiscale
 950x950 mm


Finish Polished steel

790067500

REF.

SHOWER HEAD

SHOWER HEAD




SHOWER HEAD

Finish

REF

Chrome

7900651



ABS
 1 function

• Ø70 mm Antiscale

Includes swivel joint



Bavaro shower head set

 ABS
 1 function • Ø70 mm Antiscale
Includes swivel joint
Includes metallic shower arm



Stylo Sport shower set

- Ø25 mm, 60 cm Baltic sliding bar Style sport 3 function antiscale
- Style sport 3 function antisic hand shower
 1.75 m flexible metal hose
 Soap dish
 Adjustable shower support

Finish Chrome REF.

790026600

Alaior shower set

- Ø25 mm
 60 cm sliding bar
 3 function antiscale hand shower
 1.75 m FLEX shower hose
- Adjustable shower holder
 Adjustable upper wall bracket
 (perfect for renovation works)





Baltic Sliding bar

- Ø25 mm
 Height: 60 cm
 Soap Dish
 Adjustable shower holder
 Adjustable upper wall bracket (perfect for renovation works)



Finish Chrome REF. 7900150



SHOWER SET AND SLIDING BARS



Baltic Sport shower set

- Ø25 mm, 60 cm Baltic sliding bar
 Calm Sport 1 function antiscale
- Cam Sport 1 function antiso handle
 1.75 m flexible metal hose
 Soap dish
 Adjustable shower support

Finish Chrome

REF. 790026700


Baltic XL Sliding bar

- Ø25 mm
 Height: 95 cm
 Soap Dish
 Adjustable shower holder Adjustable shower holder
 Adjustable upper wall bracket (perfect for renovation works)




Finish Chrome REF. 790016100

SHOWER ACCESSORIES



Finish Chrome REF. 790055200





Chrome **REF.** 790045400

Soller shower holder • Adjustable



Finish

Chrome

7900451

REF.

Finish Chrome **REF.** 790045500

REF. 790096200

REF. 1106200

110620G2 110620G3

110620N2

110620BZ


79009620G2

79009620G3

79009620N2

79009620BZ

SHOWER ACCESSORIES



SHOWER ACCESSORIES

Quick Alaior pop-up waste Brass push pop-up waste Easy manual open-close

Finish

RFF

Chrome

1107000

 No lift rod required Without overflow • G 1 1/4

Quick Inca pop-up waste Quick INCA pop-up waste Brass push pop-up waste Easy manual open-close No lift rod required • With overflow • G 1 1/4

| Finish |
|--------------------|
| Chrome |
| REF. 1106900 |
| IDEM, without over |

Finish Chrome REF. 1106800

POP-UP waste (for mineral charge basins) Easy manual open-close No lift rod required

Without overflow

Finish White 1108600



POP-UP WASTE

Feature enabling automatic wastewater disposal by pressing once on lid

Finish Chrome 1107300





Quick square pop-up waste

- Brass push pop-up waste
 Easy manual open-close
- No lift rod required
- With overflow G 1 1/4

Finish Chrome RFF

1107200

IDEM, without overflow

Finish Chrome

RFI

1107100

American Pop- Up waste

Finish Chrome REF 1107600 (with overflow) 1106300 (without overflow)

Accesory tail for American pop-up

• Ø31.7 mm

| Finishes | REF. | |
|--------------|----------|--|
| Chrome | 1051000 | |
| Pure Gold | 105100G2 | |
| Brave Black | 105100N2 | |
| Loyal Bronze | 105100BZ | |
| | | |

POP-UP waste (for mineral charge basins)

- · Easy manual open-close
- No lift rod required
- Without overflow

Finish Black REF. 1108900

園

CERAMIC SANITARY WARE

| FORMENTERA | 128 |
|---|-----|
| NEXOS | 130 |
| MANACOR | 132 |
| INCA | 134 |
| GLORIA New! | 135 |
| DESSIN New! | 136 |
| SINEU New! | 137 |
| PUSH BUTTONS | 139 |
| BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM | 140 |



CERAMIC TOILETS AND BASINS

Ceramic has always played a key role in the history of mankind. At Strohm Teka we have molded this timeless material to suit every taste.



Soft close No need to remember to close the toilet seat. A gentle push of the lid after use will close it gently and silently.



.

Saving water We are committed to our planet by saving water. Products with these icons reduce water consumption.




Rimless design Our rimless toilet bowls simplify cleaning and maintenance.



Dual System: wall or floor Strohm Teka toilets work for both wall and floor downpipes.

Easy to clean The high quality white ceramic with double enable coating for greater resistance makes our products easier to clean.



FORMENTERA

New!



- Horizontal 180 mm
- Easy to clean Rimless technology
 Dual flush 3/6 L

REF.

700300200

Finish

White


Floor bidet


• High quality ceramic

Easy to clean
 Back to wall
 Tap not included

BTW WC

Installation kit
Ultraslim UF seat and lid with soft close system





FORMENTERA

.

Pedestal basin

- High quality ceramic
 Easy to clean
- 60 cm (washbasin)
 With overflow
 Tap not included

Only one referece code required for this model





REF. 187200001

Wall Hung basin

- Wall hung basin High quality ceramic
 Easy to clean
 56x44x39 cm
- With overflow
 Tap not included

1





.....

Finish

White

.Ju Finish

White


Wall Hung bidet

High quality ceramic
Easy to clean
Tap not included



- High quality ceramic
 Easy to clean Rimless technology
 Can be used with built-in tanks or flush valves
 Installation system for built-in tanks
 Ultraslim UF seat and lid with soft close system


REF. 117350000





117320000



















- REF.
 - 187360000
















e 45









NEXOS











ŭ,

8

Wall Hung bidet

High quality ceramic
Easy to clean Tap not included

. **J** Finish White

Basin

- 61 cm
 High quality ceramic
 With overflow
- · Easy to clean Tap not included

REF.

187360001





Finish

White

One piece WC

BTW WC

High quality ceramic
Full pack: Two piece WC

- Horizontal 180 mm Easy to clean Rimless technology
 Dual flush 3/6 L

Compact design
 Measurements: 61x36x85 cm
 Back to wall (BTW) with dual outlet:
 - Vertical 75-250 mm









REF. 117330000

Wash down flushing system
 Vertical syphon outlet at 300 mm
 Enamelled concealed syphon
 Measurements:71.5x36.5x73.5 cm
 Dual flush 3.6/6 L
 Ultraslim UF seat and lid with soft close system
 Installation kit included (wax ring included)

REF.

700420200



Wall Hung WC

3/4.5

White


Finish


White


REF. 117320001


High quality ceramic
Easy to clean Rimless technology
Can be used with built-in tanks or flush valves
Installation system for built-in tanks
Ultraslim UF seat and lid with soft close system

117320001











REF. B661500261 REF. B661040200





ũ.

10





B661500261 Pedestal RFF Finish White B661030200


REF.

Basin

• 61 cm High quality ceramic
 With overflow

- Easy to clean
 Tap not included

Important: When ordering this model of ceramic basin, you must enter 2 references: one for the basin and one for the pedestal









MANACOR

MANACOR









- 12

.

Wall Hung bidet

High quality ceramic
Easy to clean Back to wall
 Tap not included





Tap not included

REF.






REF.

700190200









Finish

White

Floor bidet

BTW WC

savings)

High quality ceramic
Full pack: Two piece WC

- Horizontal 180 mm Easy to clean Rimless technology
 Dual flush 3/6 L

Compact design
 Measurements: 615x360x810 mm
 Back to wall (BTW) with dual outlet
 - Vertical 80-240 mm

White







REF.

117350002

- High quality ceramic
 Easy to clean Rimless technology
 Can be used with built-in tanks or flush valves
 Installation system for built-in tanks
 Ultraslim UF seat and lid with soft close sys







.<u>j</u> Finish White

B841500255 Pedestal REF. Finish White B841030200

REF.

Semipedestal basin

- High quality ceramic
 Easy to clean
 55 cm basin
- With overflow Tap not included
- Basin and semipedestal included

Only one referece code required for this model


| • | |
|--------|--|
| Finish | |
| White | |
| | |




White

117320002









B841520256

REF.

INCA








205 300

 \cap

445 665





Inca semipedestal basin

High quality ceramic
With overflow
Easy to clean 52 cm washbasin
Semi-pedestal included

Only one referece code required for this model





New!

BTW WC

- High quality ceramic
 Measurements: 650x770x340 mm
 Dual outlet: Dual outlet:
 Vertical: 80-250 mm
 Horizontal: 180 mm
 Rimless technology
 Dual flush 3/6 L
 Ultraslim UF seat and lid with soft close system

New!

Finish White Floor bidet High quality ceramic
Easy to clean Tap not included



White



REF.

| 3/6 LITRES |
|---------------|
| Finist |
| White |









White



134 | CERAMIC SANITARY WARE









Floor bidet

High quality ceramic
Easy to clean
Back to wall
Tap not included

BTW WC

700200200

Wash down flushing system
Vertical syphon outlet at 300 mm
Enamelled concealed syphon
Measurements: 665x360x740 mm
Dual flush 3.6/6 L
PP seat and lid with soft close system
Installation kit included (wax ring included)

Finish


White


One piece WC








355











DESSIN



- BTW WC High quality ceramic
 Full pack: Two piece WC
- Compact design
 Measurements: 62x36.5x82 cm
- Dual outlet: Vertical 100-250 mm Horizontal 180 mm

2.6/4 LITRES

REF.

Wash down flushing system
 Vertical syphon outlet at 300 mm
 Enamelled concealed syphon
 Measurements: 665x360x740 mm
 Dual flush 3.6/6 L
 Ultraslim UF seat and lid with soft close system
 Installation kit included (wax ring included)

REF.


REF.

70043020B

700430200

700360200

- Forizontal 180 mm
 Easy to clean Rimless technology
 Dual flush 2.6/4 L (highly efficient and extra water savings)
 Ideal for BREEAM and LEED projects
 Installation kit included
- Ultraslim UF seat and lid with soft close system



140





Floor-standing toilet

- High quality ceramic
 Easy to clean Rimless technology
 Back to wall



Wall Hung bidet

 High quality ceramic Easy to clean Tap not included





Finish

White

One Piece WC

White

One Piece WC

Dual flush 3.6/6 L

Wash down flushing system
Vertical syphon outlet at 300 mm
Enamelled concealed syphon
Measurements: 665x360x740 mm








Matt Black






















SINEU



One piece WC

. U

Finish

White


REF.

- Installation kit included (wax ring included)





White



WC ACCESSORIES



Connector S trap

square models of any brand

 D-shaped seat Slim design

Made of UF

Range Formentera

Seat

Finish

White

Seat

 Connection diameter 70/110x102/122 mm
 Adjustable length of 260-650 mm Seal is an integral part of the connector · Modern technology (rotary welding of throat) ensures long-lasting

water tightness · Material: Polypropylene

> REF. 720050007

Works with Formentera non-compact floor mounted WCs and other

Soft-close system with a useful life of over 100,000 cycles

R720065100


Soft-close system with a useful life of over 100,000 cycles

Works with Inca, Manacor, Nexos and other brand rounded models of

REF

R720063200

R720061700



FLUSH PLATES

Strohm Flush Plate 70

- ABS flush plate Ultraslim plate
 - Button divided into half flush or full flush
 Can be installed in any Strohm Teka built-in tank.



REF. 73500070W 73500070N



| Finishes | REF. |
|-------------|--------|
| Chrome | 735000 |
| Matt Chrome | 735000 |

Strohm Flush Plate 80

- ABS push plate Ultraslim plate Push button divided into half flush and full flush



REF. 73500080PC 73500080CM 73500080W

Strohm Flush Plate 60

Finish

Stainless Steel flush plate Button divided into half flush or full flush

Univ. Dual flush valve


- Dual flush mechanical action valve
- Can be used with most popular WCs without dismounting tank
 For all other WCs it is a universal system for models with a flush
- button of 16 and 50 mm Laboratory tested flush system with all kinds of water
- Up to 250.000 cycles guaranteed.
 Slide and clip height adjustable overflow from 22 cm to 34 cm
- · Enables practical and effective adjustment of overflow in all manner
- oftanks
- Anti-flooding overflow draining up to 20 L per minute


REF.


720065400

- 5 year warranty
 Made in Europe











Manacor and Nexos wall hung R720065200 Manacor BTW Nexos BTW

Range


floor mounted WCs • D-shaped seat Slim design
 Made of UF

Tank filling valve – univ. use

- · A single reference for all side and bottom entry WCs
- Long brass 3/8" thread that can even be installed in older WCs
 More silent and resistant to pressure surges due to rubber reducer
- Silent close
- Built-in filter that can be cleaned without dismounting inlet pipe
 Fast regulation system with no need for tools
- Takes up less space in tank. Height adjustment
 No blockages even if not correctly installed
- Mounted to water connection with 1/4 turn
- 5 year warranty Made in Europe
 - REF.

720065500






dê j

Person







BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM

Tekmodul 2

Includes dual 3-6 litre flush

New more eco-efficient valves

Supports up to 400 kg weight

 With WC tablet dispenser No tools needed for maintenance

REF

731000200

(866 mm high) • Installation depth of 125 mm adjustable from 20 to 95 mm

Includes WC flush tablet dispenser
 Dual adjustable flush independientemente con reserva higiénica

For mounting on a supporting wall or drywall
WC mounting bolts can be installed at 180 and 230 mm
Adjustable Pies de anclaje ajustables and spring block system,

in eight positions between 0 and 93 mm • The polystyrene insulation prevents condensation on the tank

surface and reduces structure vibration No tools needed for maintenance

ranging from 0 to 200 mm • The sliding guide support for the drain connector can be configured

Back/upper water supply
 Single piece tank, guaranteeing 100%

Installation of simplified button to avoid penetration of moisture

For wall hung WC under window or for building a shelf

Finish

White / Black

Tekmodul 4

waterproof

Tekmodul 3


Finish


White

and impurities

0








BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM

Tekmodul SLIM 2 Installation depth: 84 mm Includes dual flush 3-6 litres Maximum tank capacity: 9 litres



Adjustable height: between 0-100 mm
No tools needed for maintenance



1

90

0

Finish REF

White / Black 731100200

Tekmodul SLIM 3

- Includes dual flush of 3-6 litres Made of one single piece to guarantee 100% waterpoof
 Maximum tank capacity: 9 litres
- Prevents condensation
- Upper back or side water supply point
- Adjustable button depth: 20-60 mm No tools needed for maintenance
- Prepared for installation in squatting toilets

| Finish | REF. |
|--------|-----------|
| White | 734100200 |

Structure for wall hung bidet

 For installation of a deck mounted tap · For wall-hung bidets with a connecting pitch of 180 mm or 230 mm Material: powder-coated metal
 Adjustable telescopic feet, range 0–200 mm Water supply pitch 55–145 mm





Finish REF. 731110200 White / Black





- Maximum tank capacity: 8 litres
 Prevents condensation Upper back or side water supply
 Adjustable depth of button: 20-60 mm
- No tools needed for maintenance





288

ð

734000200







REF 736000001


Made of one single piece to guarantee 100% waterpoof

• Supports up to 400 kg weight • WC bolts can be installed at 180 and 230 mm • For wall hung WCs in all manner of walls





· For mounting onto a support wall or into a plasterboard structure



BATHTUBS

| SENSE | 144 |
|--------|-----|
| LAVI | 144 |
| ALAIOR | 144 |
| INCA | 146 |



BATHTUBS









Sense Free standing bathtub

Easy to clean
Mineral Charge material
177.5x80x56.5 cm
Bathtub pop up waste not included










Finish

White

REF. T9111002178



SECTION A-

SCALE 1110







White **REF.** T3111002150

Finish

Alaior Free standing bathtub

Easy to clean
 Mineral Charge material
 160x70x57.5 cm
 Bathtub pop up waste not included





1603

Finish White REF. T5511002160

Bathtub Pop-up waste • Exclusive for mineral charge bathtubs






Iroko Natural RFI

790120100

Bathtub tray

- Adapts to bathtub shape
 Colourless anti-slip protective varnish
 Upon request



Finish Iroko Natural **REF.** 790120200

BATHTUBS



Inset Bathtub

Finish • White

- High quality enamelled steel
 Anti-slip
 Non-porous and anti-bacterial surface
 Resistant to changes in temperature
 Abrasion resistant
 Bathtub pop up waste not included





Length (cm)

| Width (cm) | 120 | 140 | 150 | 160 | 170 |
|---------------|------------|------------|------------|------------|------------|
| 70 | SB5312070A | SB5314070A | SB5315070A | SB5316070A | SB5317070A |

Bathtub Pop-waste Automatic

Finish Chrome **REF.** 1109300



VANITY UNITS, BASIN & MIRRORS

| LAVI Novelty! | 152 |
|-----------------|-----|
| SENSE | 158 |
| SOLLER | 168 |
| ITACA | 184 |
| DESSIN Novelty! | 190 |
| INCA | 196 |
| KIT COMBOS | 202 |



FEATURES FOR VANITY UNITS, **MIRRORS AND BASINS**

Strohm vanity units are designed and manufactured in Spain, with different designs to suit every lifestyle.



Soft-close Soft-close Hydraulic buffer hinges on drawer slides to ensure smooth push drawer to open. and silent closing even when slammed shut.



Modular Mix and match different units and side units to create your own ideal bathroom suite.



×.

Push to open mechanism Magnetic hydraulic system. Gently





Touch System



Water resistant The unit is made with highly water resistant materials.







Strohm | Teka



LAVI

GENERAL CHARACTERISTICS

VANITY UNITS

COUNTERTOP

Matte white - Mineral charge material
 Solid mineral with rounded edges

MATERIALS

Metal structure
 Front panels : PB

OTHER FEATURES

Hettich fittings
Push open system
Full drawer pull-out: 100% access to interior
Soft close mechanism

DRAWER INTERIOR FINISH Anthracite

DIMENSIONS (cm):

| Drawers | Depth | Height | W |
|---------|-------|--------|---|
| 2 | 46 | 85 | |

FEATURES





VANITY UNIT FINISHES





Matte White

Matte Black / Matte White

Width 90





Amazon Oak / Matte White

LAVI



90 cm COMPOSITION

fi %,



| | REF | Description |
|---|--------------|--|
| 1 | F31126885A | 90 cm vanity unit White/Amazon Oak with white mineral charge basin and countertop |
| 2 | 31366020WA | Basin tap XL white/Amazon oak |
| 3 | E31233RAN018 | Lavi mirror 60x85 cm |

Pop up waste not included.Pop up waste reference 1108600. For 110V mirror please contact sales team

90 cm COMPOSITION





| | REF | Description |
|---|--------------|---|
| 1 | F31116995A | 90 cm vanity unit White/Matte Black with white mineral charge basin and countertop |
| 2 | 31366020NA | Basin tap XL black/Amazon oak |
| 3 | E31233RAN018 | Lavi Mirror 60x85 cm |

Pop up waste not included.Pop up waste reference 1108600. For 110V mirror please contact sales team

LAVI







90 cm COMPOSITION





| | REF | Description |
|---|--------------|--|
| 1 | F31116225A | 90 cm vanity unit White with white mineral charge basin and countertop |
| 2 | 313660200 | Basin tap XL chrome |
| 3 | E31233RAN018 | Lavi mirror 60x85 cm |

Pop up waste not included.Pop up waste reference 1108600. For 110V mirror please contact sales team

90 cm COMPOSITION





| | REF | Description |
|---|--------------|---|
| 1 | F31125885A | Vanity unit 90 cm White/Amazon Oak with white mineral charge semi-inset basin and countertop |
| 2 | 31386020WA | Basin tap L white/Amazon oak |
| 3 | E31233RAN018 | Lavi mirror 60x85 cm |
| | | |

Pop up waste not included.Pop up waste reference 1108600. For 110V mirror please contact sales team

LAVI

90 cm UNIT + SEMI-INSET BASIN WITH COUNTERTOP



2 drawers

90x46x85 cm Includes mineral charge semi-inset basin built into 370x45 mm countertop



Finishes Matte White / Amazon Oak Matte White

F31125885A F31115225A F31115995A Matte White / Matte Black

REF.

Pop up waste not included.Pop up waste reference 1108600.



90 cm + BASIN WITH COUNTERTOP

90x46x85 cm Includes mineral charge countertop Includes mineral charge basin 380x150 mm Finishes REF. Matte White / Amazon Oak F31126885A Matte White F31116225A Matte White / Matte Black F31116995A

For wall mounted taps, unit with no holes can be ordered at no additional cost. Just add letters NH at end of reference. Pop up waste not included.Pop up waste reference 1108600.



MIRROR

60x85 cm Reversible IP 44 IP 44 Natural light (4,000 k) Button switch for anti-fog and light Room lighting 20W 60x85 cm

REF. E31233RAN018

For 110V mirror please contact sales team


VANITY UNIT FINISHES





Matte White

Amazon Oak/ Matte White



Matte Black / Matte White



SENSE

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS

Structure: MDF Doors: PB

 Structure: MDF
 Front panels: PB / MDF in White finish
 Always with lacquered sides METAL FITTINGS

Hettich Fittings
Opens by pushing any area of the drawer

DRAWER INTERIOR FINISH Matte White - Grey Nude
Wildwood - Wildwood
Natural Halifax - Natural Halifax

MEASUREMENTS (cm):

| Drawers | Depth | Hight | Width |
|---------|-------|-------|-------|
| 2 | 45 | 45 | 80 |
| 2 | 45 | 45 | 100 |
| 4 | 45 | 45 | 120 |
| 4 | 45 | 45 | 140 |
| 4 | 45 | 45 | 160 |

FEATURES





VANITY UNIT & SIDE COLUMN FINISHES





Matte White

Wildwood/ Matte White

dth



SIDE COLUMN

MATERIALS

OTHER FEATURES

Reversible
2 doors
Push to open door mechanism

SIDE COLUMN INTERIOR FINISH

Shelves with same front panel finish





Natural Halifax/ Matte White


K'ITINOS

• Hettich •

SENSE




80 cm COMPOSITION



| REF | Description | |
|-------------|-----------------------------------|--|
| 1 187100001 | | |
| | Sense Inset basin-double 80 cm | |
| 2 107120001 | Cide Column Wildwood 160v40v20 am | |

| 3 | 187130001 | Side Column Wildwood 160x40x30 cm |
|-------|-----------|--|
| 4 | 187250016 | Sense Mirror Direct Led Light 80x60 cm |
| 5 | 913460200 | Sense washbasin mixer |
| | | |

100 cm COMPOSITION






| | REF | Description |
|---|-----------|--|
| 1 | 187100005 | Vanity unit Natural Halifax 100 cm 2 drawers |
| 2 | 187240004 | Sense Inset basin 100 cm |
| 3 | 187130002 | Side Column Natural Halifax 160x40x30 cm |
| 4 | 187250017 | Sense Mirror Direct Led Light 100x60 cm |
| 5 | 913460200 | Sense washbasin mixer |
| | | |

SENSE






120 cm COMPOSITION





| REF | Description |
|-------------|---|
| 1 187120001 | Vanity unit Wildwood 120 cm 4 drawers |
| 2 187240009 | Sense Inset basin-double 120 cm |
| 3 187130001 | Side Column Wildwood 160x40x30 cm |
| 4 187250018 | Sense Mirror Direct Led Light 120x60 cm |
| 5 913460200 | Sense washbasin mixer (2) |

140 cm COMPOSITION





| REF | Description |
|-------------|--|
| 1 187120006 | Vanity unit Matte white 140 cm 4 drawers |
| 2 187240010 | Sense Inset basin-double 140 cm |
| 3 187130000 | Side Column Matte white 160x40x30 cm |
| 4 187250019 | Sense Mirror Direct Led Light 140x60 cm |
| 5 913460200 | Sense washbasin mixer (2) |

SENSE

80 2D

SENSE

| m | VANITY UNIT 100 cm | VANITY |
|--|---|---|
| | 2 drawers 100x45x54 cm | 4 drawers for double inset basin 120x45x54 cm 2 drawers with syphon cut-out |
| REF. 187100000 187100001 187100002 | 100 2D Finishes REF. Matte White 187100004 Wildwood 187100003 Natural Halifax 187100005 | Finishes REF. Matte White 187120000 Wildwood 187120001 Natural Halifax 187120002 |
| n | INSET BASIN 100 cm | INSET |
| | | |
| REF. 187240049 | With LEDREF.Thickness 5 cm. Mineral Charge Material187240050Cold Led line IP 44187240050Easy to clean and smoothDepth 16 cmDepth 16 cmConnection to electrical power supply required | With LEDTypeREF.Thickness 5 cmLeft187240051Cold Led line IP 44Right187240052Mineral Charge MaterialDouble187240053 |
| REF. 187240002 | Without LEDREF.Thickness 1.5 cm187240004Mineral Charge Material187240004Easy to clean SmoothFind pop-up waste on page 53 | Easy to clean and smooth Connection to electrical power supply required Find pop-up waste on page 53 |
| ditional amount will be nstalled with a Sense unit, | All Sense and Soller washbasins are made with 1 hole. If no hole is required, please add NH to final reference; an additional ammount will be charged per hole. MIRROR 100 cm | All Sense and Soller washbasins are made with 1 hole. If no hole is required, please add NH to final reference; an additional ammount will be MIRF |
| stem t be 4 cm away | 100x60 cm White cold led line 5 mm thick glass. Anti-fog- System Motion sensor (all objects must be 4 cm away from the mirror) Metallic frame Reversible IP 44 1620 lm (15 watts) | 120x60 cm White cold led line 5 mm thick glass Motion sensor (all objects must be 4 cm Metallic frame Reversible Anti-fog- System IP 44 1840 lm (17watts) |
| REF. 187250016 | REF. 187250017 | 110V transformer included |
| SIDE C | COLUMN | SIDI |
| vanel finish nism | Dimensions Finishes REF. 160x40x30 cm Matte White 187130000 160x40x30 cm Wildwood 187130001 160x40x30 cm Natural Halifax 187130002 | Side Column Structure: MDF Doors: PB 2 doors Shelves with same front panel finish Push to open door mechanism Reversible |
| | VANITY UNIT & SIDE COLUMN FINISHES | |
| | Matte White Wildwood/ Natural Halifax/ Matte White Matte White | |
| | | |



INSET BASIN 80 cm

VANITY UNIT 80 cm

| With LED |
|---|
| Thickness 5 cm. Mineral Charge Material Cold Led line IP 44 Easy to clean and smooth Depth 16 cm |
| Connection to electrical power supply required |

2 drawers

Finishes

Matte White

Wildwood Natural Halifax

100x45x54 cm

Without LED

Thickness 1.5 cm Mineral Charge Material Easy to clean Smooth 18

Find pop-up waste on page 53 All Sense and Soller washbasins are made with 1 hole. If no hole is required, please add NH to final reference; an addition charged per hole. If an integrated washbasin with no Led is installe the top of the unit must be removed before installing.

| | MIRROR 80 cm | | | MIRROR 100 cm | |
|---|---------------------|----------|---|---------------|-----------|
| | | | | | |
| 80x60 cm White cold led line 5 mm thick glass. Anti-fog- System Motion sensor (all objects must be 4 cm away from the mirror) Metallic frame Reversible IP 44 1.410 lm (13 watts) | | | 100x60 cm White cold led line 5 mm thick glass. Anti-fog- System Motion sensor (all objects must be 4 cm away from the mirror) Metallic frame Reversible IP 44 1620 lm (15 watts) | | |
| | R | EF. | | | REF. |
| 110V transformer incl | | 87250016 | 110V transformer inclu | ded | 187250017 |
| SIDE COLUMN | | | | | |

Side Column ۴Ì Structure: MDF Doors: PB 2 doors Shelves with same front panel Push to open door mechanism Reversible

YUNIT **120 cm**



4 drawers for left or right inset basin

120x45x54 cm 1 drawer with syphon cut-out

Finishes Matte White Wildwood Natural Halifax

| REF. |
|-------------------------------------|
| 187120011 187120010 187120009 |

BASIN **120 cm**



Without LED Thickness 1.5 cm Mineral Charge Material Easy to clean and smooth

| Туре | REF. |
|--------|-----------|
| Left | 187240007 |
| Right | 187240008 |
| Double | 187240009 |

Il be charged per hole.

ROR **120 cm**

cm away from the mirror)

REF. 187250018

E COLUMN

Dimensions

160x40x30 cm 160x40x30 cm 160x40x30 cm

Finishes Matte White Wildwood Natural Halifax

REF. 187130000 187130001 187130002

VANITY UNIT & SIDE COLUMN FINISHES



Matte White



Wildwood/ Matte White



Natural Halifax/ Matte White

SENSE

140 4D

SENSE VANITY UNIT **140 cm** 4 drawers for double inset basin 4 drawers for left or right inset basins 4 drawers for double inset basin 140x45x54 cm 140x45x54 cm 160x45x54 cm 2 drawers with syphon cut-out 1 drawer with syphon cut-out 2 drawers with syphon cut-out Finishes REF. Finishes REF. Finishes 140 4D 160 4D Matte White 187120006 Matte White 187120014 Matte White 187120007 187120007 187120008 Wildwood Wildwood 187120013 Wildwood Natural Halifax Natural Halifax 187120012 Natural Halifax



MIRROR 140 cm

| With LED | Туре | REF. | Without LED | Туре | REF. |
|---|-------------------------|-------------------------------------|---|-------------------------|-------------------------------------|
| Thickness 5 cm Cold Led line IP 44 Mineral Charge Material Easy to clean and smooth | Left Right Double | 187240054 187240055 187240056 | Thickness 1.5 cm Mineral Charge Material Easy to clean and smooth | Left Right Double | 187240045 187240046 187240010 |

Connection to electrical power supply required

Find pop-up waste on page 53 All Sense and Soller washbasins are made with 1 hole. If no hole is required, please add NH to final reference; an additional ammount will be charged per hole.




140x60 cm White led line (backlit led) 5 mm thick glass Reversible Touch System

187250019

REF.

110V transformer included



SIDE COLUMN

Dimensions 160x40x30 cm 160x40x30 cm 160x40x30 cm

REF. 187130000 187130001 187130002

VANITY UNIT & SIDE COLUMN FINISHES

Finishes

Matte White

Natural Halifax

Wildwood



Matte White Wildwood/ Matte White Natural Halifax/ Matte White



Easy to clean and smooth Connection to electrical power supply

Find pop-up waste on page 53 All Sense and Soller washbasins are made with 1 hole. If no hole is required, please add NH to final reference; an additional ammount will be charged per hole.

> MIRROR 160 cm 160x45 cm Backlit led 5 mm thick glass Reversible Touch System

REF.

187120003

110V transformer included

required

SIDE COLUMN



Side Colum Structure: MDF Doors: PB 2 doors Shelves with same front panel finish Push to open door mechanism Reversible

Side Colum

Structure: MDF Doors: PB

Shelves with same front panel finish

Push to open door mechanism

2 doors

Reversible

VANITY UNIT **160 cm**

4 drawers for left or right inset basins

160x45x54 cm 1 drawer with syphon cut-out

Finishes 160 4D

Matte White Wildwood Natural Halifax REF. 187120017 187120016 187120015

INSET BASIN 160 cm



Without LED Thickness 1.5 cm Mineral Charge Material Easy to clean and smooth Туре REF. 187240047 Left Right 187240048 Double 187240037

REF. 187250022

Dimensions

160x40x30 cm 160x40x30 cm 160x40x30 cm

Finishes Matte White Wildwood Natural Halifax

REF. 187130000 187130001 187130002

VANITY UNIT & SIDE COLUMN FINISHES



Matte White



Wildwood/ Matte White



Natural Halifax/ Matte White







GENERAL **CHARACTERISTICS**

VANITY UNIT

MATERIALS

Front Panels: MDF
Side Panels: PB

METAL FITTINGS Soft close Drawers
Hettich Fittings


DRAWER INTERIOR FINISH • Grey

AUXILIARY UNIT (CM) Depth 45 | Height 56 | Width 60 80 100

| DIMENSIONS (cm): | | | |
|------------------|-------|--------|----|
| Drawers | Depth | Height | Wi |
| 1 | 45 | 28 | 60 |
| 1 | 45 | 56 | 60 |
| 1 | 45 | 28 | 80 |
| 1 | 45 | 56 | 80 |
| 1 | 45 | 28 | 10 |
| 1 | 45 | 56 | 10 |
| 2 | 45 | 28 | 60 |
| 2 | 45 | 56 | 60 |
| 2 | 45 | 28 | 80 |
| 2 | 45 | 56 | 80 |
| 2 | 45 | 28 | 10 |
| 2 | 45 | 56 | 10 |

FEATURES







COUNTERTOP

MATERIALS MDF material
10 cm thickness

COUNTERTOP DIMENSIONS (CM) Depth 46 | Height 10 | Width 60 80 100 120 140 160 180

idth

50

00

00

S

3







Oak Veneer

Nebraska


KITTING O

• Hettich •

SOLLER




60 cm COMPOSITION



| | REF | Description |
|---|-----------|---------------------------------|
| 1 | 187100017 | 2 drawers. 60 cm. Matte white |
| 2 | 187240011 | Inset basin. 60 cm |
| 3 | 187260004 | Round Mirror backlit led Ø75 cm |
| | 853861250 | Soller washbasin mixer L |

80 cm COMPOSITION



REF

1 187100018

2 187170015

3 187210011

4 187260004

5 853861250

Description

2 drawers. 80 cm. Matte white

Countertop. Oak Veneer. 80 cm

Round Mirror backlit led Ø75 cm

Soller washbasin mixer L

Soller Round countertop basin. 37 cm


| KITTIN GO |
|-----------------------------------|
| [·] Hettich [·] |
| ON ARAJY |

SOLLER






120 cm COMPOSITION





| REF | Description |
|-------------|---|
| 1 187160009 | 1 drawer 60 cm. Matte white |
| 2 187160006 | 1 Auxiliary unit with Inner drawer 60 cm Matte White |
| 3 187240018 | Inset basin. Left. 120 cm |
| 4 187260004 | Round Mirror backlit led Ø75 cm |
| 5 853861250 | Soller washbasin mixer L |

120 cm COMPOSITION






| | REF | Description |
|--------|-----------|---|
| - | 187160012 | 1 drawer 60 cm without cut-out. Matte White |
| | 187170017 | Countertop. Oak Veneer. 120 cm |
| 0 | 187210012 | Square countertop basin. 37x37 cm |
| 4 | 117250000 | Flat Square Inca Mirror. 60x80 cm |
| 0 | 853861250 | Soller washbasin mixer L |
| •••••• | | |

SOLLER



120 cm COMPOSITION



REF

1 187100017

2 187100017

3 187240020

4 117250000

5 853861250

REF

1 187170011

2 187210013

3 187260004

4 853861250



SOLLER

EXAMPLES OF SOLLER COMPOSITIONS





COMPOSITION - 120 cm

COMPOSITION - 140 cm

187240061 Left inset basin (140 cm)

853861250 Soller washbasin mixer

187160009 1 drawer with syphon cut-out (60 cm) 187160012 1 drawer without syphon cut-out (60 cm) 187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



187100018 2 drawers with syphon cut-out (80 cm)

187160012 1 drawer without syphon cut-out (60 cm)



COMPOSITION - 120 cm

187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



140 cm COMPOSITION

Description

2 drawers. 60 cm. Matte white

2 drawers. 60 cm. Matte white

2 Flat Square Inca Mirror. 60x80 cm

Double Inset basin. 120 cm

2 Soller washbasin mixer L

i 🖓 3 24 **1** I 100

Description

Countertop. Nebraska. 140 cm

Round Mirror backlit led Ø75 cm

Soller washbasin mixer L

Rectangular countertop basin. 58x37 cm









COMPOSITION - 120 cm

187170017 Oak Veneer Countertop (120 cm) 187160012 1 drawer without syphon cut-out (60 cm) 187210013 Rectangular basin (58x37 cm) 853111250 Soller washbasin mixer

COMPOSITION - 140 cm

187170018 Oak Veneer Countertop (140 cm) 187100034 2 drawers without syphon cut-out (80 cm) 187210013 Rectangular basin (58x37 cm) 853111250 Soller washbasin mixer



172 | VANITY UNITS, BASIN & MIRRORS

853861250 Soller washbasin mixer



COMPOSITION - 120 cm

187100017 2 drawers with syphon cut-out (60 cm) 187100033 2 drawers without syphon cut-out (60 cm) 187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer

187100017 2 drawers with syphon cut-out (60 cm) 187160012 1 drawer without syphon cut-out (60 cm)




COMPOSITION - 80 cm

| 187170001 | Oak Veneer Countertop (80 cm) |
|-----------|---------------------------------------|
| 187100018 | 2 drawers with syphon cut-out (80 cm) |
| 187210013 | Rectangular basin (58x37 cm) |
| 853111250 | Soller washbasin mixer |



COMPOSITION - 160 cm

| 187170019 | Oak Veneer Countertop (160 cm) |
|-----------|--|
| 187100018 | 2 drawers with syphon cut-out (80 cm) |
| 187100018 | 2 drawers without syphon cut-out (80 cm) |
| 187210013 | 2 Rectangular basin (58x37 cm) |
| 853111250 | 2 Soller washbasin mixer |



Matte White

Oak Veneer

Matte White

SOLLER

Strohm | Teka

| | | | | VANI | TY UNIT |
|--|---|---|---------------------------------|---|-----------------------------|
| | P | 1 drawer 100x45x28 cm | | | |
| 160010 160013 | 100 1D | Syphon cut-ou WitH Without | Matte Whit | REF. e 187160011 e 187160014 | |
| | | | | INSE | T BASIN |
| 100018 100034 | | | | | In Mi Ea Sr |
| | This basin mode | in pages 180 ns can only be used wit I cannot be used with 1 nd Soller basins are ma | 108600 and 1108900 | ref. waste syphons. | |
| | | | | COUN | NTERTOP |
| - | | | | Countertop 10 100x46x10 cm | 0 cm |
| 240013 | Find countertop | support bracket on pag | je 174 | | |
| | | | COL | INTERTOP | BASINS |
| | | | | | |
| | Rectangular | countertop basin | | Square counte | ertop basin |
| 170008 170015 170001 | Material Mineral charge Ceramic 60x35 | material 58x37 cm cm | REF. 187210013 B851100261 | Material Mineral charge r Ceramic 40x40 d | naterial 37x37 cm |
| e 180 | Find pop-up was | te on page 180 | | | |
| | | | | AU | JXILIARY |
| | | IMPORTANT No waste/syp in auxiliary u | | ion possible | |
| CM REF. 187210011 B851100237 | 60 | Auxiliary unit 60 60x45x56 cm Outer Drawer + Inn drawer | Matte Whit | REF. e 187160006 | |
| Nebraska | | | | VANITY FINISH Matte Wi | |



Inset Basin 100 cm Mineral Charge Material Easy to Clean Smooth

REF. 187240015

nce; an additional ammount is charged per hole.

100 cm

Nebraska Oak Veneer Matte White

REF. 187170009 187170016 187170002

(FREE STANDING)





REF. 37 cm 187210012 B851100240

Material Mineral charge material Ceramic

Round countertop basin Ø37 cm

REF 187210011 B851100237

' UNIT



Auxiliary unit 80 cm 80x45x56 cm Outer Drawer + Inner drawer

Finishes **REF.** Matte White 187160007

100

Auxiliary unit 100 cm 100x45x56 cm Outer Drawer + Inner drawer

Finishes REF. Matte White 187160008



Matte White






Nebraska

SOLLER

| VAN | ITY UNITS FOR 120 cm CO | OMPOSITION | | | VA | NITY UNITS FO |
|---|--|---|--|---|--|--|
| IMPORTANT The Soller 120 cm compo 2 x 60 vanity units | osition comprises 60 1D | With Ma | ishes REF. te White 187160009 te White 187160012 | | IMPORTANT The Soller 140 cm com 2 vanity units: one of 6 other of 80 cm. | position comprise |
| 60x45x56 cm Outer Drawer + Inner 60 Does not allow for waste/syphon installation. | REF. tite 187160006 60 2D | With Ma | ishes REF. te White 187100017 te White 187100033 | 60 1D | | Nes REF. White 187160009 White 187160012 |
| | INSET BASIN 120 c | m | | 60 2D | | Nes REF. White 187100017 White 187100033 |
| nset Basin 120 cm REF. .EFT Vineral Charge Material 187240018 asy to Clean Smooth | Inset Basin 120 cm REF. RIGHT Mineral Charge Material 187240019 Easy to Clean Smooth | Inset Basin 120 DOUBLE Mineral Charge Ma Easy to Clean Smooth | | * Does not allo | ow for waste/syphon installation. | |
| laste/syphons in pages 180 oller inset basins can only be used with ref. 1109400 drain his basin model cannot be used with 1108600 and 110890 | 00 ref. waste syphons. | | | | | INSET |
| l inset Sense and Soller basins are made with 1 hole. If n | o hole is required, add NH to reference; an addition | | | | | |
| nd countertop support bracket on page 180 | COUNTERTOP 120 Countertop 120 cm 120x46x10 cm | Finishes Nebraska Oak Veneer Matte White | REF. 187170010 187170017 187170003 | Waste/syphon: Soller inset ba: This basin mod | ge Material 80+60 n and Smooth 60+80 | 187240061 187240043 drains. 18900 ref. waste syphons. |
| CO | UNTERTOP BASINS (FREE | STANDING) | | | | COUN |
| | | | | Find counterto | bp support bracket on page 180 | Countertop 140 140x46x10 cm |
| Rectangular countertop basin Iaterial REF. Nineral charge material 58x37 cm 187210013 B851100261 8851100261 | Square countertop basin Material REF Mineral charge material 37x37 cm 187 Ceramic 40x40 cm B85 | | REF. | | C | OUNTERTOP I |
| ind pop-up waste on page 180 | | OUNTERTOP | | | | |
| | | | | Rectangula | r countertop basin | Square counter |
| | | | | Material Mineral charg Ceramic 60x | REF. ge material 58x37 cm 187210013 | Material Mineral charge m Ceramic 40x40 cr |

NTS FOR **140 cm** COMPOSITION



80

NSET BASIN 140 cm

syphons. uired, add NH to reference; an additional ammount is charged per hole.



SOLLER

| | | VANII | TY UNITS FOR | 160 cm CO | MPOSITION | | |
|-----------------|---|------------|--|-------------------------|--|--|---|
| æ | IMPORTANT The Soller 160 cr either two 80cm alternatively one of 60cm | vanity uni | its or | 80 2D | 2 drawers 80x45x56 cm Syphon cut-out With Without Auxiliary unit 80 cm ⁴ | Matte White | REF. 187100018 187100034 |
| 60 1D | 1 drawer 60x45x28 cm Syphon cut-out With Without | | REF. 187160009 187160012 | 80 | 80x45x56 cm Outer Drawer + Inner drawer | FIIISIES | REF. 187160007 |
| 60 2D | 2 drawers 60x45x56 cmr Syphon cut-out With Without | | REF. 187100017 187100033 | 100 1D | 100x45x28 cm Syphon cut-out With Without 2 drawers | | REF. 187160011 187160014 |
| 60 | Auxiliary unit 60 cm* 60x45x56 cm Outer Drawer + Inner drawer | Finishes | REF. 187160006 | 100 2D | 100x45x56 cm Syphon cut-out With Without | | REF. 187100019 187100035 |
| 80 1D | 1 drawer 80x45x28 cm Syphon cut-out With Without | | REF. 187160010 187160013 | 100 * Does not allow | Auxiliary unit 100 cm 100x45x56 cm Outer Drawer + Inner drawer | Matte White | REF. 187160008 |
| | | | COUNTER | TOP 160 c | m | | |
| Find countertop | o support bracket on page 180 | | Countertop 160 cm 160x46x10 cm | | Finishes Nebraska Oak Veneer Matte White | | REF. 187170012 187170019 187170005 |
| | | | | | STANDING/ | | |
| Material | e material 58x37 cm 1872 5 cm 8 | | Square countertop b Material Mineral charge material Ceramic 40x40 cm | REF. 37x37 cm 18721 | Material | untertop basin arge material | Ø37 cm REF. 187210011 B851100237 |
| | | | VANITY UNI FINISH Matte White | FI | OUNTERTOP NISHES Matte White | Dak Veneer | Nebraska |

| | | VANIT | Y UNITS FOR ⁴ |
|-------|--|--|--------------------------|
| ÷ | IMPORTANT Soller 180 cm alv a countertop | ways comp | rises |
| 60 1D | 1 drawer 60x45x28 cm Syphon cut-out With Without | Finishes Matte White Matte White | 187160009 |
| 60 2D | 2 drawers 60x45x56 cmr Syphon cut-out With Without | Finishes Matte White Matte White | 187100017 |
| 60 | Auxiliary unit 60 cm* 60x45x56 cm Outer Drawer + Inner drawer | Finishes Matte White | REF. 187160006 |
| 80 1D | 1 drawer 80x45x28 cm Syphon cut-out With Without | Finishes Matte White Matte White | |
| | | | COUNTER |
| | | | Countertop 120 cm |



180x46x10 cm

ind countertop support bracket on page 180

COUNTERTOP BASINS (FREE STANDING)



Material Mineral charge material 58x37 cm 187210013 Ceramic 60x35 cm B851100261

VANITY UNIT FINISH



178 | VANITY UNITS, BASIN & MIRRORS



Matte White





REF.

Square countertop basin REF. Mineral charge material 37x37 cm 187210012 Ceramic 40x40 cm B851100240

| su cm COI | MPOSITION | | |
|-----------|---|--|-----------|
| 80 2D | 2 drawers 80x45x56 cm Syphon cut-out With Without | Finishes Matte White Matte White | 187100018 |
| 80 | Auxiliary unit 80 cm* 80x45x56 cm Outer Drawer + Inner drawer | Finishes Matte White | |
| 100 1D | 1 drawer 100x45x28 cm Syphon cut-out WitH Without | Finishes Matte White Matte White | 187160011 |
| 100 2D | 2 drawers 100x45x56 cm Syphon cut-out With Without | Finishes Matte White Matte White | 187100019 |
| 100 | Auxiliary unit 100 cm 100x45x56 cm Outer Drawer + Inner drawer | Finishes Matte White | |

* Does not allow for waste/syphon installation

TOP **180 cm**

Finishes Nebraska Oak Veneer Matte White REF. 187170013 187170020 187170006



Round countertop basin Ø37 cm

Material Mineral charge material Ceramic

REF. 187210011 B851100237



Matte White



Oak Veneer



Nebraska

| LED - Round mirror Dimensions REF. Back- lit Led 075 187260004 Cold Led 90 187260006 ansformer not included, please contact sales team RECTANGULAR MIRRORS | Back-lit Led Cold Led IP 44 Pransformer not included, please contact sales team | | | ROUND MIRRORS | | |
|--|--|-----------------|---------------------------|---------------------|-----|-----------|
| | RECTANGULAR MIRRORS LED Rectangular mirror | | Back- lit Led Cold Led | | Ø75 | 187260004 |
| RECTANGULAR MIRRORS | LED Rectangular mirror | sformer not inc | | | | |
| | | | | RECTANGULAR MIRRORS | | |

Dimensions 60x80 cm 90x80 cm 100x80 cm

110V transformer included

| ACCESSORIES | | |
|---|-------------------------|-----------------------------------|
| Minimalist Stainless Steel Syphon Stainless steel 304 Grip points for easy installation without tools With lateral pipe connection Inspectionable body With double "O" ring and no ferrule | | REF. 1106100 |
| POP-UP WASTE for Mineral charge models This model cannot be used with Soller inset model | COLOR White Black | REF. 1108600 1108900 |
| Brass automatic POP-UP WASTE This model cannot be used with Soller inset model | COLOR Chrome | REF. 1107000 |
| Brass automatic POP-UP WASTE Exclusively for Soller Inset Basin | COLOR Chrome | REF. 1109400 |

All countertops need support brackets. A set of 2 is required if your countertop is smaller than 160 cm and a set of 3 support bracket is required if your countertop is bigger than 140 cm.

REF.

187250011 187250013 187250014



| Countertop support bracket set (2 pieces). For countertops smaller than 140 cm | |
|--|--|
| Length 420 mm | |
| | |
| | |
| | |

Countertop support bracket set (3 pieces)). For countertops bigger than 140 cm Length 420 mm **REF.** R1086100

REF. R1085300

Dimensions

60x80 cm 90x80 cm 100x80 cm REF.

117250000 187250020 187250021









ITACA

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS Side Panels PB material Metal frame
 Reversible

METAL FITTINGS • Opens by pushing in any area of the drawer • Hettich Fittings

DRAWER INTERIOR FINISH

Walnut/Black - Walnut
Matt White/Chrome - Nude Grey

•PB

MEASUREMENTS (cm): Depth Height Drawer

80 45 42,5 45 42,5 100

FEATURES



1 1



VANITY UNIT & SIDE COLUMN FINISHES



Walnut - Black





SIDE COLUMN

MATERIALS

METAL FITTINGS

 Fittings with brake **OTHER FEATURES**

Push to Open Mechanism
1 door

SIDE COLUMN INTERIOR FINISH Same colour of the exterior


Width



ITACA



80 cm COMPOSITION



Description

Vanity unit Walnut/Black. 80x45x45 cm

Side Column Walnut/Black. 80x35x27 cm

Itaca Countertop basin. 38 cm

Itaca washbasin mixer XL

Triangular Itaca Mirror. 79x57 cm

REF

1 187160001

2 187210000

3 187130004

4 187260007

5 673660200



Strohm | Teka

ITACA



ACCESSORIES



POP-UP WASTE for Mineral charge models This model cannot be used with Soller inset model

VANITY UNIT & SIDE COLUMN FINISHES



Walnut - Black

VANITY UNIT 100 cm

1 drawer 100x45x45 cm

Walnut - Black

REF. 187160003

Countertop basin Easy to clean Smooth Exclusive design

DIMENSIONS 40x40 cm

REF. 187210005

Acabado Walnut - Black Walnut - Black


REF. 187130004 187130013

DIMENSIONS 79x57 cm

REF. 187260007

COLOR White Black

REF. 1108600 1108900









DESSIN

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS • PB 16mm

OTHER FEATURES

Drawer with metal slides
Full pull-out drawer
Black aluminium handle

DIMENSIONS (cm):

| Drawers | Depth | Height | Wid |
|---------|-------|--------|-----|
| 2 | 45 | 52 | 60 |
| 2 | 45 | 52 | 80 |
| 2 | 45 | 52 | 100 |

FEATURES





VANITY UNIT FINISHES



Matte white/ black


Romance Oak/ Black

dth

DESSIN




80 cm COMPOSITION




| | REF | Description |
|---|---------------|---|
| | 1 F30110224A | Dessin Unit 80 cm. 2 drawers. Matte white |
| - | 2 702300200 | Ceramic basin 81x46x16 cm |
| | 3 187250020 | Mirror 80x80 cm |
| | 4 303860270C3 | Dessin basin single mixer tap |
| - | | |



80 cm COMPOSITION



| REF | Description | |
|-------------|---|--|
| 1 F30120774 | Dessin Unit 80 cm. 2 drawers. Romance oak | |
| 2 702300200 | Ceramic basin 81x46x16 cm | |
| 3 187250020 | Mirror 80x80 cm | |
| 4 303860270 | 3 Dessin basin single mixer tap | |
| | | |



DESSIN

Strohm | Teka

DESSIN

| VANITY UNIT 60 cm | VANITY UNIT 80 cm | VANITY UNIT 100 cm |
|---|--|---|
| 2 drawers60 2CEnistesAtte White/BlackF30110222AFomance Oak/BlackF30120772A | 2 drawers 80x45x60 cm80 2CFinishesReference Romance Oak/BlackF30110224A F30120774A | 2 drawers 100x45x60 cm100 2CFinishesREF. Matte White/Black Romance Oak/BlackF30110226A F30120776A |
| INSET BASIN 60 cm | INSET BASIN 80 cm | INSET BASIN 100 cm |
| | - | |
| Inset basin 60 cmDIMENSIONSREF.Ceramic61x46x16 cm117240000Drain valve on page 122 | Inset basin 80 cmDIMENSIONSREF.Ceramic81x46x16 cm702300200Drain valve on page 1221000000000000000000000000000000000000 | Inset basin 100 cmDIMENSIONSREF.Ceramic101x46x16 cm117240001Drain valve on page 122101x46x16 cm117240001 |
| MIRROR 60 cm | MIRROR 80 cm | MIRROR 100 cm |
| 60 cm Mirror Rectangular mirror Reversible 5mm thick glass DIMENSIONS REF. 60x80 cm 117250000 | 80 cm Mirror Rectangular mirror Smm thick glass DIMENSIONS REF. 80x80 cm 187250020 | 100 cm Mirror Rectangular mirror Reversible Smm thick glass DIMENSIONS REF. 100x80 cm 187250021 |

FINISHES



Matte White / Romance Oak / Black Black

FINISHES





Matte White / Romance Oak / Black Black



INCA

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS

OTHER FEATURES

Aluminium handle
10 cm legs (for 3 drawer models)

DRAWER INTERIOR FINISH

۰PB

• Grey

MATERIALS ۰PB

2 doors
Reversible

• White

DIMENSIONS (cm):

| Dra | wers | Depth | Height | Wid |
|-----|------|-------|--------|-----|
| | 2 | 45 | 60 | 60 |
| | 2 | 45 | 60 | 80 |
| | 2 | 45 | 60 | 100 |
| | 3 | 45 | 80 | 60 |
| | 3 | 45 | 80 | 80 |
| | 3 | 45 | 80 | 100 |
| | | | | |

FEATURES



VANITY UNIT FINISHES



Glossy White Glossy Graphite Denver Oak



SIDE COLUMN

OTHER FEATURES

SIDE COLUMN INTERIOR FINISH

idth












Titanium Oak

INCA




60 cm COMPOSITION



| REF | Description |
|---|---|
| 1 187150001 | Vanity unit 60 cm. 2 drawers. Glossy White |
| 2 117240000 | Inca Inset Ceramic basin 61x46x16 cm |
| 3 187250008 | Double Side Led Mirror 60x80 cm |
| 4 187130008 | Side Column 160x40x30 cm. Glossy White |
| 5 5334612 | Inca wasbasin mixer |
| 2 117240000 3 187250008 4 187130008 | Inca Inset Ceramic basin 61x46x16 cm Double Side Led Mirror 60x80 cm Side Column 160x40x30 cm. Glossy White |

80 cm COMPOSITION



| | REF | Description |
|---|-------------|---|
| | 1 187110008 | Vanity unit 80 cm. 3 drawers. Glossy Graphite |
| | 2 702300200 | Inca Inset Ceramic basin. 81x46x16 cm |
| | 3 187250010 | Inca Double Side led mirror 80x80 cm |
| 4 | 4 187130009 | Side Column 160x40x30 cm. Glossy Graphite |
| ! | 5 5334612 | Inca wasbasin mixer |
| | | |


INCA

Strohm | Teka






100 cm COMPOSITION



| 1 1871 2 1172 | | Vanity unit 100 cm. 2 drawers. Denver Oak Inca Inset Ceramic basin 101x46x16 cm |
|------------------|-------|--|
| 2 1172 | 40001 | Inco Incot Commis hogin 101/46/16 am |
| | | |
| 3 1872 | 50021 | Inca Mirror 100x80 cm |
| 4 1871 | 40002 | Side Column 160x40x30 cm. Denver Oak |
| 5 5334 | 612 | Inca wasbasin mixer |

80 cm COMPOSITION





| | REF | Description |
|---|-----------|--|
| 1 | 187110021 | Vanity unit 80 cm. 2 drawers. Titanium Oak |
| 2 | 702300200 | Inca Inset Ceramic basin. 81x46x16 cm |
| 3 | 187250020 | Inca Mirror 80x80 cm |
| 4 | 187130014 | Side Column 160x40x30cm Titanium Oak |
| 5 | 5334612 | Inca wasbasin mixer |
| | - | |

INCA



Strohm | Teka

| | VANITY UNIT 60 |) cm | VANITY UNIT 80 cm | 1 |
|------------------------------|---|--|---|--|
| 60 3C | 3 drawers 60x45x80 cm Finishes Glossy White Glossy Graphite Denver Oak Titanium Oak | REF. 187110004 187110005 187110006 187110020 | 3 drawers 80x45x80 cm Finishes 80 3c Glossy White Glossy Graphite Denver Oak Titanium Oak | REF. 187110007 187110008 187110009 187110021 |
| 60 2C | 2 drawers 60x45x60 cm Finishes Glossy White Glossy Graphite Denver Oak Titanium Oak | REF. 187150001 187100026 187100027 187100048 | 2 drawers 80x45x60 cm Finishes Glossy White Glossy Graphite Denver Oak Titanium Oak | REF. 187150002 187100028 187100029 187100049 |
| | | | | 2 |
| Inset basin 60 cm Ceramic | DIMENSIONS 61x46x16 cm | REF. 117240000 | Inset basin 80 cm DIMENSIONS Ceramic 81x46x16 cm | REF. 702300200 |
| nd pop-up waste on p | MIRRORS 60 (| :m | Find pop-up waste on page 122 MIRRORS 80 cm | |
| 110V transformer inc | 60 cm Mirror Upper Led IP 44 Cold Led DIMENSIONS 60x80 cm | REF. 187250003 | 80 cm Mirror Upper Led IP 44 Cold Led DIMENSIONS 80x80 cm 110V transformer included | REF. 187250005 |
| 110V transformer inc | 60 cm Mirror Double Side Led IP 44 Cold Led DIMENSIONS 60x80 cm cluded | REF. 187250008 | 80 cm Mirror Double Side Led IP 44 Cold Led DIMENSIONS 80x80 cm 110V transformer included | REF. 187250010 |
| | 60 cm Mirror | | 80 cm Mirror Square mirror | |
| | Rectangular Mirror 5 cm thickness | | 5 cm thickness | |
| | | REF. 117250000 | 5 cm thickness DIMENSIONS 80x80 cm | REF. 187250020 |

VANITY UNIT & SIDE COLUMN FINISHES



Glossy White Glossy Graphite Denver Oak Titanium Oak **INCA**



SIDE COLUMN



PB material 2 doors Column interior in white Reversible

DIMENSIONS

Side column

160x40x30 cm

Finishes

Glossy White Glossy White Glossy Graphite Denver Oak Titanium Oak

REF. 187130008 187130009 187140002 187130014

VANITY UNIT & SIDE COLUMN FINISHES







Glossy White Glossy Graphite

Denver Oak



KIT COMBOS

Purchase unit, washbasin, mirror and wall lights under one single reference.



American Market

INCA COMBO IN KIT-2D 60 cm **Glossy White** RFF 188330078 Included Inca Kit bath cabinet 60 cm-Glossy white Mirror 60x80 cm Led lamp 18 cm (110V) Ceramic inset basin 61x46 cm

Other Markets

INCA COMBO IN KIT-2D 60 cm **Glossy White** REF 188330067 Included Inca Kit bath cabinet 60cm-Glossy white Mirror 60x80 cm Led lamp 18 cm (220V) Ceramic inset basin 61x46 cm

Glossy White REF 188330079 Included Inca Kit bath cabinet 80 cm-Glossy white Mirror 80x80 cm Led lamp 18 cm (110V) Ceramic inset basin 81x46 cm

INCA COMBO IN KIT-2D 80 cm Glossy White REF 188330068

Included Inca Kit bath cabinet 80 cm-Glossy white Mirror 80x80 cm Led lamp 18 cm (220V) Ceramic inset basin 81x46 cm

American Market

INCA COMBO IN KIT-2D 60 cm Denver Oak REF 188330080 Included Inca Kit bath cabinet 60 cm-Denver Oak Mirror 60x80 cm Led lamp 18 cm (110V) Ceramic inset basin 61x46 cm

Denver Oak REF 188330081 Included

Mirror 80x80 cm Led lamp 18 cm (110V) Ceramic inset basin 81x46 cm



1131 8

American Market

INCA COMBO IN KIT-2D 60 cm **Glossy Graphite**


REF 188330089 Included

Inca Kit bath cabinet 60 cm-Glossy Graphite Mirror 60x80 cm Led lamp 18 cm (110V) Ceramic inset basin 61x46 cm

INCA COMBO IN KIT-2D 80 cm **Glossy Graphite**

RFF

Included Inca Kit bath cabinet 80 cm-Glossy Graphite Mirror 80x80 cm Led lamp 18 cm (110V) Ceramic inset basin 81x46 cm






MIRRORS & LIGHTS DIFFERENT SHAPES AND STYLES TO SUIT EVERY TASTE


Our mirrors and leds with cold led lines: reflecting and illuminating you in an environmentally-friendly way.



Touch System Switch mirror lights on and off by touching the glass.



MIRRORS & LIGHTS







SENSE

- Metallic Frame
 IP 44 IP 44
 Motion Sensor
 Reversible
 Anti-fog System
 220V
- ×, %,

Strohm | Teka

RFF, 80x60 cm 187250016

REF. 100x60 cm 187250017

REF. 120x60 cm 187250018

REF. 140x60 cm 187250019

Idem. Special size. Does not match photograph. REF. 160x45 cm


187250022

For 110V models please contact sales team

LAVI

- Reversible
 IP 44
 Natural lifht (4,000 k)
 Button switch for anti-fog
- Button switch i and light
 Room lighting
 20W
 60x85 cm
 220V





ITACA

Backlit led light
 IP 44
 Anti-fog
 79x57 cm
 220V

REF. 187260007

For 110V models please contact sales team

MIRRORS & LIGHTS







Strohm | Teka

FORMENTERA

- Backlit led light
 IP 44
- Touch system
 Reversible
 220V



REF. 60x80 cm 187250011

REF. 80x80 cm 187250013

REF. 100x80 cm 187250014

110V transformer included

SOLLER

- Backlit led light
 IP 44
 Anti-fog
- 220V

·%. REF. Ø75 cm 187260004 *•> REF. Ø90 cm 187260006

SOLLER

- Direct led light mirror
 Lit up frame
 IP 44
- Touch System



For 110V models please contact sales team

INCA PRO


- Double side led
 IP 44
- Touch System
 220V



REF. 60x80 cm 187250008

REF. 80x80 cm 187250010

MIRRORS & LIGHTS



INCA PRO

Upper Led
Front light
IP 44
Touch System
220V



INCA • Upper Led • Front light • IP 44 • Touch System • Anti-fog • 220V **REF. 80x80 cm** 187250005 **REF. 100x80 cm** 187250006

×.

REF. 60x80 cm 187250003



REF. 60x70 cm 187250000

Strohm | Teka

REF. 80x70 cm 187250001 REF. 100x70 cm 187250002

For 110V models please contact sales team

INCA Reversible
 5 mm thickness

REF. 60x80 cm 117250000

REF. 80x80 cm 187250020

REF. 100x80 cm 187250021

INCA LAMP IP 44 Can be fitted over mirror or over frame 18 cm

Finish Chrome **REF. (220V)** 187270000

REF. (110V) 187270011



208 | MIRRORS & LIGHTS

SHOWER ENCLOSURES

| SENSE | 212 |
|--------------|-----|
| ITACA | 220 |
| MANACOR PLUS | 234 |
| SINEU | 244 |
| INCA | 252 |
| TIMOR | 254 |



SENSE DESIGN & SENSATIONS



Ultra-slim stainless steel handle which allows a total opening of the door

The stainless steel finishes ensuring a long lasting product and an ultra smooth sliding door, help turn your shower into a spa



CHARACTERISTICS

- 8 mm thick tempered safety glass
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Strohm Clean special anti-scale system for easy cleaning
 Strong stainless ball bearings
 Magnetic closure with aluminium frame on wall

- for 100% sealed shower space Silent and ultra-smooth sliding door
- 100% use of door
- Made in Spain








Shower height 200 cm

8 mm Glass

Compensatio profile



212 | SHOWER ENCLOSURES

SENSE



1 FIXED PANEL + SLIDING DOOR

Frontal 1



А

- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
 Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 25 mm per frame
 Stainless steel 20x10 mm bottom guide
 Stainless steel articulated shower arm (30x10 mm tube)
 Strong stainless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space
 Made in Spain



*IMPORTANT:

The standard designs include fixed right hand side panel. If fixed left hand side panel is required, please add 'L' at the end of each reference number.



Stainless steel handle



Stainless Steel bearings

| MEA | SUREM | IENIS |
|-----|-------|-------|

| (cm) | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M91011208 | M91011308 | M91011408 | M91011508 | M91011608 | M91011708 | M91011808 | M91011908 | M91012008 |




SENSE



1 FIXED PANEL + 1 SLIDING DOOR + 1 SIDE PANEL

Angular I



- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
 Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 25 mm frame
 Stainless steel 20x10 mm bottom guide
 Stainless steel articulated shower arm (30x10 mm tube)
 Strong stainless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space · Made in Spain




*IMPORTANT:

The standard designs include fixed right hand side panel. If fixed left hand side panel is required, please add 'L' at the end of each reference number.

This shower enclosure must be ordered with 2 references from the following chart: SIDE A+ SIDE B







Stainless steel bearings

MEASUREMENTS

| (cm) | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M91011208 | M91011308 | M91011408 | M91011508 | M91011608 | M91011708 | M91011808 | M91011908 | M91012008 |

FULL PANEL MEASUREMENTS

| (cm) | 70 | 75 | 80 | 90 | 100 |
|------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M91120708 | M91120758 | M91120808 | M91120908 | M91121008 |






SENSE



1 FIXED PANEL + 1 SLIDING DOOR + 1 FIXED PANEL

Angular II



- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
 Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 30 mm per frame
 Stainless steel 20x10 mm bottom guide
 Stainless steel articulated shower arm (30x10 mm tube)
 Strong stainless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space
- Clear glass
 Made in Spain


Stainless steel handle







Stainless steel bearings



| (cm) | 70 | 75 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 |
|------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M91010708 I | 491010758 | M91010808 | M91010908 | M91011008 | M91011108 | M91011208 | M91011308 | M91011408 | M91011508 | M91011608 | M91011708 | M91011808 |



ITACA EFFICIENCY **& PRECISION**



90° Opening doors

CHARACTERISTICS

- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Gloss stainless steel hinges
 Magnetic closure for 100% sealed shower space
 Bathtub models

- Stainless steel handle
- Door opening range: 90°
 Made in Spain

The Itaca collection features specially designed folding doors with 90° opening



FEATURES

Shower height 195 cm



Bathtub

models



6 mm Glass

Compensation profile



Stainless ste


Agnetic clos

ITACA



1 FOLDING DOOR

Frontal



- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Height:150 cm
 Stainless steel handle
 Designed for bathtub
 Clear glass
 Stainless steel hinges
 90° opening doors





Stainless steel hinges

| (cm) | 80 | 90 |
|------|-----------|-----------|
| Ref. | M67050806 | M67050906 |




ITACA



1 FOLDING DOOR+1 FIXED PANEL

Frontal



- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Height:150 cm
 Stainless steel handle
 Designed for bathtub
 Clear glass
 Stainless steel hinges
 Door width: 60 cm
 90° opening doors





Articulated clamping arm

Stainless steel hinges

| (cm) | 100 | 110 | 120 |
|------|-----------|-----------|-----------|
| Ref. | M67061006 | M67061106 | M67061206 |




ITACA



1 FOLDING DOOR

Frontal



- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Magnetic closure to ensure 100% sealed shower space
 Height:195 cm
 Stainless steel handle
 Clear glass
 Stainless steel hinges
 90° opening doors



*IMPORTANT: Indicate door handle side



Stainless steel hinges

| (cm) | 70 | 80 | 90 |
|------|-----------|-----------|-----------|
| Ref. | M67040706 | M67040806 | M67040906 |






ITACA



1 FOLDING DOOR+1 FIXED PANEL

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Height: 195 cm
 Door width: 60 cm
 Magnetic closure ensuring 100% water-tightness
 Compensation up to 20 mm per profile
 Stainless steel handle
 Articulated support arm
 Gloss stainless steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain



*IMPORTANT:

Indicate side of fixed panel



Articulated clamping arm



Stainless steel hinges

MEASUREMENTS

| (cm) | 100 | 120 | 130 | 140 | 160 |
|------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M67071006 | M67071206 | M67071306 | M67071406 | M67071606 |




ITACA



1 FIXED PANEL +1 FOLDING DOOR+ 1 FIXED PANEL

Frontal



- 6 mm tempered safety glass
 Special Strohm Clean anti-scale system for easy cleaning
 Height: 195 cm
 Width of door: 60 cm
 Magnetic closure for 100% sealed shower space
 Compensation up to 25 mm
 Stainless Steel handle
 Articulated clamping arm
 Gloss stainless Steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain



*IMPORTANT: Indicate side of fixed panel Indicate side of door hinges





Articulated clamping arm

Stainless steel hinges

| (cm) | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M67081406 | M67081506 | M67081606 | M67081706 | M67081806 | M67081906 | M67082006 |




ITACA



1 FIXED PANEL +1 FOLDING DOOR

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Height: 195 cm
 Door width: 60 cm
 Magnetic closure ensuring 100% water-tightness
 Compensation up to 25 mm
 Stainless steel handle
 Articulated support arm
 Gloss stainless steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain





Stainless steel hinges

| (cm) | 120 | 130 | 140 | 150 | 160 |
|------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M67131206 | M67131306 | M67131406 | M67131506 | M67131606 |



MANACOR PLUS PURE & TIMELESS



Upper twin rollers

CHARACTERISTICS

- 6 mm tempered & safety glass
 Special anti-scale system on both sides
 High glossy Aluminium finish
- Upper twin rollers
 No bottom rail guide

Classical shower enclosure with no bottom guide and magnetic closure for a watertight seal



FEATURES





6 mm glass

Shower height 198.5 cm

Compensation 15 mm

15




MANACOR PLUS



1 FIXED PANEL + SLIDING DOOR

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning and installation
 Height: 198.5 cm Maximum height: 210 cm
 Discreet "U" shaped frame in high gloss aluminium
 Compensation up to 15 mm per profile
 Magnetic closure to ensure 100% water-tightness
 Upper ball bearings double tandem
 No bottom guide
 Stainless steel handle
 Made in Spain





Rubber closure

| (cm) | 100 | 105 | 110 | 115 | 120 | 125 | 130 | 135 | 140 |
|------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ref. | M84P011006 | M84P011056 | M84P011106 | M84P011156 | M84P011206 | M84P011256 | M84P011306 | M84P011356 | M84P011406 |

| (cm) | 145 | 150 | 155 | 160 | 165 | 170 | 175 | 180 |
|------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ref. | M84P011456 | M84P011506 | M84P011556 | M84P011606 | M84P011656 | M84P011706 | M84P011756 | M84P011806 |




MANACOR PLUS



1 FIXED PANEL+1 SLIDING DOOR+1 SLIDING DOOR+1 FIXED PANEL

Frontal 2



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning and installation
 Height: 198.5 cm Maximum height: 210 cm
 Discreet "U" shaped frame in high gloss aluminium
 Compensation up to 15 mm per profile
 Magnetic closure to ensure 100% water-tightness
 Upper ball bearings double tandem
 No bottom guide
 Stainless steel handle
 Made in Spain





Ergonomic handle

| (cm) | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
|------|------------|------------|------------|------------|------------|------------|------------|
| Ref. | M84P021406 | M84P021506 | M84P021606 | M84P021706 | M84P021806 | M84P021906 | M84P022006 |



MANACOR PLUS



1 SIDE PANEL + 1 SLIDING DOOR + 1 FIXED PANEL

Angular 1







*IMPORTANT: This screen must be ordered with 2 references, as follow: **REFERENCE A+ REFERENCE B**





Aluminium profile

MEASUREMENTS

| (cm) | 100 | 105 | 110 | 115 | 120 | 125 | 130 | 135 | 140 |
|------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ref. | M84P011006 | M84P011056 | M84P011106 | M84P011156 | M84P011206 | M84P011256 | M84P011306 | M84P011356 | M84P011406 |

| (cm) | 145 | 150 | 155 | 160 | 165 | 170 | 175 | 180 |
|------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ref. | M84P011456 | M84P011506 | M84P011556 | M84P011606 | M84P011656 | M84P011706 | M84P011756 | M84P011806 |

FIXED PANEL MEASURES

| (cm) | 70 | 75 | 80 | 90 | 100 |
|------|------------|------------|------------|------------|------------|
| Ref. | M84P120706 | M84P120756 | M84P120806 | M84P120906 | M84P121006 |



MANACOR PLUS



1 FIXED PANEL+ 1 SLIDING DOOR + 1 SLIDING DOOR + 1 FIXED PANEL

Angular 2

А

Ref.



6 mm thick tempered safety glass
Strohm Clean special anti-scale system for easy cleaning and installation
Height: 198.5 cm Maximum height: 210 cm
Discreet "U" sheped frame in high gloss aluminium
Compensation up to 15 mm per frame
Magnetic closure for 100% sealed shower space
Upper ball bearings double tandem

- No bottom guide
 Stainless steel handle
- · Made in Spain



*IMPORTANT: This screen must be ordered with 3 references, as follows: **SIDE A + SIDE B + CORNER KIT**

CORNER KIT


M8410KIT







Magnetic closure



| | SIDE B | | | | | | | | | | |
|------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (cm) | 70 | 75 | 80 | 90 | 100 | 120 | 140 | 150 | 160 | 170 | 180 |
| Ref. | M84P100706 | M84P100756 | M84P100806 | M84P100906 | M84P101006 | M84P101206 | M84P101406 | M84P101506 | M84P101606 | M84P101706 | M84P101806 |



SINEU SIMPLICITY & PRACTICALITY

CLASSICALLY DESIGNED SHOWER SCREENS



Ergonomic handle



CHARACTERISTICS

- 6 mm thick tempered safety glass
- 5 mm compensation aluminium profile
 Maximum height 1.95 cm
- Strohm Clean special anti-scale system for easy cleaning and installation Reversible

FEATURES



Shower height 195 cm 6 mm Glass



SINEU



Sliding door+ Fixed panel

Frontal



А

6 mm thick tempered safety glass
5 mm compensation aluminium profile
Maximum height 1.95 cm
Strohm Clean special anti-scale system for easy cleaning and installation
Reversible





Ergonomic handle

| (cm) | 95-99 | 100-104 | 105-109 | 110-114 | 115-119 | 120-124 | 125-129 | 130-134 | 135-139 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M83011006 | M83011056 | M83011106 | M83011156 | M83011206 | M83011256 | M83011306 | M83011356 | M83011406 |
| | | | | | | | | | |
| (cm) | 140-144 | 145-149 | 150-154 | 155-159 | 160-164 | 165-169 | 170-174 | 175-179 | |
| Ref. | M83011456 | M83011506 | M83011556 | M83011606 | M83011656 | M83011706 | M83011756 | M83011806 | |




SINEU



1 fixed panel+ 1 sliding door+1 fixed panel

Frontal



6 mm thick tempered safety glass
5 mm compensation aluminium profile
Maximum height 1.95 cm
Strohm Clean special anti-scale system for easy cleaning and installation
Reversible





Ergonomic handle

MEASUREMENTS (SIDE A)

| (cm) | 95-99 | 100-104 | 105-109 | 110-114 | 115-119 | 120-124 | 125-129 | 130-134 | 135-139 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M83011006 | M83011056 | M83011106 | M83011156 | M83011206 | M83011256 | M83011306 | M83011356 | M83011406 |
| (cm) | 140-144 | 145-149 | 150-154 | 155-159 | 160-164 | 165-169 | 170-174 | 175-179 | |
| Ref. | M83011456 | M83011506 | M83011556 | M83011606 | M83011656 | M83011706 | M83011756 | M83011806 | |

MEASUREMENTS (SIDE B)

| (cm) | 65-70 | 75-80 |
|------|-----------|-----------|
| Ref. | M83120706 | M83120806 |




SINEU



Screen for corner opening

Frontal



6 mm thick tempered safety glass
5 mm compensation aluminium profile
Maximum height 1.95 cm
Strohm Clean special anti-scale system for easy cleaning and installation
Reversible





Ergonomic handle

MEASUREMENTS (SIDE A)

| (cm) | 65-70 | 75-80 | 85-90 | 95-99 | 100-104 | 105-109 | 110-114 | 115-119 | 120-124 | 125-129 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ref. | M83100706 | M83100806 | M83100906 | M83011006 | M83011056 | M83011106 | M83011156 | M83011206 | M83011256 | M83011306 |
| | | | | | | | | | | |
| (cm) | 130-134 | 135-139 | 140-144 | 145-149 | 150-154 | 155-159 | 160-164 | 165-169 | 170-174 | 175-179 |

MEASUREMENTS (SIDE B)


| (cm) | 65-70 | 75-80 | 85-90 |
|------|-----------|-----------|-----------|
| Ref. | M83120706 | M83120806 | M83100906 |



INCA


FIXED PANEL

Frontal



STROHM CLEAN

- Fixed panel
 Maximum height 1.95 cm
 10 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning and installation
 Aluminium profile





Aluminium arm

| (cm) | 80 | 90 | 100 |
|------|------------|------------|------------|
| Ref. | MWI080CL10 | MWI090CL10 | MWI100CL10 |





TIMOR



1 FIXED PANEL

Frontal



- Fixed panel
 8 mm Tempered Safety Glass
 Aluminium U-Profile, compensation up to 15 mm
 Black articulated clamping arm (30x10)
 Standard shower height: 195 cm
 Standard bath height: 150 cm
 Reversible glass screen
 Mate finish
 Options: Chrome-black finish
 Special anti-scale glass process on both sides
 This model could be requested with extra arm too





Black Aluminium



EXTRA ARM MTIARM1B

Ref.



Made with digital impression and 700° C thermal treatment vitrified process.

The digital paint is applied on the inner side prior to performance of the Strohm Teka clean process.

SHOWER TRAYS

| ICON | 260 |
|------------|-----|
| ICON SLATE | 261 |
| INCA | 262 |



SHOWER TRAYS

The Strohm Teka extra-flat shower trays are made in Spain using an innovative state-of-the-art blend of the highest quality cross-linked polymers and minerals.

The Gel-Coat PREMIUM coating vastly improves current standards, providing an exceptional non-slip surface that makes Teka Strohm shower trays one of the safest in the market.

Improved resistance to pitting corrosion in chloride environments. Extra Safety, Extra Care.


POLISHED STEEL GRIDS AISI 316:





At Strohm Teka we take care of every last detail to ensure a safe and pleasant shower experience. The grids of our shower trays are made of the highest quality stainless steel (AISI 316) which increases the resistance to general corrosion and high temperatures.

This material, commonly known as 'surgical steel', is used in the medical and pharmaceutical industries for its unparalled safety and corrossion resistance.

EXTRA SAFETY IN SMOOTH AND SLATE







TRV VALVE



GRIDS

Icon Slate Ref. R741621

Icon Ref. R741627

IMPORTANT

If you wish to order a tray in a colour other than white, please replace the letter **W** with that pertaining to the colour you require (B, C, T or G).

Maximum delivery time for non-white trays: 4 weeks.

T-3 Mini VALVE



• 3 screws • Ø60

Ref. 1107800

Inca Ref. R741615

ICON



SHOWER TRAY





Icon

- Smooth texture
 Non-slip surface (C3)
 Thickness: 3.5 cm
 AISI 316 grid included (Surgical steel)
 60 mm drain(not included)
- Colours White (W)
 Beige (B)
 Cement (C)
 Tortora (T)
 Graphite (G)

Length (cm)


| Width (cm) | 120 | 140 | 160 | 180 |
|---------------|-----------|-----------|-----------|-----------|
| 70 | P33L1270W | P33L1470W | P33L1670W | P33L1870W |
| 80 | P33L1280W | P33L1480W | P33L1680W | P33L1880W |





SHOWER TRAY





| Width (cm) | 120 | 140 | 150 | 160 | 170 | 190 |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|
| 70 | P33P1270W | P33P1470W | P33P1570W | P33P1670W | P33P1770W | P33P1970W |
| 80 | P33P1280W | P33P1480W | P33P1580W | P33P1680W | P33P1780W | P33P1980W |

Icon Slate

- Slate texture
 Non-slip surface (C3)
 Thickness: 3.5 cm
 AISI316 grid included (Surgical steel)
 90 mm drain (not included)

Colours

- White (W)
 Beige (B)
 Cement (C)
 Tortora (T)
 Graphite (G)

Length (cm)



SHOWER TRAY





Inca

Slate texture
Non-slip surface (C3)
Thickness: 3 cm
AISI 316 grid included (Surgical steel
90 mm drain (not included). Colores
• White (W)
• Graphite (G)

Length (cm)

| Width (cm) | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 70 | P53P0870W | P53P0970W | P53P1070W | P53P1170W | P53P1270W | P53P1370W | P53P1470W | P53P1570W | P53P1670W | P53P1770W | P53P1870W | P53P1970W | P53P2070W |
| 75 | P53P0875W | P53P0975W | P53P1075W | P53P1175W | P53P1275W | P53P1375W | P53P1475W | P53P1575W | P53P1675W | P53P1775W | P53P1875W | P53P1975W | P53P2075W |
| 80 | P53P0880W | P53P0980W | P53P1080W | P53P1180W | P53P1280W | P53P1380W | P53P1480W | P53P1580W | P53P1680W | P53P1780W | P53P1880W | P53P1980W | P53P2080W |
| 90 | P53P0890W | P53P0990W | P53P1090W | P53P1190W | P53P1290W | P53P1390W | P53P1490W | P53P1590W | P53P1690W | P53P1790W | P53P1890W | P53P1990W | P53P2090W |
| 100 | P53P0810W | P53P0910W | P53P1010W | P53P1110W | P53P1210W | P53P1310W | P53P1410W | P53P1510W | P53P1610W | P53P1710W | P53P1810W | P53P1910W | P53P2010W |



BATHROOM ACCESSORIES

| FORMENTERA | 266 |
|------------|-----|
| ALAIOR | 268 |
| INCA | 252 |

METALLIC - PVD FINISHES




Chrome Pure Gold Proud Rose Brave Black Loyal Bronze



FORMENTERA ACCESSORIES


FORMENTERA ACCESSORIES



266 | BATHROOM ACCESSORIES


ALAIOR ACCESSORIES





ALAIOR ACCESSORIES

INCA ACCESSORIES



BATHROOM ACCESSORIES COMBO



Alaior bath accessories Combo

Towel bar
Towel ring
Double robe hook
Glass soap dish with holder
Toilet paper holder with lid

REF. 170890200

Finish Chrome



TERMS AND CONDITIONS OF SALE

Strohm Bathroom Solutions S.A. (hereinafter "Strohm") wants to inform you that we have general terms and conditions (hereinafter the "General Conditions") that have the express purpose of regulating the conditions which are applicable in all contracting processes carried out by the users and readers of this catalogue of products and services offered by Strohm.

The General Conditions can be accessed by means of the following web link: www.strohm-teka.com

These General Conditions shall remain in force and shall be valid for as long as they are accessible through the mentioned link, without prejudice to the fact that Strohm reserves the right to modify, without prior notice the General Conditions and any legal texts that are exposed in the present catalogue or in its web pages. In any case, access to the website after its modification, inclusion and / or replacement, implies acceptance of them by the any buyer or user of Strohm products.

The buyer, user, client is subject to the General Conditions in force whenever entering into any contract or agreement. It is not possible to enter into a contract or agreement with regards to any product and / or service without the prior acceptance of the General Conditions and where appropriate the particular conditions governing the provision of certain services which are agreed between the parties involved.

The General Conditions are always valid when they are published and when their consulting is possible by means of the abovementioned link. If they are partially or totally modified any new general conditions will be applicable as of the moment they are available to the buyer, user or client.

ACCEPTANCE OF CONDITIONS: All orders received imply the formal acceptance of the General Conditions, unless others were agreed otherwise in writing.

DESIGNS: Our models and pictures contained in this catalogue or in any of our marketing and publicity content which are shown and on display are for illustration purposes only. The actual product which will be sold may vary in color or size.

GUARANTEE: For cases where the Product or Products purchased present a lack of conformity because they do not correspond to the characteristics offered, present defects that prevent their normal use in accordance with their nature, or do not offer the services described for it, Strohm offers a 5-year guarantee for chromed or PVD single lever mixers, Dual Control or taps.

EXCEPTIONS: Painted surfaces: 3 years.

Shower accessories (Ex.: hand showers, showerheads, shower arms...): 3 years Thermostatic mixers: 3 years

Electronic mixers/taps: 3 years

Vanity Units: 3 years

Mirrors and lamps: 3 years

Ceramic/mineral basins: 3 years

WC and bidet: 3 years warranty (ceramic: 3 years, seat: 3 years, flush valve: 3 years)

Concealed cisterns: 3 years

Shower trays: 3 years

Shower enclosures: 3 years

*Please check in each local market if some extension guarantee is applicable.

The rights offered by this guarantee are subject to the bill of sale and the guarantee card that accompanies every model.

For this guarantee to be valid, the defect's acceptance by our Quality Department is necessary in each case.

Our guarantee only covers the replacement, free of charge, and in no case are we to be held responsible for the damages directly or indirectly caused by its defect.

Loose parts or parts that were chromed, painted or treated, and that were cleaned using aggressive products, or stained by inappropriate substances, are not covered by our guarantee.



STROHM TEKA

Inspiring bathrooms

www.strohm-teka.com