

hansgrohe



Sales manual

The complete guide to hansgrohe mixers, showers and installation systems

hansgrohe bathroom range

Water moments that delight

In recent years, the bathroom has moved on from merely being somewhere where we wash. It has risen to become a living area with a feel-good factor. Shower areas are getting bigger and bigger, and new materials such as glass add a modern, new character to the bathroom.

We at hansgrohe have continued to revolutionise user comfort – with our intuitive Select technology: Water at the touch of a button is now available in every variant and every area of the bathroom. And when it comes to design, we have also developed the design language of our mixer range.

With the tremendous selection in our ranges in various designs, colours, shapes, materials and with the most diverse functions, we can provide your customers with almost anything they want. We also offer flexible installation options in order to complete the individual character of the bathroom. You will find some important tips and examples in the chapter on installation.

The results are unique bathrooms that turn water moments into an experience. Tailored to the very personal preferences and requirements of every individual. Because our customers and their needs are what inspire us, every day anew.

hansgrohe. Meet the beauty of water.

Be sure to use the hansgrohe showroom app to illustrate and advise – your appealing and interactive sales aid:

- Camera function that can be used to place every product in your own bathroom
- Videos to illustrate our unique technology
- Configurator for matching basin mixer combinations
- Favorites wish list for printing out
- Search function for finding products quickly



Download now for free at www.hansgrohe-int.com/catalog
or directly from iTunes at
<http://appstore.com/hansgroheshowroom>

Contents

- 6 hansgrohe Quality
 - 10 hansgrohe Select
-

16 Showers and shower control

- 18 Shower design
 - 22 Shower technologies
 - 24 Spray modes
 - 26 Hand showers and shower sets
 - 40 Accessories
 - 46 Overhead and side showers
 - 62 Showerpipes
 - 80 Showerpanel®
 - 82 Exposed thermostats
 - 92 Concealed finish sets/Concealed thermostats/Concealed valves
-

110 Shower planning, assembly and installation

- 112 RainSelect®
 - 116 iBox® universal
 - 126 ShowerTablet® Select 700/ShowerTablet® Select 600
 - 128 Rainmaker® Select
 - 130 Showerpipes with round tubes
 - 132 Sample installations surface-mounted/concealed installation 1-5 functions
 - 143 Wall-mounted installation of Showerpipe
 - 144 Exposed and concealed installations bath
-

148 Bath mixers

- 150 ComfortZone
 - 152 ComfortZone test
 - 154 Mixer technologies
 - 158 Bathroom mixers – overview
 - 164 PuraVida®
 - 170 Metropol®
 - 176 Metris®/Metris® S
 - 182 Talis® Select S/Talis® S/Talis®
 - 188 Talis® Select E/Talis® E
 - 192 Focus®
 - 194 Logis®
 - 198 Metropol® Classic
 - 202 Metris® Classic
 - 204 Talis® Classic
 - 206 Logis® Classic
 - 208 Unica® 'Comfort
 - 210 Care products and electronic basin mixer
 - 214 Accessories Logis®/Accessories Logis® Classic
 - 216 Waste systems
-

220 Kitchen mixers

- 222 Kitchen mixers – overview
 - 224 Kitchen technologies
 - 226 Metris® Select/Metris®
 - 228 Talis® Select/Talis® Select S/Talis® S/Talis® S2 Variarc/Talis® Classic
 - 232 Focus®
 - 233 Logis®/Logis® Classic
-

234 Company

Quality with added value



Quality borne by tradition

5 YEARS
GUARANTEE

Assured quality

SERVICE

We are there for you



Trade partner



Worldwide references

Design

Number One
on the sector



Certified mixers and showers



Saving water



Select your
shower pleasure




Easy cleaning



Larger, softer drops



Optimal freedom
of movement



Saving energy



Pure shower pleasure

Find out all the latest news on water and hansgrohe at



www.facebook.com/hansgrohe



www.twitter.com/hansgrohe_uk




www.youtube.com/hansgrohe


Strong range for the bathroom



Hand showers




Exposed shower thermostats




Exposed bath thermostats




Shower Sets




Rainmaker® Select




Overhead showers




Showerpipes




Showerpanel®




Exposed single lever shower mixers




Exposed single lever bath mixers



iBox® universal



Concealed thermostats




Concealed single lever shower mixers




Concealed single lever bath mixers




Valves




Accessories




Rim-mounted mixers




Bidet mixers





Basin mixers







Kitchen mixers



Waste systems



Electronic and Care basin mixers



Accessories

hansgrohe because

Quality you can count on



At hansgrohe, we build on German expertise for the highest quality in form and function. We see, and have always seen, "Made in Germany" as a recipe for success:

almost all our products are made in our home. Our own claim is to offer our customers long-lasting solutions that set standards in functionality and quality – and we do

everything to ensure that. So hansgrohe offers you quality that you can pass straight on to your customers. And that assures you their permanent satisfaction.



Quality from the Black Forest: Since 1901, people all over the world have been putting their trust in the durable, high-quality products from Germany's Black Forest. And even more than 115 years after hansgrohe was founded, with a production share in Germany of around 80%, Made in Germany is still a firm part of our philosophy. The company has always focused on the benefits and enjoyment of our customers, which is why perfection in form and function has always been, and will always be, our standard. To that end, we still tinker as much as on the first day.

Highest standards: hansgrohe only uses high quality materials that are approved for use with drinking water. They are subjected to long-term tests to assure their compliance with all kitchen requirements. All single parts comply with the relevant standards and are fitted with the optimal precision for safe ease of use and convenience over years to come. The guidelines we ourselves have drawn up for product safety exceed by far most of the specifications usual on this sector. For this reason, we offer functions a voluntary manufacturer's warranty of five years on all of our products.

5 YEARS GUARANTEE

Design

Design for life: hansgrohe is one of the leading idea generators in the industry. We work with internationally renowned designers to consistently set new standards with modern and timeless products. At hansgrohe, we firmly believe that excellent design will last longer than fast-lived fashion trends and provide investment security. And at the Manufaktur, we can also supply customised hansgrohe products and special solutions.

<http://pro.hansgrohe-int.com/manufaktur>

SERVICE



Focus on customer satisfaction: our aim is that you should have just as much enjoyment with the installation of our products and your customers with using them as we do developing them. We base our developments on the customer, and therefore are constantly addressing their requirements. This modern ingenuity combined with our traditional know-how creates the foundation for a company whose success will continue far into the future.

Impulses for the industry: at hansgrohe, around 30% of our turnover is achieved with new products that are not more than 3 years old. This high vitality index makes this Black Forest sanitary specialist one of the innovations leaders in this industry. Many of the things that have been thought up, developed and designed by hansgrohe have been extremely well received all over the globe. And as a Black Forest think tank, we can look back on very many innovations. Some of these ideas made sanitary history, not to say even cultural history.



For the sake of the environment: sustainability, environmental and climate protection are key features in everything hansgrohe does. Our worldwide conservation projects and our information work on the preservation of the resource water help to improve the ecology. We use renewable energies, efficient recycling systems and heat recovery in our production department in order to reduce CO₂ emissions. Choosing hansgrohe means choosing long-lasting quality and ecologically responsible production.

hansgrohe – the partner for sanitary professionals

We at hansgrohe see ourselves as a partner to retail and trade. Our constant ability to offer our customers the highest quality and tailored services is a fundamental part of our corporate philosophy. No matter whether you have questions, problems, or specific wishes: We are at your side. So you can always put your trust in our quality promise “Made by hansgrohe”. Before, during, and after installation.

This is what hansgrohe offers you:

Courses, training and events

Know-how for you: we offer a wide range of courses, training and events in the most diverse areas such as new technologies, modern marketing instruments or operational or personnel management. At our own training centre, the Aquademie in Schiltach or on-site anywhere in the country.

Comprehensive information Logistics

Always up-to-date: hansgrohe partners receive regular information on new products, marketing campaigns, sales campaigns, courses, events and company news. We address all the target groups, be they retail, trade or projects, individually.

Punctual, reliable, transparent: a very high level of goods availability, route-optimised deliveries or standardised packaging: hansgrohe takes care of everything to make the order process and delivery as easy as possible for you.

Website for professionals

Everything at a glance: we offer various other digital services on our website for trade partners, **pro.hansgrohe-int.com**. Information on delivery times, online spare parts catalogue, Talisman account, price lists and marketing tools are only some of the advantages we offer you here. Making sure you can access the information you want, whether you're on the go or with a customer.

ComfortZone test

Fitting: Your customers have fallen in love with a mixer but isn't sure their washbasin is the right match. Would you like to know which of our mixers go with which washbasins? We will support you and your customers with stylish suggestions, all tested in our Test Centre, for hansgrohe brand products. Further details on the ComfortZone Test start on page 152.

Service that offers you genuine added value

Trade partner: Our experience gathered over many years offers you support in the form of a wide range of services. Whether you are in need of services, product

training courses, or consultation for special projects or enhanced marketing efficiency for your services, you can only benefit from our extensive expertise. We provide a lot of

information on bathroom planning online for you, such as dimension drawings and 3D details.

<http://pro.hansgrohe-int.com/service>

Field service

Our field service staff are available to you as competent and direct local contacts.

Internal sales service

Whether by phone, email or fax, hansgrohe's customer advisers offer you individual support, both technical and commercial, that is close to the customer.

Service hours:

Monday - Thursday: 8 am - 4 pm

Friday: 8 am - 3 pm

Phone: +49 7836 51-1282

Fax: +49 7836 51-1440

E-Mail: info@hansgrohe.com

Master service

Our service specialists are trained sanitary experts and/or technicians, and will be pleased to help you with any technical issues. Should it ever prove impossible to clarify something by phone or electronically, there is also the option of asking for specialist to be sent out in the event of a complaint.

Service hours: Monday - Thursday:

8 am - 4 pm, Friday: 8 am - 3 pm

Phone: +49 7836 51-1282

Fax: +49 7836 51-1440

E-Mail: info@hansgrohe.com

Project support

Are you in the process of planning kitchens for a major project and need help with the planning or tender? Our project support will be pleased to assist.

Service hours:

Monday - Thursday: 7:30 am - 5 pm

Friday: 7:30 am - 3:30 pm

Phone: +49 7836 51-3126

Fax: +49 7836 51-1878

E-Mail: projekte@hansgrohe.de

Special service

hansgrohe will do everything to accommodate you and your individual wishes. Express route delivery, 24-hour spare parts service, 10-year availability guarantee and a 5-year guarantee are part of our standard offer.

Aquademie

Bathroom showroom, Museum of Water, Bathroom and Design, test showering at the Showerworld, guided tours

pro.hansgrohe-int.com/aquademie

Opening hours:

Monday - Friday: 7:30 am - 7 pm,

Saturdays, Sundays, public holidays:

10 am - 4 pm

Booking Showerworld:

Tel.: +49 7836 513272

Fax: +49 7836 511505

1 hour, maximum 20 people

Opening hours:

Monday - Friday: 7:30 am - 7 pm, Saturday and Sunday: 10:30 am, 12:30 pm, 2:30 pm

Booking advice:

Tuesday, Wednesday, Friday: 1 pm - 6 pm

Phone: +49 7836 513272

Your digital helpers for the bathroom

Online
spare parts
shop

All parts in detail: The electronic spare parts catalogue lets you find and purchase spare and special parts with particular ease. In addition, you will benefit from other functions like dimension drawings, links between drawings and service parts, a checklist and downloads of installation and service instructions.

<http://spares.hansgrohe.com>

Savings Calculator

Savings with hansgrohe: The savings calculator lets you calculate for your customers the potential saving with EcoSmart technology in mixers and showers. Furthermore, you can also determine the return rate on an investment: for sanitary professionals pro.savings.hansgrohe-int.com

@home

Bath planning made easy: Show your customers on your iPhone, iPad, or Android smartphone a virtual bathroom where hansgrohe mixers and showers blend perfectly with their bathroom. iTunes: <http://appstore.com/hansgrohehome> and Google Play: <http://play.google.com/store/search?q=hansgrohe+se>



Showroom

An app for information and entertainment: Visualise your customer's new favourite product in their bathroom, and learn about interactive showering pleasure.

Direct on iTunes at:

<http://appstore.com/hansgroheshowroom>







Technology to thrill your customers

Once again, hansgrohe is revolutionising the way we use water – with an elegant button. One click is all it takes to change the spray type or start or stop the water. The name of this innovative technology:

Select. An intuitive control concept at the touch of a button that promises even greater pleasure in the bathroom and kitchen. Whether hand showers, overhead showers, the ShowerTablet exposed thermostat, concealed finish sets or

Showerpipes, basin or kitchen mixers – the new Select technology with its many benefits brings pleasure at the touch of a button.





Versatile: The Select button has different functions depending on where it is being used: change between shower spray types, select the thermostat function, and start and stop the water on mixers. Depending on the particular product, the Select buttons can even be started with the back of a hand or an elbow. This makes the technology perfect for all ages, and in particular for people with limited mobility.



Advantages and benefits

- Intuitive control at the touch of a button: a simple click changes the spray type, controls a shower, and turns water on/off
- Ergonomic “universal design” allows easy and reliable use for all generations
- The clever construction complies with all hansgrohe’s standards, and is tested for lasting durability
- A wide range of multifunctional products for a broad target group
- Consistent control solution for hand and overhead showers, Showerpipes, exposed and concealed thermostats, basin and kitchen mixers

Find out more in the “Select” discussion and at <http://pro.hansgrohe-int.com/select>

Shower solutions with Select technology




Full shower experience at the touch of a button

Select technology makes showering an even greater pleasure. It only takes a touch of a button to change the spray type or control a shower. The Select button is always mounted


so it is within easy reach while showering. With the hand shower it is on the front of the handle, with the overhead shower right in the middle of the spray face, and with exposed or

concealed controls, on the front of the control unit. The technology is purely mechanical, which means it is particularly durable, inexpensive and is not complicated to install.

Select for hand and overhead showers



Hand showers: Thanks to the revolutionary mechanical construction, the spray can be changed, simply by touching a button. The Select button confirmed its durability in a long-term test that operated it 90,000 times.




Overhead showers: The innovative changeover unit in the overhead shower makes it easy to change the spray following the Select principle. Purely mechanically, at the touch of a button.


i **Hand showers with Select technology** start on page 28.

i **Overhead showers with Select technology** start on page 48.


Select for exposed and concealed controls



RainSelect®: fully integrated system consisting of one basic and one finish set.



ShowerTablet®/Showerpipe: Depending on the version, up to 4 functions can easily be operated by the touch of a button – even at the same time. Raised buttons indicate which function is currently active.



ShowerSelect® finish set: Easy control of up to 4 functions at the touch of a button – even at the same time. Thanks to the optional button extension, operation is just as easy for users with limited mobility since the buttons then protrude.

Bathroom mixers with Select technology




A button that answers every question

Easy operation by Select button is now also available for the basin. A single press is all it takes, and the water starts to flow from the tap. Automatically limited to 5 l/min thanks

to EcoSmart technology. Press again, and the water stops – easy to understand and simple for every generation to use. The temperature is selected simply by turning, and remains set

after switching off. Select technology is purely mechanical. Giving your customers years of pleasure with their intuitive button.



Talis® Select



Innovation: Its use is so intuitive and runs so smoothly that even children find it easy to handle. In fact, it can even be operated with an arm or elbow.



Fine form: The slender Select button facilitates an entirely new design language, opening it up to additional design-orientated target groups.



Robust: The purely mechanical Select technology has proven its durability in many challenging long-term tests.

Kitchen mixers with Select technology


A touch ahead in the kitchen




Washing, chopping, stirring – you have your hands full when you're cooking. Which is why Select technology is also available for the kitchen. Simply turn the water spray on and off

at the touch of a button, effectively giving you a pause function. The handle remains open, and maintains the pre-set temperature and water quantity. The Select button doesn't interrupt

the flow of work, and it makes cooking easier and more pleasurable.



Metris® Select



Talis® Select



User-friendly: The Select button can even be operated if you have your hands full, so you can easily turn the water on and off. Which provides greater flexibility in the kitchen.



Precise: It's even easy to fill containers beside the sink. No contortions or irritating splashes. The water is turned on and off on the pull-out spray at the touch of a button.



Robust: Whether on the pull-out spray or the 150° swivel spout, the Select button is purely mechanical, which makes it exceptionally robust.

SHOWERS AND SHOWER CONTROL

The wide range of products that fulfils all requirements:

Hand showers and shower sets

Overhead and side showers

Showerpipes | Showerpanel®

Thermostats




Shower installations

As individual as your customers


When it comes to the shower, every one of your customers will want something different. But with hansgrohe you can make all their wishes come true, we offer you a large number of shower combinations, from the simple shower and overhead shower

set to the ensemble of thermostat, hand and overhead shower. The installation options are just as flexible. Whether surface mounted or concealed, hansgrohe provides the right solution for your needs. In addition, the Showerpipe and Showerpanel can provide


complete systems that turn a shower into something more during refurbishment work. For a larger shower area, the brand new Rainmaker Select range with large overhead showers, glass surfaces and innovative Select control will integrate perfectly.




Rainmaker® Select: The individual complete solution for large showers. Large overhead showers with a glass spray face in combination with innovative mixers are an expansive showering delight. More on pages 20 and 48.




Hand shower or shower set: Even the basic solution provides pure shower pleasure for customers and moreover can be attached effortlessly to the wall. Controlled via exposed thermostat or single lever shower mixer. More on page 28 onwards.




Overhead shower: For shower rain modes up to 600 mm in diameter, controlled via concealed thermostat or valves. The version with Select technology promises even greater convenience. More on pages 20 and 48 onwards.



Showerpipe: The complete system with overhead shower, hand shower and thermostat. The ideal solution for uncomplicated bathroom refurbishments. More on pages 64 onwards.



Showerpanel®: Combine overhead, hand, and/or side showers in a single system. This can be installed on existing wall connections. Hence also ideal for retrofits and refurbishments. More on pages 80 onwards.



Shower family: The concealed solution for individual shower designs. From a waterfall to all-round pleasure with side showers. Controlled, for example, via the intelligent RainSelect. More on page 98 onwards.

Shower design with hansgrohe

The modern way of showering

The bathroom reflects the individual personality of the user. That is why hansgrohe offers a wide selection of different ranges, designs, shapes and colours for just the right combination in the shower. From large

bathrooms to small ones, modern to classic and from new-builds to refurbishments: there is the right offer for discerning users of any private or project bathroom. Whether exposed or concealed installation or an

innovative exposed or concealed solution, if it's hansgrohe then impressive quality is always guaranteed. Modern technology also provides efficiency, saves water and ensures the right showering experience in any format.

Exposed/concealed installation



Practical: With the unique combination of exposed and concealed installation, the thermostat can be fitted directly to the water connections. The connection to the overhead shower is hidden away behind the wall. Innovative and functional design in one with no irritating elements.

Concealed installation



Space saver: here, the shower and room merge together. Thanks to the seamless integration of the shower fitting, this concealed solution provides more space and greater freedom of movement. Elegantly understated and exclusive at the same time, it can be integrated in any bathroom.

Exposed installation



Elegant: the exposed solution with thermostat and hand shower is the classic shower installation. However, it can also be reinterpreted, for instance with a Showerpipe, the complete system with thermostat, overhead and hand shower. Particularly attractive for modernisations because the Showerpipe can be fitted to existing connections.



Find out more about shower planning, assembly and installation from page 110.


Glass

The connecting highlight in the bathroom

Glass is the most natural material to go with water. There's a good reason why we prefer to use glass bottles and glasses for refreshment. Glass delights with its elegant, precise looks, and provides harmonious links with the other bathroom elements in

large and small shower areas. On the one hand, with glass objects such as mirrors or shower partitions, and on the other with the white/chrome colouring that goes happily with PuraVida products. Glass also appeals with other benefits such as hygiene, scratch

resistance and being easy to clean. It can cope with any chemical cleaners, which also makes it ideal for hotels. A number of product innovations are also reflected in the chrome version.



Rainmaker® Select Overhead shower



ShowerSelect® Thermostat



ShowerTablet® Select 700 Thermostat



ShowerTablet® 600 Thermostat



RainSelect® Thermostat with shower attachment and hose connection



Rainmaker® Select Showerpipes



Unica® 'E' Shower Set



FixFit® Porter 300 shelf with shower attachment and hose connection

AirPower: more volume, more pleasure

Convenience and efficiency don't have to be mutually exclusive. This is proved by hansgrohe AirPower showers. This technology developed by hansgrohe involves drawing in air over the whole area of the spray face. Water

can then be used with greater efficiency. At the same time, the drops are fuller, lighter and softer. The result can be felt immediately on the skin: The sparkling AirPower shower rain envelops the body and generates a magnificent well being.



AirPower: The generous injection of air gives rise to extraordinary shower pleasure and large, luxurious shower drops.



Advantages and benefits

- Fuller, lighter and softer drops - pure shower pleasure
- Fewer splashes, so less cleaning
- Larger water volume for greater water efficiency

QuickClean: fast anti-limescale function



QuickClean: Thanks to the flexible silicone jets, dirt and limescale simply wipe away with a finger.




Advantages and benefits

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality

XXLPerformance: great shower pleasure



XXLPerformance: The generously-proportioned shower experience with air-enriched, lavish drops and the surprisingly low water consumption.



Advantages and benefits

- Shower rain modes up to 600 mm in diameter
- High water efficiency - a uniformly distributed spray for an incomparable showering experience

Select: showering pleasure at the touch of a button.

It is easier to push than to turn. The innovative Select technology transfers this thought to the hand and overhead showers and the shower control. With an elegant button that only requires a single click to change the spray type or control the water. For even greater pleasure when showering – for all ages.



Select: Operation at the touch of a button on hand and overhead showers, Showerpipes and exposed and concealed thermostats provide even more comfort.



Advantages and benefits

- Intuitive control at the touch of a button
- More comfort for every generation
- Mechanical construction for permanent functional safety

EcoSmart®: water and energy savings

hansgrohe EcoSmart showers consume up to 60% less water than conventional products. This reduces water and energy costs and saves precious resources.



EcoSmart: The ingenious flow rate limiter in the shower reduces water consumption to only 9 or 6 l/min.



Advantages and benefits

- Up to 60% less water consumption
- Hot water savings for less energy consumption – so less CO₂ emissions and lower costs



How much water and energy can be saved is calculated by the savings calculator at:
<http://pro.hansgrohe-int.com/savings-calculator>

Spray modes

Greater enjoyment with the many spray types for hand and overhead showers


Everyone showers differently, and everyone has different expectations of the perfect shower. Some think it not only as a necessity but also a way to relax. Others value an energising, invigorating shower

experience. No matter what your customers' wishes, every one of them will find the right hand or overhead shower and the right spray type in the hansgrohe range. The Select products promise your customers particular

convenience. They can then select each spray type easily at the push of a button.



Rain and Rain XL: The openings on the hand or overhead shower may be small, but their effect is all the greater: The rain spray revitalises and refreshes with its pleasant power enveloping the body. It is therefore ideal, for example, for rinsing out shampoo quickly and thoroughly.



RainAir: If you are looking for relaxation and you want your soul to be pampered by the water. Just the right thing for this is a hand or overhead shower with the soft, luxurious RainAir spray that provides air-enriched drops from a large, wide jet, to wash your cares away.



SoftRain: The gentle SoftRain water spray gently wraps itself around the body. A treat for the skin – and for the soul, of course. Whether a daily shower or for relaxation, the SoftRain spray is always the right choice. Its strengths come into their own in a quick shower in the morning and in a long soak in the bath after a hard day.



IntenseRain: Rinsing out shampoo is easy with the strong IntenseRain water spray. Perfect for setting yourself up for the day. The IntenseRain spray not only rinses out shampoo, but it also washes morning tiredness down the drain – for a refreshing start to the day.




TurboRain: The all-purpose tool for quick results: The revitalising TurboRain spray lives up to its name. The pure power of the most powerful of all Rain sprays provides a refreshing shower experience. For those who like things to be quick and straightforward.



Mix: Gentle and dynamic at the same time. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops wrap themselves around the body, while a warm targeted water flow in the middle massages the skin. The perfect combination for daily showering pleasure.



Simply scan the code and experience the spray patterns in the video.




Whirl: The concentrated Whirl spray simply washes away the exertions of the day. Whether hand or overhead shower: Three single sprays revolve around each other for an intense massage effect that dissolves tension.



CaresseAir: Five strong single sprays combine in a revitalising, strong massage spray for pleasant relaxation. Just the thing after exercise or a hard day at work – good as new in minutes.



Massage: A concentrated spray that simply washes the day's stress away. The targeted spray easily relaxes tense areas. The innovative circular arrangement of the sprays turns the shower into a mobile wellness treatment for the home bathroom.



Mono: A targeted, soothing relaxation spray from the centre of the shower. The lightness of the Mono spray helps you to unwind, making it the perfect spray for relaxing.



RainFlow: An overhead shower with the clear, beautifully shaped RainFlow cascading spray brings the waterfall experience to the bathroom. This lets you enjoy water in its natural form, as a cascade from above on the neck and shoulders. This can be directed specifically to these parts of the body and tension quickly disappears. This is a trend especially in the wellness bathroom.



RainStream: The new RainStream of single sparkling jets is a crowning achievement of the hansgrohe spray developers. These special overhead shower sprays do not constrict, but remain unvaryingly revitalising and intense right down to the floor. The result: a new, revitalising shower experience, irrespective of the users height.

hansgrohe hand showers

The hand shower range at a glance

Crometta®



	Product name	Model	Crometta 1jet	Crometta Vario	Crometta 100 1jet	Crometta 100 Vario	Crometta 100 Multi
	Item no.	S E	26331, -400	26330, -400	26825, -400	26824, -400	26823, -400
Versions	Green (6/7 l/min)	S E	26334, -400	26336, -400	26829, -400	-	-
	EcoSmart (9 l/min)	S E	26333, -400	26332, -400	26828, -400	26827, -400	26826, -400
	Maximum flow standard hand shower (at 3 bar)		14 l/min	14 l/min	16 l/min	18 l/min	19 l/min
	Size of shower head		100 mm	100 mm	100 mm	100 mm	100 mm
	Spray type changeover		-	Turn	-	Turn	Turn
	Spray modes		Rain	Rain, IntenseRain	Rain	Rain, Normal, Shampoo, Massage	Rain, TurboRain, Massage spray
	Connection thread		G½	G½	G½	G½	G½
	Connection dimensions		DN15	DN15	DN15	DN15	DN15
Uniques	Select		-	-	-	-	-
	AirPower		-	-	-	-	-
	QuickClean		■	■	■	■	■



Scan this QR code and present our showers at work.

Croma® Select

Raindance® Select

PuraVida®



Croma Select S/E 1jet	Croma Select S/E Vario	Croma Select S/E Multi	Raindance Select S/E 120 3jet	Raindance Select S/E 150 3jet	PuraVida 3jet
26804, -400 26814, -400	26802, -400 26812, -400	26800, -400 26810, -400	26530, -000, -400 26520, -000, -400	28587, -000, -400 26550, -000, -400	28557, -000, -400
26806, -400 26816, -400	-	-	-	-	-
26805, -400 26815, -400	26803, -400 26813, -400	26801, -400 26811, -400	26531, -000, -400 26521, -000, -400	28588, -000, -400 26551, -000, -400	28567, -000, -400
16 l/min	15 l/min	16 l/min	16 l/min	16 l/min	16 l/min
110 mm	110 mm	110 mm	125 mm	150 mm	150 mm
-	Select	Select	Select	Select	Select
Rain	Rain, IntenseRain, TurboRain	SoftRain, IntenseRain, Massage	Rain, RainAir, WhirlAir	RainAir, CaresseAir, Mix	RainAir, CaresseAir, Mix
G½	G½	G½	G½	G½	G½
DN15	DN15	DN15	DN15	DN15	DN15
-	▪	▪	▪	▪	▪
-	-	-	▪	▪	▪
▪	▪	▪	▪	▪	▪

➔
Price

▪ Available. - Not available.

Raindance® Select hand shower

The right water spray for each shower type



(1) **RainAir:** a gentle, caressing spray.
 (2) **Rain:** a powerful, revitalising spray.



Whirl: A concentrated massaging whirl to ease tension.



Test rating very good: 99% of users are happy with the showering feeling of the hand shower, and just as many praised the innovative Select button.*



Advantages and benefits


- Easy and convenient to change spray type at the push of a button
- Two full rain spray types in the one shower: a powerfully revitalising and a gently soothing spray
- For all showering needs: whether you want to start the day refreshed, easily rinse out shampoo, or simply relax
- For all tastes: available as a round version or with soft corners available in chrome or white/chrome

Find out more at <http://pro.hansgrohe-int.com/select>


Raindance® Select




Raindance® Select E 150 3jet
Hand shower
26550, -000, -400 (16 l/min)
26551, -000, -400 (9 l/min) EcoSmart




Raindance® Select E 120 3jet
Hand shower
26520, -000, -400 (16 l/min)
26521, -000, -400 (9 l/min) EcoSmart



Raindance® Select S 150 3jet
Hand shower
28587, -000, -400 (16 l/min)
28588, -000, -400 (9 l/min) EcoSmart



Raindance® Select S 120 3jet
Hand shower
26530, -000, -400 (16 l/min)
26531, -000, -400 (9 l/min) EcoSmart




- 96% of users like the design and the white/chrome combination*


Shower Sets




Raindance® Select E 150 3jet/Unica® 'S Puro Set
27857, -000, -400 0.90 m
27856, -000, -400 0.65 m (not shown)




Raindance® Select E 120 3jet/Unica® 'S Puro Set
26621, -000, -400 0.90 m
26623, -000, -400 0.90 m EcoSmart
26620, -000, -400 0.65 m (not shown)
26622, -000, -400 0.65 m EcoSmart (not shown)



Raindance® Select S 150 3jet/Unica® 'S Puro Set
27803, -000, -400 0.90 m
27802, -000, -400 0.65 m (not shown)



Raindance® Select S 120 3jet/Unica® 'S Puro Set
26631, -000, -400 0.90 m
26633, -000, -400 0.90 m EcoSmart
26630, -000, -400 0.65 m (not shown)
26632, -000, -400 0.65 m EcoSmart (not shown)



*trnd consumer test Raindance® Select E 120 10/2013 with 500 participants in D, CH, AT.

All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).


Raindance® Select

NEW



Shower Sets




**Raindance® Select S 120/
Unica® 'Comfort Shower Set**
with Raindance Select 120 hand shower
and Unica 'Comfort shower rail 1.10 m,
left, grab handle, detachable shelf and
additional holder
26324, -000, -400
26325, -000, -400 EcoSmart




**Raindance® Select S 120/
Unica® 'Comfort Shower Set**
with Raindance Select 120 hand shower
and Unica 'Comfort shower rail 1.10 m,
right, grab handle, detachable shelf and
additional holder
26326, -000, -400
26327, -000, -400 EcoSmart



**Raindance® Select 120
Unica® 'Comfort Shower Set**
26322, -000, -400 0.90 m
26323, -000, -400 0.90 m EcoSmart
26320, -000, -400 0.65 m (not shown)
26321, -000, -400 0.65 m EcoSmart
(not shown)




**Raindance® Select S 120/
Unica® 'E Shower Set**
27646, -000, -400 1.50 m
27647, -000, -400 1.50 m EcoSmart
27648, -000, -400 0.90 m (not shown)
27649, -000, -400 0.90 m EcoSmart
(not shown)




Porter Sets



**Raindance® Select E 120
Porter Set**
26700, -000, -400
Hose length 1.25 m
26720, -000, -400
Hose length 1.60 m




**Raindance® Select S 120
Porter Set**
26701, -000, -400
Hose length 1.25 m
26721, -000, -400
Hose length 1.60 m




Raindance® Classic



Raindance® Classic 100
Air 3jet Hand shower
28548, -000, -090 (17 l/min)



Raindance® Classic 100
Air 3jet/**Unica® Classic Set**
27841, -000, -090 0.90 m
27843, -000, -090 0.65 m
(not shown)



Surface chrome
(-000)




Surface chrome/
gold-optic (-090)


PuraVida®




PuraVida® 150 3jet
Hand shower
DESIGN PLUS
powered by ISH
28557, -000, -400 (16 l/min)
28567, -000, -400 (9 l/min)
EcoSmart



PuraVida® 120 1jet
Baton hand shower
28558, -000, -400 (16 l/min)
28568, -000, -400 (9 l/min)
EcoSmart



PuraVida®/Unica® Set
27853, -000, -400 0.90 m



Surface chrome
(-000)



Surface white/
chrome (-400)

Croma® 100 Classic





Croma® 100 Classic Multi
Hand shower
28539, -000 (19 l/min)




Croma® Select hand shower

More comfort for everyone



- (1) **SoftRain:** soft, beneficial water spray.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **Massage:** concentrated, revitalising spray.



- (1) **Rain:** perfect for rinsing shampoo out of your hair.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **TurboRain:** the most powerful of all Rain sprays - for a refreshingly powerful showering experience.



Advantages and benefits


- Easy spray change at the touch of a button thanks to Select technology - now also in the Croma range
- 110 mm spray face with new spray types for any shower requirement: whether just rinsing out shampoo, winding down in the evening or being full of energy in the morning
- **Easy to clean:** thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min

Find out more at <http://pro.hansgrohe-int.com/select>


Croma® Select




Croma® Select E Multi Hand shower
26810, -400 (16 l/min)
26811, -400 (9 l/min) EcoSmart




Croma® Select E Vario Hand shower
26812, -400 (15 l/min)
26813, -400 (9 l/min) EcoSmart




Croma® Select E 1jet Hand shower
26814, -400 (16 l/min)
26815, -400 (9 l/min) EcoSmart
26816, -400 (7 l/min) EcoSmart




Croma® Select S Multi Hand shower
26800, -400 (16 l/min)
26801, -400 (9 l/min) EcoSmart



Croma® Select S Vario Hand shower
26802, -400 (15 l/min)
26803, -400 (9 l/min) EcoSmart




Croma® Select S 1jet Hand shower
26804, -400 (16 l/min)
26805, -400 (9 l/min) EcoSmart
26806, -400 (7 l/min) EcoSmart




Shower Sets




Croma® Select E Multi Shower Set
26580, -400 0.65 m
26581, -400 0.65 m EcoSmart
26590, -400 0.90 m (not shown)
26591, -400 0.90 m EcoSmart (not shown)



Croma® Select E Vario Shower Set
26582, -400 0.65 m
26583, -400 0.65 m EcoSmart
26586, -400 0.65 m with Casetta soap dish (not shown)
26592, -400 0.90 m (not shown)
26593, -400 0.90 m EcoSmart (not shown)




Croma® Select E 1jet Shower Set
26584, -400 0.65 m
26585, -400 0.65 m EcoSmart
26594, -400 0.90 m (not shown)
26595, -400 0.90 m EcoSmart (not shown)




Shower Sets




Croma® Select S Multi Shower Set
 # 26560, -400 0.65 m
 # 26561, -400 0.65 m EcoSmart
 # 26570, -400 0.90 m (not shown)
 # 26571, -400 0.90 m EcoSmart (not shown)



Croma® Select S Vario Shower Set
 # 26562, -400 0.65 m
 # 26563, -400 0.65 m EcoSmart
 # 26566, -400 0.65 m with Casetta
 soap dish (not shown)
 # 26572, -400 0.90 m (not shown)
 # 26573, -400 0.90 m EcoSmart (not shown)




Croma® Select S 1jet Shower Set
 # 26564, -400 0.65 m
 # 26565, -400 0.65 m EcoSmart
 # 26574, -400 0.90 m (not shown)
 # 26575, -400 0.90 m EcoSmart (not shown)



Porter Sets




Croma® Select E Vario
 Porter Set
 # 26425, -400 Hose length 1.25 m
 # 26413, -400 Hose length 1.60 m




Croma® Select E 1jet
 Porter Set
 # 26424, -400 Hose length 1.25 m
 # 26412, -400 Hose length 1.60 m



Croma® Select S Vario
 Porter Set
 # 26421, -400 Hose length 1.25 m
 # 26411, -400 Hose length 1.60 m



Croma® Select S 1jet
 Porter Set
 # 26420, -400 Hose length 1.25 m
 # 26410, -400 Hose length 1.60 m



Croma® 100 Classic



Croma® 100 Classic Multi
 Hand shower
 # 28539, -000 (19 l/min)



Croma® 100




Croma® 100 Multi
Hand shower
28536, -000 (19 l/min)
28538, -000 (9 l/min) EcoSmart
26830, -000 (6 l/min) EcoSmart




Croma® 100 Vario
Hand shower
28535, -000 (18 l/min)
28537, -000 (9 l/min) EcoSmart




Croma® 100 1jet
Hand shower
28580, -000 (16 l/min)
28583, -000 (9 l/min) EcoSmart



- Large spray face for great shower pleasure
- Three spray modes: Rain, Mono, Massage spray



- Large spray face for great shower pleasure
- Four graduated rain sprays from wide to concentrated



- Large spray face for great shower pleasure


Porter Sets



Croma® 100 Multi/Porter 'S Set
27593, -000 Hose length 1.25 m
27595, -000 Hose length 1.60 m



Croma® 100 Vario/Porter 'S Set
27592, -000 Hose length 1.25 m
27594, -000 Hose length 1.60 m




Croma® 100 1jet/Porter 'S Set
27574, -000 Hose length 1.25 m
27575, -000 Hose length 1.60 m




Shower Sets



Croma® 100 Multi/Unica 'C Set
27774, -000 0.90 m
27655, -000 0.90 m EcoSmart
27775, -000 0.65 m (not shown)
27777, -000 0.65 m EcoSmart (not shown)



Croma® 100 Vario/Unica 'C Set
27771, -000 0.90 m
27653, -000 0.90 m EcoSmart
27772, -000 0.65 m (not shown)
27776, -000 0.65 m EcoSmart (not shown)





Croma® 100 1jet/Unica 'C Set
27724, -000 0.90 m
27717, -000 0.65 m (not shown)




Crometta® 100 hand shower

Genuine design at an irresistible price



- (1) **Rain:** revitalising shower rain.
- (2) **TurboRain:** the most powerful of all Rain sprays – for a refreshingly powerful showering experience.
- (3) **Massage:** powerful, pulsating spray.



- (1-4) **Rain variants:** revitalising spray rain in 4 levels from wide to concentrated.




Advantages and benefits

- XXL showering pleasure thanks to the 100 mm spray face
- Excellent value thanks to the popular Croma 100 mechanism and popular spray technology at the best price
- Many different spray types for any showering type – from wide to concentrated
- Ergonomic handle design for safe use
- **Easy to clean:** thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min


Crometta® 100




Crometta® 100 Multi
Hand shower
26823, -400 (19 l/min)
26826, -400 (9 l/min) EcoSmart




Crometta® 100 Vario
Hand shower
26824, -400 (18 l/min)
26827, -400 (9 l/min) EcoSmart





Crometta® 100 1jet
Hand shower
26825, -400 (16 l/min)
26828, -400 (9 l/min) EcoSmart
26829, -400 (7 l/min) EcoSmart




Shower Sets




Crometta® 100 Multi
Shower Set
26656, -400 0.90 m
26659, -400 0.90 m EcoSmart
26650, -400 0.65 m (not shown)
26653, -400 0.65 m EcoSmart (not shown)



Crometta® 100 Vario
Shower Set
26657, -400 0.90 m
26662, -400 0.90 m EcoSmart
26651, -400 0.65 m (not shown)
26654, -400 0.65 m EcoSmart (not shown)




Crometta® 100 1jet
Shower Set
26658, -400 0.90 m
26663, -400 0.90 m EcoSmart
26652, -400 0.65 m (not shown)
26655, -400 0.65 m EcoSmart (not shown)



Shower Sets



Crometta® 100 Vario
Porter Set
26666, -400 Hose length 1.25 m
26667, -400 Hose length 1.60 m



Crometta® 100 1jet
Porter Set
26664, -400 Hose length 1.25 m
26665, -400 Hose length 1.60 m



Crometta® Hand shower

NEW

Easy savings in water, energy, CO₂ and hence costs

Rain: large opening for the powerful Rain spray



IntenseRain: small opening for the vitalising IntenseRain spray



Elegant: round head of 100 mm diameter




Modern surface in white/chrome


User-friendly: easy to change the spray using the ergonomic lever



Crometta® Vario
Hand shower



- (1) **Rain:** perfect for rinsing shampoo out of your hair.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.



Saving water: enjoy a comprehensive showering experience with the EcoSmart and Green lines – despite the low consumption.



Advantages and benefits


- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Also available as the water-saving EcoSmart variant with a flow of 9 l/min or LEED-compliant 6 l/min
- 2 spray types: large Rain spray and revitalising IntenseRain spray
- Attractive white design

Crometta®




Crometta® Vario

Hand shower
26330, -400 (14 l/min)
26332, -400 (9 l/min) EcoSmart
26336, -400 (6 l/min) Green



Crometta® 1jet

Hand shower
26331, -400 (14 l/min)
26333, -400 (9 l/min) EcoSmart
26334, -400 (6 l/min) Green



Technical data for Crometta® Vario hand showers


Vario	EU standard	EcoSmart ≈ 9 l/min	EcoSmart ≈ 6 l/min
Water consumption orientation by spray type (3 bar)	13–16 l/min	max. 9.9 l/min	max. 6 l/min
Fully functional from	6.2 l/min (0.4 bar before shower)	3.8 l/min (0.4 bar before shower)	3.8 l/min (0.4 bar before shower)

Shower Sets



Crometta® Vario

Shower Set
26536, -400 0.90 m
26538, -400 0.90 m (9 l/min) EcoSmart
(not shown)
26532, -400 0.65 m (not shown)
26534, -400 0.65 m EcoSmart
26555, -400 0.65 m Green
26553, -400 0.65 m
with Casetta soap dish (not shown)



Crometta® 1jet

Shower Set
26537, -400 0.90 m
26539, -400 0.90 m
EcoSmart (not shown)
26533, -400 0.65 m (not shown)
26535, -400 0.65 m EcoSmart
26554, -400 0.65 m Green




Porter Sets




Crometta® 100 Vario

Porter Set
26691, -400 1.25 m
26693, -400 1.25 m EcoSmart
26692, -400 1.60 m
26694, -400 1.60 m EcoSmart



Crometta® 1jet

Porter Set
26690, -400 1.25 m
26568, -400 1.25 m EcoSmart
26567, -400 1.60 m
26569, -400 1.60 m EcoSmart




All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

Unica® 'E Shower bar

NEW

Uniquely elegant



Extending: further Casetta 'E soap dishes may be added

Practical: integrated glass shelf for shower utensils, height can be set individually when fitting

Unique: glass shower bar available in 3 finishes: white/chrome, black/chrome and mirrored chrome

Flexible: height-adjustable shower bar can also be turned and tilted, self-locking slider for single-handed use

Easy to clean: easy to clean thanks to the level surface

Versatile: available in lengths 0.90 m and 1.50 m

Unica® 'E
Shower bar



Attractive: harmonises with other glass elements such as shower partitions, overhead showers or thermostats.



Surface black/chrome



Surface white/chrome



Surface mirrored chrome



Advantages and benefits

- Integrated glass shelf for more space, additional shelves may be purchased
- **Easy to clean:** thanks to the level surface
- The shower holder is height adjustable, tilts and turns
- 1.50 m version ideal for families with children or for easy foot care
- Suitable for small and large shower areas and may be fitted to existing wall connections, making it ideal for refurbishments

Unica® 'Comfort

NEW

Comfort right down the line



Robust: holder with a strong, self-locking metal slider, tilts by 90° for easy single-handed use

Flexible: additional shower holders for other applications

Unica® 'Comfort
Shower Set

Metal supports for firm attachment to the wall

Practical: shower bar, shelf and grab handle in one

Safe: ergonomic handle for safe support up to 200 kg, 25 mm diameter

Variable: removable shelf made of high-quality plastic, 250 mm wide



Barrier-free: the additional holder makes it easier to shower sitting down.


Secure: the strong grab handle provides stability on a slippery floor.



Advantages and benefits

- Space-saving combination of shower rail, shelf and grab handle
- The 280 mm plastic shelf offers plenty of space for shower utensils
- Shelf removes easily for cleaning
- Stably integrated grab handle for safety
- Can handle a tensile force of 200 kg

Shower bars



- Adjustable shower heights and angles
- Hands-free showering
- Shower can be swivelled out
- Flexible installations in shower cubicles and baths
- The wall attachments of the Reno shower rails can be attached to the walls as desired



The special advantages of the **Unica 'Comfort shower bars** and other Care products start on page 208.


hansgrohe Shower hoses

Clever shower hoses with the perfect touch

hansgrohe has consistently been developing the design and functionality of shower hoses for over 40 years – as, for example, with the swivel on ball bearings. Lots

of new ideas and products by hansgrohe more than comply with the required standards. This is confirmed by the hansgrohe quality tests on pressure resistance and tensile strength, as

well as twist safety and the quality of seals. Whether metal or plastic, the shower hoses never fail to appeal for their high-quality, sophisticated technology.



Shower hoses



Sensoflex®
Shower hose metal with plastic lining and swivel
28132, -000 1.25 m
28136, -000 1.60 m
28134, -000 2.00 m



Isiflex®
Shower hose of metal-look plastic
28272, -000, -450 1.25 m
28276, -000, -450 1.60 m
28274, -000 2.00 m



Comfortflex®
Shower hose made of easy-to-clean plastic in a modern metal look
28167, -000 1.25 m
28168, -000 1.60 m
28169, -000 2.00 m



Metaflex®
Shower hose of metal-spiral-look plastic
28262, -000 1.25 m
28266, -000 1.60 m
28264, -000 2.00 m



Isiflex®
Shower hose made of metal-look plastic with volume control
28248, -000 1.60 m
28249, -000 1.25 m



- Various materials, lengths and looks
- Anti-kink and easy care
- Chrome effect matching the mixers
- Drinking water approval – DVGW certification



- Scratch free thanks to plastic coating
- No irritating twisting from the swivel
- Particularly strong – confirmed by tension tests

- Regulation of the water amount for the hand shower in combination with Select products
- May be reduced to 5 l/min

Shower supports



Porter 'S
Shower holder
28331, -000



Porter 'C
Shower holder
27521, -000



Porter 'Classic
Shower holder
28324, -000



Porter 'A
Variable shower holder
Metal housing
Adjustable angle
27520, -000

Hose connections



FixFit® E
Hose connection without non-return valve
27454, -000
Hose connection with non-return valve
27458, -000
Hose connection with non-return valve and pivot joint
27505, -000 (not shown)



FixFit® E
Hose connection with non-return valve and plastic angle
26457, -000
Hose connection with non-return valve and pivot joint
27414, -000 (not shown)



FixFit® E Stop
Hose connection with shut-off valve and non-return valve
27452, -000



FixFit® S
Hose connection with non-return valve and plastic angle
26453, -000
Hose connection without non-return valve
27453, -000
Hose connection with non-return valve
27456, -000
Hose connection with non-return valve and pivot joint
27506, -000 (not shown)



FixFit® Square
Hose connection with non-return valve and plastic angle
26455, -000



FixFit® Classic
Hose connection with non-return valve
16884, -000, -820

Shower supports with hose connection



FixFit® Porter 'S
Hose connection DN15 with integrated shower support
Flexible hose and hand shower can be chosen freely
26487, -000



FixFit® Porter 'E
Hose connection DN15 with integrated shower support
Flexible hose and hand shower can be chosen freely
26485, -000



FixFit® Porter 'Square
Hose connection DN15 with integrated shower support
Flexible hose and hand shower can be chosen freely
26486, -000



- Three different designs to suit any finish set and shower
- Permanently safe function thanks to the high-quality metal housing and internal plastic water channels
- Few drill holes, so installation is fast and easy
- Suits any DN15 flexible hose



NEW



FixFit® Porter 300
 Hose connection DN15 with integrated shower holder and integrated shower shelf, safety glass with rounded corners, free choice of hose and spray, suitable for any DN15 spray hose, dimensions 90 mm x 310 mm
 # 26456, -400



Surface mirrored chrome



Surface white/chrome



- Flexible positioning: may be shifted 77.5 mm to the left or right of the wall connection
- Shelf, wall connection and shower holder combined in one product
- Fewer drill holes in the wall
- For lots of combinations and uses
- The shower area looks much tidier
- Also suitable for the bath
- Space for all conventional shower accessories
- More storage area than in other storage baskets
- Glass surface for easy cleaning
- Available in two finishes: white/chrome or mirrored chrome



NEW

Unica Comfort
 Grab handle with shelf and holder
 # 26328, -400



- Holder can be fitted to the left or right, or may be removed

Soap dishes



Casetta® 'E
 Soap dish
 # 26519, -000



Casetta® 'C
 Soap dish
 # 28678, -000



Casetta® 'S Puro
 Soap dish
 # 28679, -000



NEW

Casetta® 'E
 Soap dish 200 mm x 80 mm
 # 26511, -000, -400, -600



Surface mirrored chrome



Surface white/chrome



Surface black/chrome

hansgrohe overhead showers

The overhead shower range at a glance

		Crometta®		Croma®/Croma® Select			Raindance®
Product name	Model	Crometta 160 ljet	Crometta S/E 240 ljet	Croma 220 ljet	Croma 280 Air ljet	Croma Select S/E 180 2jet	Raindance E 300 ljet
Item no.	S E	26577, -000, -400	26723, -000 26726, -000	26464, -000	26220, -000	26522, -000, -400 26524, -000, -400	26238, -000
Versions	EcoSmart 9 l/min	S E	26578, -000, -400 26724, -000 26727, -000	26465, -000	26221, -000	26523, -000, -400 26528, -000, -400	26239, -000
	LowPressure (0.2 bar)		26576, -000, -400 26725, -000 26722, -000	26734, -000	-	-	-
Size of overhead shower		180 mm	240 mm	220 mm	280 mm	180 x 180 mm	300 x 300 mm
Spray face material		Plastic	Plastic	Metal	Metal	Plastic	Metal
Spray modes (Flow at 3 bar)		Rain 20 l/min	Rain 18 l/min	RainAir 19 l/min	RainAir 15 l/min	Rain 17 l/min IntenseRain 16 l/min	RainAir 19 l/min
Ceiling installation		■	■	■	■	■	■
Wall installation		■	■	■	■	■	■
for iBox universal		-	-	-	-	-	-
Uniques	Select	-	-	-	-	■	-
	AirPower	-	-	■	■	-	■
	QuickClean	■	■	■	■	■	■



Scan this QR code and present our mixers at work.

Raindance® Select

Rainmaker® Select




Raindance Select S 240 2jet	Raindance Select S 300 2jet	Raindance Select E 300 2jet	Raindance Select E 300 3jet	Rainmaker Select 460 1jet	Rainmaker Select 460 2jet	Rainmaker Select 460 3jet	Rainmaker Select 580 3jet
26466, -000, -400	27378, -000, -400	27385, -000, -400	26468, -000, -400	24003, -400, -600	24005, -400, -600	24007, -400, -600	24001, -400, -600
26470, -000, -400		26609, -000, -400	-	24013, -400, -600	24015, -400, -600	24017, -400, -600	24011, -400, -600
-	-	-	-	-	-	-	-
240 mm	300 mm	300 x 160 mm	300 x 190 mm	460 x 270 mm	460 x 300 mm	460 x 300 mm	580 x 260 mm
Metal	Metal	Metal	Metal	Safety glass	Safety glass	Safety glass	Safety glass
RainAir 17 l/min Rain 17 l/min	RainAir 17 l/min Rain 17 l/min	RainAir 14 l/min Rain 15 l/min	RainAir 18 l/min Rain 18 l/min RainStream 22 l/min	Rain 18 l/min	Rain 20 l/min RainStream 18 l/min	Rain 17 l/min RainStream 22 l/min Mono 20 l/min	Rain 17 l/min Mono 20 l/min RainFlow 18 l/min
■	■	■	-	■	■	■	-
■	■	■	■	■	■	■	■
-	-	-	■	-	■	■	■
■	■	■	■	-	-	-	-
■	■	■	■	-	-	-	-
■	■	■	■	■	■	■	■

→
Price

■ Available. - Not available.

Rainmaker® Select overhead showers

The new star in the shower




Rainmaker® Select 460 3jet
Overhead shower



Flexible: Also available for ceiling mounting, where it can be positioned freely anywhere in the room.



Easy cleaning: Thanks to the QuickConnect holder, the overhead shower can easily be fitted or removed for cleaning by one person – no tools required.



Permanent: The spray face is cut by laser, the colour and lettering applied to the back and permanently fused to the glass.




Advantages and benefits

- Unique: Glass spray faces in impressive sizes
- Spray widths of up to 580 mm perfectly fill the large shower area
- Height-variable wall mounting based on the iBox universal for optimum spray intensity of RainFlow or RainStream
- The generous proportions of the overhead shower make it a prominent feature in the bathroom
- Generous white surfaces integrate harmoniously in the ceiling, and look light and elegant

Rainmaker® Select



Rainmaker® Select 580 3jet
Overhead shower
Rain XL: 17 l/min
RainFlow: 18 l/min
Mono: 20 l/min
24001, -400, -600
24011, -400, -600 (9 l/min) EcoSmart
for iBox universal



Surface white/chrome



Surface black/chrome




- **Exclusive:** Safety glass surface with lasered spray openings.
- **Mono:** A targeted spray for showering pleasure that also refreshes.

- **RainFlow:** A full flood spray for a refreshing shower.




Rainmaker® Select 460 3jet
Overhead shower, with shower arm 460 mm
Rain XL: 17 l/min
RainStream: 22 l/min
Mono: 20 l/min
24007, -400, -600
24017, -400, -600 (9 l/min) EcoSmart
for iBox universal

Rainmaker® Select 460 3jet
Overhead shower, with ceiling connection 100 mm (not shown)
24006, -400, -600
24016, -400, -600 (9 l/min) EcoSmart




Rainmaker® Select 460 2jet
Overhead shower, with shower arm 460 mm
Rain XL: 20 l/min
RainStream: 18 l/min
24005, -400, -600
24015, -400, -600 (9 l/min) EcoSmart
for iBox universal

Rainmaker® Select 460 2jet
Overhead shower, with ceiling connection 100 mm (not shown)
24004, -400, -600
24014, -400, -600 (9 l/min) EcoSmart



Rainmaker® Select 460 1jet
Overhead shower, with shower arm 460 mm
Rain XL: 18 l/min
24003, -400, -600
24013, -400, -600 (9 l/min) EcoSmart

Rainmaker® Select 460 1jet
Overhead shower, with ceiling connection 100 mm (not shown)
24002, -400, -600
24012, -400, -600 (9 l/min) EcoSmart




All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

- **Easy to clean**, durable and a high level of hygiene thanks to the level, hard surface in 4 mm safety glass
- Choice of versions with 1–3 spray types
- New exposed/concealed installation of the single-spray overhead shower also possible with ShowerTablet Select 700. The storage surface is built in.
- Also available in the EcoSmart version with only 9 l/min


Raindance® Select E 300 3jet overhead shower



1 button, three sprays, great fun



Easily accessible, the Select button need only be touched to change between RainAir and Rain



(1) **RainAir:** This gentle, relaxing spray consists of large, soft drops.
 (2) **Rain:** A spray that is strong and revitalising and perfect for washing the hair.



RainStream: Twelve jets run parallel down to the floor for a generous shower.



Easy cleaning: Jets can be cleaned effortlessly with the QuickClean function. Spray face can be taken off easily and is even dishwasher safe.



Advantages and benefits

- 3 full spray types in the one overhead shower: gentle RainAir, powerful Rain and effective RainStream
- Simply switch between RainAir and Rain at the touch of a button
- Select button is easily accessible
- **Easy cleaning:** the metal spray face is dishwasher safe

Find out more at <http://pro.hansgrohe-int.com/select>



Raindance® Select




Raindance® Select E 300 3jet
Overhead shower
26468, -000, -400
Rain/RainAir: 18 l/min
RainStream: 22 l/min
with shower arm 390 mm
for iBox universal






Raindance® Select E 300 2jet
Overhead shower
Rain/RainAir: 15 l/min
with shower arm 390 mm
27385, -000, -400
26609, -000, -400 (Rain/RainAir: 9 l/min) EcoSmart
with ceiling connection 100 mm (not shown)
27384, -000, -400
26608, -000, -400 (Rain/RainAir: 9 l/min) EcoSmart (not shown)




Raindance® Select S 300 2jet
Overhead shower
Rain/RainAir: 17 l/min
27378, -000, -400 with shower arm 390 mm
27337, -000, -400 with ceiling connection 100 mm (not shown)



Raindance® Select S 240 2jet
Overhead shower
Rain/RainAir: 17 l/min
with shower arm 390 mm
26466, -000, -400
26470, -000, -400 (Rain/RainAir: 9 l/min) EcoSmart
with ceiling connection 100 mm (not shown)
26467, -000, -400
26469, -000, -400 (Rain/RainAir: 9 l/min) EcoSmart (not shown)



Surface chrome





Surface white/chrome


Raindance® E 300 Air 1jet overhead shower

NEW

Square, elegant, stylish



Raindance® E 300 Air 1jet
Overhead shower



Designed with great attention to detail: Overhead shower fits very neatly to the shower arm.



RainAir: The improved Air technology creates large, soft drops, saves water while showering, and reduced shower dripping to a minimum.



In one unit: with the flush ceiling version with a spray face of 400 mm x 400 mm, the overhead shower merges beautifully with the ceiling.



Advantages and benefits

- Single sprays adapt perfectly to the silhouette of the body for an optimised spray performance. Highest concentration in the middle for rinsing the hair, decreasing to the outside to keep the body warm
- Several versions available for fitting to the wall and ceiling, and flush-ceiling installation
- To suit any ShowerSelect finish sets and the new Metropol mixers
- **Easy to clean:** metal spray face is easy to remove
- Also available as EcoSmart with 9 l/min flow rate at 3 bar

Find out more at <http://pro.hansgrohe-int.com>



Raindance® E



Raindance® E 300 Air 1jet
Overhead shower 300 mm x 300 mm
RainAir: 19 l/min
26238, -000 with shower arm 390 mm
26239, -000 (9 l/min) EcoSmart
with ceiling connection 100 mm (not shown)
26250, -000
26251, -000 (9 l/min) EcoSmart



Raindance® E 400 Air 1jet
Overhead shower 400 mm x 400 mm
RainAir: 22 l/min
26252, -000
26253, -000 (9 l/min) EcoSmart
Basic set for ceiling installation
26254180






Raindance® E 420 Air 2jet
Overhead shower
27373, -000 with shower arm 380 mm
RainAir: 21 l/min
RainFlow: 23 l/min
for iBox universal




Raindance® E 420 Air 1jet
Overhead shower (19 l/min)
27372, -000 with shower arm 380 mm



Raindance® E 360 Air 1jet
Overhead shower (17 l/min)
27376, -000 with shower arm 390 mm
27371, -000 with shower arm 240 mm (not shown)
27381, -000 with ceiling connection 100 mm (not shown)



Raindance® E 240 Air 1jet
Overhead shower (17 l/min)
27370, -000 with shower arm 240 mm
27380, -000 with ceiling connection 100 mm (not shown)
27375, -000 with shower arm 223 mm (9 l/min) EcoSmart (not shown)
27383, -000 with ceiling connection 100 mm (9 l/min) EcoSmart (not shown)



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

Raindance® S



Raindance® Royale S 350 Air 1jet

Overhead shower (25 l/min)

28420, -000

27410, -000 Shower arm 470 mm (not shown)

27418, -000 Ceiling connection 100 mm (not shown)



Raindance® S 300 Air 1jet

Overhead shower (18 l/min)

27493, -000 with shower arm 390 mm

27492, -000 with shower arm 450 mm (not shown)

27494, -000 with ceiling connection 100 mm (not shown)



- Particularly large spray face of 350 mm diameter
- High flow rate for luxurious shower pleasure
- All-metal



Raindance® S 240 Air 1jet

Overhead shower (18 l/min)

27474, -000 with shower arm 390 mm

27461, -000 with shower arm 390 mm

(9 l/min) EcoSmart

27477, -000 with ceiling connection 100 mm (not shown)

27463, -000 with ceiling connection 100 mm (9 l/min) EcoSmart (not shown)



Raindance® S 180 Air 1jet

Overhead shower (19 l/min)

27476, -000 with shower arm 240 mm

27462, -000 with shower arm 240 mm (9 l/min)

EcoSmart

27468, -000 with shower arm 390 mm (not shown)

27478, -000 with ceiling connection 100 mm (not shown)

27464, -000 with ceiling connection 100 mm (9 l/min) EcoSmart (not shown)



Raindance® Classic



Raindance® Classic 240 Air

Overhead shower (19 l/min)

27424, -000, -090 with shower arm 390 mm

27405, -000, -090 with ceiling connection 100 mm (not shown)



Surface chrome/
gold-optic (-090)

PuraVida®



PuraVida® 400

Overhead shower (21 l/min)

27437, -000, -400 with shower arm 390 mm

26602, -000, -400 (9 l/min) EcoSmart

27390, -000, -400 with ceiling connection 100 mm (not shown)

26603, -000, -400 (9 l/min) EcoSmart (not shown)




Surface chrome
(-000)



Croma® Select overhead shower

Comfort in top form



Croma® Select E 180 2jet

Croma® Select S 180 2jet



Rain: flat rain from large, feel-good water drops.



IntenseRain: intensive water spray that activates and refreshes.



User-friendly: A simple touch of the Select button (from below) is all it takes to change the spray type.



Advantages and benefits

- New design language with a large spray face of 180 mm diameter
- Available in two finishes: chrome and white/chrome
- Two different rain sprays: flat Rain spray, and refreshing, intensive IntenseRain
- Easy to change the spray types at the touch of a button
- Also available in the EcoSmart version with only 9 l/min

Find out more at <http://pro.hansgrohe-int.com/select>


Croma® Select



Croma® Select E 180 2jet
Overhead shower
Rain/IntenseRain: 17 l/min
26524, -000, -400
26528, -000, -400 (9 l/min) EcoSmart

Croma® Select E
Shower arm 390 mm
27446, -000



Croma® Select E
Ceiling connection
27467, -000 100 mm
27388, -000 300 mm (not shown)




Croma® Select S 180 2jet
Overhead shower
Rain/IntenseRain: 17 l/min
26522, -000, -400
26523, -000, -400 (9 l/min) EcoSmart

Croma® Select S
Shower arm 390 mm
27413, -000

Croma® Select S
Ceiling connection
27393, -000 100 mm
27389, -000 300 mm (not shown)



Surface chrome




Surface white/
chrome

Croma®

NEW




Croma® 280 Air 1jet
Overhead shower
RainAir: 15 l/min
26220, -000
26221, -000 (9 l/min) EcoSmart




- 280 mm wide spray face made of metal
- Removes for easy cleaning
- RainAir spray for tremendous showering pleasure



Croma® 220 Air 1jet
Overhead shower
26464, -000 (19 l/min)
26465, -000 (9 l/min) EcoSmart
27413, -000 Optional shower arm
390 mm (not shown)
27479, -000 Optional ceiling
connection 100 mm (not shown)




Croma® 160 1jet
Overhead shower
27450, -000 (17 l/min)
28450, -000 (9 l/min) EcoSmart
27412, -000 Optional shower arm
230 mm (not shown)
27479, -000 Optional ceiling
connection 100 mm (not shown)



Croma® 100 Multi
Overhead shower
27443, -000
Rain: 20 l/min
Mono: 15 l/min
Massage: 14 l/min
with ball joint DN15
28460, -000 (9 l/min) EcoSmart
27411, -000 Optional shower arm
128 mm (not shown)




Croma® 100 Vario
Overhead shower
27441, -000
Rain: 22 l/min
Shampoo: 17 l/min
Normal: 20 l/min
Massage: 11 l/min
28462, -000 (9 l/min) EcoSmart
27411, -000 Optional shower arm
128 mm (not shown)



Crometta®

NEW





Crometta® E 240


- Overhead shower
- # 26726, -000
- # 26727, -000 (9 l/min) EcoSmart
- # 26722, -000 LowPressure
- # 27446, -000 Shower arm 390 mm
- # 27467, -000 Ceiling connection 100 mm
- # 27388, -000 Ceiling connection 300 mm

Crometta® S 240

- Overhead shower
- # 26723, -000
- # 26724, -000 (9 l/min) EcoSmart
- # 26725, -000 LowPressure
- # 27413, -000 Shower arm 390 mm
- # 27393, -000 Ceiling connection 100 mm
- # 27389, -000 Ceiling connection 300 mm



- Revitalising Rain spray
- Available in a square (240 mm x 240 mm) or round (240 mm diameter) design
- Strong components for an exclusive appeal
- Also available as an EcoSmart version with 9 l/min at 3 bar and a LowPressure version with 7 l/min at 0.2 bar
- Optimum spray performance



Crometta® 160




Surface chrome

Surface white/chrome

Crometta® 160

- Overhead shower
- # 26577, -000, -400 (17 l/min)
- # 26578, -000, -400 (9 l/min) EcoSmart
- # 27412, -000 Optional shower arm 230 mm (not shown)
- # 27479, -000 Optional ceiling connection 100 mm (not shown)



- Attractive price for large scale projects e. g. hotels
- Available in the water-saving EcoSmart version at just 9 l/min
- Also available in a LowPressure version (from 0.2 bar)
- Modern new design language with the surface in white/chrome
- Large spray face of 160 mm diameter



Crometta® 85



Crometta® 85 Multi

Overhead shower
 # 28425, -000
 Mono: 13 l/min
 Normal: 15 l/min
 Massage: 13 l/min
 # 27411, -000 Optional shower arm
 128 mm (not shown)





Crometta® 85 Vario

Overhead shower
 # 28424, -000
 Normal: 18 l/min
 # 27411, -000 Optional shower arm
 128 mm (not shown)



Crometta® 85 Green

Overhead shower
 # 28423, -000 (6 l/min)
 # 27411, -000 Optional shower arm
 128 mm (not shown)



Side showers





PuraVida® 100
 Side shower
 # 28430, -000, -400



Raindance® Air 100
 Side shower
 # 28477, -000



Bodyvette®
 Side shower
 # 28466, -000
Bodyvette® Stop
 Side shower, manual shut-off
 # 28467, -000 (not shown)



Raindance® Rainmaker® and Raindance® Rainfall®


The ultimate enjoyment for your customers

The Raindance Rainmaker and the Raindance Rainfall turn everyday showering into a new experience. The Raindance Rainmaker is installed flush in the ceiling. The classic shower therefore no longer exists,

instead there is a room filled with wonderful rain. The spray modes are RainAir, RainAir XL, Whirl and Mix. With its horizontal rain panel, Raindance Rainfall allows greater freedom of movement and offers up to three different


spray types for pampered showering: relaxing RainAir, revitalising RainFlow and massaging Whirl.

Raindance® Rainmaker®: Showering in a new dimension



(1) **RainAir:** Central overhead shower function with AirPower technology.

(2) **RainAir XL:** Full, soft rain with AirPower technology.



Whirl: Three rotating massage sprays with AirPower technology.



Advantages and benefits

- Installed flush in the ceiling
- Full shower rain
- Also with integrated lighting

Raindance® Rainfall® 240 Air 3jet: Water with its original power



RainAir: The overhead shower featuring AirPower technology generates a rain of voluminous drops.



RainFlow: A full flood jet for a refreshing shower.



Whirl: When water starts to flow, the massage sprays swivel forwards, easily reaching the neck and shoulders.




Advantages and benefits

- Architectural highlight in the shower
- Greater coverage allows wider freedom of movement
- Three spray modes: RainAir, RainFlow and Whirl
- Spray modes can be changed conveniently from below
- Flood jet provides a shower feeling like being under a waterfall
- Flush installation on Basic iBox universal






Raindance® Rainmaker® Air 3jet
Overhead shower
600 mm
RainAir: 20 l/min
RainAir XL: 24 l/min
Whirl: 22 l/min
26117, -000 with light
26115, -000 without light (not shown)



Raindance® Rainmaker® Air 3jet
Overhead shower
680 mm x 460 mm
RainAir: 20 l/min
RainAir XL: 24 l/min
Whirl: 22 l/min
28418, -000 with light
28417, -000 without light (not shown)




Raindance® 260 Air 1jet
Overhead shower
260 mm x 260 mm, flush ceiling installation possible
26472, -000 (17 l/min)
26481, -000 (9 l/min) EcoSmart



Raindance® Rainfall® 240 Air 3jet
Overhead shower
RainAir: 18 l/min
Whirl: 16 l/min
RainFlow: 28 l/min
28410, -000, -400 with light (not shown)
28411, -000, -400 without light
for iBox universal



Raindance® Rainfall® 180 Air 2jet
Overhead shower
RainAir: 16 l/min
RainFlow: 24 l/min
28433, -000, -400
for iBox universal



Raindance® Rainfall® 150 1jet
Overhead shower
26442, -000 (18 l/min)



Raindance® Rainfall® Stream 150 1jet
Overhead shower
26443, -000 (18 l/min)



- Full flood jet
- For showering pleasure like being under a waterfall

- Parallel jets of sparkling water right down to the floor
- For showering pleasure like being under a waterfall



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

hansgrohe Showerpipes

The Showerpipes lines at a glance

		Crometta®		Croma®/Croma® Select		
						
Product name	Model	Crometta 160 1jet Showerpipe	Crometta S/E 240 1jet Showerpipe	Croma 220 Air 1jet Showerpipe	Croma Select S/E 180 2jet Showerpipe	Croma Select 280 Air 1jet Showerpipe
Shower with thermostat	S E	27264, -400	27267, -000 27271, -000	27185, -000	27253, -400 27256, -400	26790, -000
Shower with EcoSmart thermostat (9 l/min)	S E	27265, -400	27268, -000 27281, -000	27188, -000	27254, -400 27257, -400	26794, -000
Shower with single lever mixer	S E	27266, -400	27269, -000 27284, -000	27222, -000	27255, -400 27258, -400	26791, -000
Bath with thermostat	S E	-	27320, -000 27298, -000	27223, -000	27351, -400 27352, -400	26792, -000
Reno bath/shower	S E	-	27270, -000 27289, -000	27224, -000	-	26793, -000
Overhead shower	Overhead shower	Crometta 160 1jet	Crometta S/E 240 1jet	Croma 220 Air 1jet	Croma Select E/S 180 2jet	Croma 280 Air 1jet
	Size of overhead shower	180 mm	240x240 mm	220 mm	180 mm	280 mm
	Overhead shower spray types	Rain	Rain	RainAir	Rain, IntenseRain	RainAir
	Maximum flow (at 3 bar)	17 l/min	15 l/min	16 l/min	16 l/min	16 l/min
	Select changeover of spray types	-	-	-	■	-
Features	Spray face removable for cleaning	-	-	■	-	■
	Swivel shower arm	-	-	■	■	■
	Length of shower arm	350 mm	350 mm	400 mm	400 mm	400 mm
	Hand shower	Crometta 100 Vario	Crometta Vario	Croma 100 Vario	Croma Select S/E Multi	Croma Select S Multi
	Shower hose	Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm
Thermostat	Ecostat Universal	Ecostat 1001 CL	Ecostat Comfort	Ecostat Comfort	Ecostat Comfort	
Riser pipe can be shortened	■	■	■	■	■	
Uniques	Select	-	-	-	■	■
	AirPower	-	-	■	-	■
	QuickClean	■	■	■	■	■

Further details on the Crometta Showerpipes start on page 77

Further details on the Croma and Croma Select Showerpipes start on page 72

■ Available. - Not available.

Raindance® E/Raindance® Select

Rainmaker® Select



Raindance Select S 240 2jet Showerpipe	Raindance Select S 300 2jet Showerpipe	Raindance E 300 1jet Showerpipe ST 600	Raindance Select E 300 3jet ST Showerpipe	Rainmaker Select 460 3jet Showerpipe
27129, -000, -400	27133, -000, -400	27363, -000, -400	27127, -000, -400	27106, -400
-	-	27364, -000, -400	-	27029, -400
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
Raindance Select S 240 2jet	Raindance Select S 300 2jet	Raindance E 300 Air 1jet	Raindance Select E 300 3jet	Rainmaker Select 460 3jet
240 mm	300 mm	300 mm	300x190 mm	460x300 mm
RainAir, Rain	RainAir, Rain	RainAir	RainAir, Rain, RainStream	Rain, Mono, RainStream
16 l/min	15 l/min	17 l/min	19 l/min	19 l/min
▪	▪	▪	▪	▪
▪	▪	▪	▪	▪
▪	▪	▪	-	-
460 mm	460 mm	390 mm	380 mm	450 mm
Raindance Select S 120 3jet	Raindance Select S 120 3jet	Raindance Select S 120 3jet	Raindance Select E 120 3jet	Raindance Select S 120 3jet
Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm	Isiflex 160 cm
Ecostat Comfort	Ecostat Comfort	ShowerTablet 600	ShowerTablet Select 300	ShowerTablet Select 700
▪	▪	-	-	-
▪	▪	▪	▪	▪
▪	▪	▪	▪	▪
▪	▪	▪	▪	▪

Further details on the Raindance Select Showerpipes start on page 66

Further details on the Rainmaker Select Showerpipes start on page 64


Price

Rainmaker® Select 460 3jet Showerpipe


For deluxe showering pleasure




Easy cleaning: High-quality glass surface, completely even and so easy to clean.



Mono: A targeted spray for showering pleasure that also refreshes.



Rain XL: Rain spray over the entire area of the spray face for large-scale showering pleasure.



RainStream: Eleven jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height so you enjoy the same refreshing shower however tall you are.



Select
Select the spray types



Select
Easy operation of the hand shower and spray types at the touch of a button

Setting the temperature



Advantages and benefits

- Different versions with different overhead showers for complete showering pleasure in large showers
- Intuitive control concept, pleasure at the touch of a button
- Practical 700 mm wide storage shelf
- **Easy to clean** thanks to the large, even surfaces
- Easy installation with the thermostat, overhead and hand showers in a single system
- Ideal for modernisations, since it can be fitted to existing wall connections and for large shower areas




Rainmaker® Select



Rainmaker® Select 460 3jet
 Showerpipe
 with Rainmaker Select 460 3jet overhead shower
 (Rain XL: 18 l/min, RainStream: 19 l/min, Mono:
 16 l/min), Raindance Select S 120 3jet hand shower
 (14 l/min) and ShowerTablet Select 700 thermostat,
 shower arm 450 mm
 # 27106, -400
 # 27029, -400 (9 l/min) EcoSmart

Rainmaker® Select 460 2jet
 Showerpipe
 with Rainmaker Select 460 2jet overhead shower
 (Rain XL: 18 l/min, RainStream: 19 l/min),
 Raindance Select S 120 3jet hand shower (14 l/min)
 and ShowerTablet Select 700 thermostat,
 shower arm 450 mm
 # 27109, -400
 # 27028, -400 (9 l/min) EcoSmart

Rainmaker® Select 420 2jet
 Showerpipe
 with Raindance E 420 2jet overhead shower
 (RainAir: 17 l/min, RainFlow: 21 l/min),
 Raindance Select S 120 3jet hand shower (14 l/min)
 and ShowerTablet Select 700 thermostat,
 shower arm 400 mm
 # 27168, -400



Raindance® Select E 300 3jet Showerpipe



The complete system for all showering needs




Select
Select the spray types



RainStream: Twelve jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height and for every body size.



Select
Select the spray types



Setting the temperature



Select
Select the hand shower

Select
Select the overhead shower

Select
Switch RainStream on and off on the overhead shower



Raindance® Select E 300 3jet
Showerpipe

Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Intuitive control concept, pleasure at the touch of a button
- Installation possible on existing connections, so ideal solution for bathroom refurbishments with minimal effort
- Six spray modes: three from the overhead shower, three from the hand shower
- Overhead shower including RainStream with twelve parallel jets

Find out more at <http://pro.hansgrohe-int.com/select>

Raindance® Select E





Raindance® Select E 300 3jet
 Showerpipe
 with Raindance Select E 300 3jet overhead shower
 (Rain/RainAir: 16 l/min, RainStream: 19 l/min),
 Raindance Select E 120 3jet hand shower (16 l/min)
 and ShowerTablet Select 300 thermostat,
 shower arm 380 mm
 # 27127, -000, -400



Raindance® Select E 300 ST
 Showerpipe
 with Raindance Select E 300 2jet overhead shower
 (16 l/min), Raindance Select E 120 3jet hand shower
 (16 l/min) and ShowerTablet Select 300 thermostat,
 shower arm 380 mm
 # 27126, -000, -400
 # 27283, -000, -400 (9 l/min) EcoSmart



Raindance® Select E 360 ST
 Showerpipe
 with Raindance E 360 1jet overhead shower (17 l/min),
 Raindance Select E 120 3jet hand shower (16 l/min)
 and ShowerTablet Select 300 thermostat,
 shower arm 380 mm
 # 27288, -000, -400
 # 27287, -000, -400 (9 l/min) EcoSmart



Raindance® Select E





Raindance® Select E 300 2jet
 Showerpipe
 with Raindance Select E 300 2jet overhead shower
 (17 l/min), Raindance Select E 120 3jet hand shower
 (16 l/min) and Ecostat Select thermostat,
 shower arm 380 mm
 # 27128, -000, -400
 # 27282, -000, -400 (9 l/min) EcoSmart



Raindance® Select E 360 1jet
 Showerpipe
 with Raindance E 360 1jet overhead shower (17 l/min),
 Raindance Select E 120 3jet hand shower (16 l/min)
 and Ecostat Select thermostat, shower arm 380 mm
 # 27112, -000, -400
 # 27116, -000 (9 l/min) EcoSmart

Raindance® Select E 360 1jet
 Showerpipe
 # 27113, -000, -400 with Ecostat Select bath
 thermostat (20 l/min)
 Height of the Showerpipe can be reduced



- Rectangular shower with shoulder width rain for full body coverage
- Full showering in the bath
- Also ideal for renovations

Raindance® Select S



Raindance® Select S 300 2jet
 Showerpipe
 with swivelling Raindance Select S 300 2jet overhead shower (15 l/min), Raindance Select S 120 3jet hand shower (16 l/min) and Ecostat Comfort thermostat, shower arm 460 mm
 # 27133, -000, -400
 Height of the Showerpipe can be reduced

Raindance® Select S 240 2jet
 Showerpipe
 with swivelling Raindance Select S 240 2jet overhead shower (15 l/min), Raindance Select S 120 3jet hand shower (16 l/min) and Ecostat Comfort thermostat, shower arm 460 mm
 # 27129, -000, -400 (not shown)
 Height of the Showerpipe can be reduced






Raindance® Select S 300 1jet
 Showerpipe
 with swivelling Raindance S 300 1jet overhead shower (17 l/min), Raindance Select S 120 3jet hand shower (16 l/min) and Ecostat Comfort thermostat, shower arm 460 mm
 # 27114, -000
 Height of the Showerpipe can be reduced



Raindance® Select S 240 1jet
 Showerpipe
 with swivelling Raindance S 240 1jet overhead shower (17 l/min), Raindance Select S 120 3jet hand shower (16 l/min) and Ecostat Comfort thermostat, shower arm 460 mm
 # 27115, -000
 Height of the Showerpipe can be reduced

Raindance® Select S 240 1jet
 Showerpipe
 # 27117, -000 with Ecostat Comfort bath thermostat (20 l/min)
 Height of the Showerpipe can be reduced



- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible

- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible
- Optimal installation also on side or offset connections

Raindance® E Showerpipe

NEW



Showering comfort with clear advantages

RainAir: a gentle, relaxing jet with large, soft droplets




Unique: the glass riser pipe looks extremely impressive and yet is easy to clean

User-friendly: height-adjustable, variably tilting shower holder

User-friendly: Continuously height-adjustable slider for self-locking single-handed use




Select
Select the spray types



Practical: storage surface up to 600 mm long

Highlight: the front of the thermostat in scratchproof glass



Function selection

Setting the temperature

Raindance® E 600
Showerpipe

Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Unique Showerpipe with riser pipe and thermostat made of glass
- Practical storage surface up to 600 mm long
- Easy to clean thanks to the large, even surfaces
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Also available in the EcoSmart version with only 9 l/min

Raindance® E



Raindance® E 300 1jet
 Showerpipe ST 600
 with Raindance E 300 Air 1jet overhead shower
 (RainAir: 17 l/min), Raindance Select S 120
 hand shower (14 l/min) and ShowerTablet 600
 thermostat, shower arm 390 mm
 # 27363, -000
 # 27364, -000 (9 l/min) EcoSmart (not shown)

Raindance® E 300 1jet
 Showerpipe ST 350
 with Raindance E 300 Air 1jet overhead shower
 (RainAir: 17 l/min), Raindance Select S 120
 hand shower (14 l/min) and ShowerTablet 350
 thermostat, shower arm 390 mm
 # 27361, -000
 # 27362, -000 (9 l/min) EcoSmart (not shown)





Croma® Select 280 Air 1jet Showerpipe

NEW



Set to all-round comfort



280 mm wide spray face made of metal, detachable for easy cleaning.

RainAir spray



Select

Select the spray types



SoftRain: a soft water spray that caresses the body for that feel-good sensation.



IntenseRain: an intensive water spray that is ideal for rinsing out shampoo.



Massage: a concentrated spray with a great refreshing effect.

Long attachment for safe, simple fastening of the hand shower

Ecostat Comfort with the ergonomic, durable metal pin handle for clear adjustment of the temperature

Croma® Select 280 Air 1jet
Showerpipe



Advantages and benefits


- Complete system with overhead shower, hand shower and thermostat
- Overhead shower swivels, so can be positioned as desired independently of the connections
- Select technology to change the spray type at the touch of a button
- 4 spray types: 1 from the overhead shower, 3 from the hand shower
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Also available in the EcoSmart version with only 9 l/min

Cromo® Select 280





Cromo® Select 280 Air 1jet
 Showerpipe
 with swivelling Cromo 280 Air 1jet overhead shower
 (16 l/min), Cromo Select S hand shower (13 l/min)
 and Ecostat Comfort thermostat, shower arm 400 mm
 # 26790, -000
 # 26794, -000 EcoSmart (not shown)
 Height of the Showerpipe can be reduced


Cromo® Select 280 Air 1jet
 Showerpipe Bath
 # 26792, -000 with Ecostat Comfort bath thermostat
 (not shown)
 Height of the Showerpipe can be reduced



Cromo® Select 280 Air 1jet
 Showerpipe
 with swivelling Cromo 280 Air 1jet overhead shower
 (15 l/min), Cromo Select S hand shower (13 l/min)
 and single lever mixer, shower arm 400mm
 # 26791, -000
 Height of the Showerpipe can be reduced



Cromo® Select 280 Air 1jet
 Showerpipe Reno
 with swivelling Cromo 280 Air 1jet overhead shower
 (10 l/min), Cromo Select S hand shower (10 l/min)
 without mixer, shower arm 400 mm
 # 26793, -000
 Height of the Showerpipe can be reduced
 # 27158, -000 Corner installation set (not shown)



Croma® Select E




Croma® Select E 180 2jet

Showerpipe
with swivelling Croma Select E 180 2jet overhead
shower (Rain/IntenseRain: 16 l/min), Croma Select
E Multi hand shower (13 l/min) and Ecostat Comfort
thermostat, shower arm 400 mm
27256, -400
27257, -400 (9 l/min) EcoSmart
Height of the Showerpipe can be reduced


Croma® Select E 180 2jet

Showerpipe Bath
27352, -400 with Ecostat Comfort bath thermostat
(not shown)
Height of the Showerpipe can be reduced



Croma® Select E 180 2jet

Showerpipe
with swivelling Croma Select E 180 2jet overhead
shower (Rain/IntenseRain: 16 l/min), Croma Select E
Multi hand shower (13 l/min) and single lever mixer,
shower arm 400 mm
27258, -400
Height of the Showerpipe can be reduced



Croma® Select E Multi

Semipipe
with Croma Select E Multi hand shower (16 l/min)
and Ecostat Comfort thermostat
27248, -400
27259, -400 (9 l/min) EcoSmart



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

Croma® Select S




Croma® Select S 180 2jet
 Showerpipe
 with swivelling Croma Select S 180 2jet overhead shower (Rain/IntenseRain: 16 l/min), Croma Select S Multi hand shower (13 l/min) and Ecostat Comfort thermostat, shower arm 400 mm
 # 27253, -400
 # 27254, -400 (9 l/min) EcoSmart
 Height of the Showerpipe can be reduced

Croma® Select S 180 2jet
 Showerpipe Bath
 # 27351, -400 with Ecostat Comfort bath thermostat (not shown)
 Height of the Showerpipe can be reduced



Croma® Select S 180 2jet
 Showerpipe
 with swivelling Croma Select S 180 2jet overhead shower (Rain/IntenseRain: 16 l/min), Croma Select S Multi hand shower (13 l/min) and single lever mixer, shower arm 400 mm
 # 27255, -400
 Height of the Showerpipe can be reduced



Croma® Select S Multi
 Semipipe
 with Croma Select S Multi hand shower (16 l/min) and Ecostat Comfort thermostat
 # 27247, -400
 # 27249, -400 (9 l/min) EcoSmart



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

Croma® 220



Croma® 220 Air 1jet
 Showerpipe
 with swivelling Croma 220 Air 1jet overhead shower (19 l/min), Croma 100 Vario hand shower (15 l/min) and Ecostat Comfort thermostat, shower arm 400 mm
 # 27185, -000
 # 27188, -000 EcoSmart
 Height of the Showerpipe can be reduced



Croma® 220 Air 1jet
 Showerpipe
 with swivelling Croma 220 Air 1jet overhead shower (19 l/min), Croma 100 Vario hand shower (15 l/min) and single lever mixer, shower arm 400 mm
 # 27222, -000
 Height of the Showerpipe can be reduced



Croma® 220 Air 1jet
 Showerpipe Reno
 with swivelling Croma 220 Air 1jet overhead shower (16 l/min), Croma 100 Vario hand shower (15 l/min), without mixer, shower arm 400 mm
 # 27224, -000
 # 27158, -000 Corner installation set (not shown)
 Height of the Showerpipe can be reduced

Croma® 220 Air 1jet
 Showerpipe Bath
 overhead shower (17 l/min) with Ecostat Comfort bath thermostat (20 l/min), shower arm 400 mm
 # 27223, -000
 Height of the Showerpipe can be reduced



- Overhead shower can be swivelled away for soaping or washing hair


- Off-centre installation possible

- Easy retrofit on existing mixers
- Swivelling overhead shower


Croma® 160



Croma® 160 1jet
 Showerpipe
 with Croma 160 1jet overhead shower (17 l/min),
 Croma 100 Vario hand shower (15 l/min)
 and Ecostat Comfort thermostat, shower arm 270 mm
 # 27135, -000
 # 27238, -000 (9 l/min) EcoSmart
 Height of the Showerpipe can be reduced




Croma® 160 1jet
 Showerpipe
 with Croma 160 1jet overhead shower (17 l/min),
 Croma 100 Vario hand shower (15 l/min)
 and single lever mixer, shower arm 270 mm
 # 27154, -000
 Height of the Showerpipe can be reduced



Crometta® 160



Crometta® 160 1jet
 Showerpipe
 with overhead shower Crometta 160 1jet (17 l/min),
 Crometta 100 Vario hand shower and Ecostat Universal
 thermostat
 # 27264, -400
 # 27265, -400 (9 l/min) EcoSmart
 Height of the Showerpipe can be reduced



Crometta® 160 1jet
 Showerpipe
 with overhead shower Crometta 160 1jet (17 l/min),
 Crometta 100 Vario hand shower and single lever mixer
 # 27266, -400 (not shown)
 Height of the Showerpipe can be reduced

Crometta® S 240

NEW



Crometta® S 240
 Showerpipe
 with Crometta S 240 overhead shower, Crometta Vario hand shower and Ecostat 1001 CL thermostat, shower arm 350 mm
 # 27267, -000
 # 27268, -000 (9 l/min) EcoSmart
 Height of the Showerpipe can be reduced



Crometta® S 240
 Showerpipe
 with Crometta S 240 overhead shower, Crometta Vario hand shower and single lever mixer, shower arm 350 mm
 # 27269, -000
 Height of the Showerpipe can be reduced



Crometta® S 240
 Showerpipe Reno
 with Crometta S 240 overhead shower and Crometta Vario hand shower, shower arm 350 mm
 # 27270, -000
 Height of the Showerpipe can be reduced

Crometta® S 240
 Showerpipe Bath
 with Crometta S 240 overhead shower, Crometta Vario hand shower and Ecostat Comfort bath thermostat, shower arm 350 mm
 # 27320, -000 (not shown)
 Height of the Showerpipe can be reduced




Crometta® E 240

NEW



Crometta® E 240
 Showerpipe
 with Crometta E 240 overhead shower, Crometta Vario hand shower and Ecostat 1001 CL thermostat, shower arm 350 mm
 # 27271, -000
 # 27281, -000 (9 l/min) EcoSmart
 Height of the Showerpipe can be reduced

Crometta® E 240
 Showerpipe Bath
 with Crometta E 240 overhead shower, Crometta Vario hand shower and Ecostat Comfort bath thermostat, shower arm 350 mm
 # 27298, -000 (not shown)
 Height of the Showerpipe can be reduced



Crometta® E 240
 Showerpipe
 with Crometta E 240 overhead shower, Crometta Vario hand shower and single lever mixer, shower arm 350 mm
 # 27284, -000
 Height of the Showerpipe can be reduced



Crometta® E 240
 Showerpipe Reno
 with Crometta E 240 overhead shower and Crometta Vario hand shower, shower arm 350 mm
 # 27289, -000
 Height of the Showerpipe can be reduced



hansgrohe Showerpanel®

Made to convince customers on all fronts

Overhead, hand and side showers, various spray types and refreshing all-body massages from the side showers: A hansgrohe

Showerpanel provides water fun all the way. The fun finds its perfect complement in the uncomplicated installation: Simply retrofit on


the existing connections – wall installations are not necessary. The bathroom will therefore be equipped for shower pleasure in seconds.



200 mm




Raindance® Lift Showerpanel®
with Raindance Rainfall 180 Air 2jet overhead shower (RainAir: 14 l/min, RainFlow: 17 l/min), PuraVida 120 1jet baton hand shower (16 l/min) and thermostat, height adjustable, 200 mm
27008, -000, -400
27003, -400 (9 l/min) EcoSmart



200 mm

Lift 2 Showerpanel®
with Raindance S 180 Air 1jet overhead shower (22 l/min), PuraVida baton hand shower, 6 side showers and thermostat, height adjustable, 200 mm
26871, -000




Advantages and benefits

- Combines overhead, hand, and/or side showers in a single system
- Water fun from all sides
- Up to six side showers
- Various spray types for individual showering enjoyment



Raindance® S Showerpanel®
with Raindance S 150 Air 3jet hand
shower (17 l/min), 6 side showers
and exposed thermostat
27005, -000



- Straightforward installation with no need to integrate in the wall
- Easy to retrofit on existing connections
- Some versions are height adjustable to suit all body sizes

hansgrohe Exposed thermostats

The exposed thermostats at a glance

NEW

	Ecostat® Universal		Ecostat® 1001 CL		Ecostat® Comfort		Ecostat® Select	
								
Product name	Ecostat® Universal		Ecostat® 1001 CL		Ecostat® Comfort		Ecostat® Select	
Areas of use	Bath	Shower	Bath	Shower	Bath	Shower	Bath	Shower
Item no.	13123, -000	13122, -000	13201, -000	13211, -000	13114, -000	13116, -000	13141, -000	13161, -000
Scald protection at 40°C	▪	▪	▪	▪	▪	▪	▪	▪
Adjustable temperature limit	▪	▪	▪	▪	▪	▪	▪	▪
EcoStop button	-	▪	-	▪	-	▪	-	▪
Flow connection hand shower at 3 bar	16 l/min	17 l/min	17 l/min	17 l/min	15 l/min	17 l/min	12 l/min	12 l/min
Flow bath filler at 3 bar	20 l/min	-	20 l/min	-	23 l/min	-	20 l/min	-
Functions selected by Select button	-	-	-	-	-	-	-	-
Functions selected by turning	▪	▪	▪	▪	▪	▪	▪	▪
Insulated housing for added safety	-	-	-	-	-	-	▪	▪
Shelf	-	-	-	-	-	-	▪	▪
Concealed connection for one function	-	-	-	-	-	-	-	-

NEW

**ShowerTablet®
350**



**ShowerTablet® Select
300**



NEW

**ShowerTablet®
600**



**ShowerTablet® Select
700**




ShowerTablet® 350		ShowerTablet® Select 300		ShowerTablet® 600		ShowerTablet® Select 700	
Bath	Shower	Bath	Shower	Bath	Universal	Bath	Universal
13107, -000, -400	13102, -000, -400	13151, -000, -400	13171, -000, -400	13109, -000, -400	13108, -000, -400	13183, -000, -400	13184, -000, -400
■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■
-	■	-	-	-	-	-	-
14 l/min	15 l/min	16 l/min	14 l/min	14 l/min	14 l/min	15 l/min	14 l/min
20 l/min	-	20 l/min	-	20 l/min	-	20 l/min	-
-	-	■	■	-	-	■	■
■	■	-	-	■	■	-	-
■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■
-	-	-	-	-	■	-	■

Price →

ShowerTablet® Select



More space for enjoyment



Generous: 700 mm wide shelf made of safety glass for more storage space.



Flexible: The ShowerTablet Select 700 is also available as a bath version.



Lots of variations: also available as a pure exposed thermostat ShowerTablet Select 300 in a width of 300 mm for shower and bath.



Advantages and benefits

- Exposed thermostat that controls a single-spray overhead shower via concealed installation (G $\frac{1}{2}$)
- Functions change easily at the touch of a button, symbols easy to understand
- Optical highlight that also blends harmoniously with large showers
- All Select elements can be reached easily from the front
- More than one function can be selected at the same time



Intuitive: Thanks to the Select button and temperature control, control is intuitive and easy from the front.



User-friendly: The desired temperature can be set precisely with the handy turn control.



Easy to use: When switched on, the control button is raised – so the active function can be identified at a glance.



Clear: Easy to understand, abrasion-resistant symbols make control easier.



Safe: The insulated body with rounded corners protects against heat and knocks.



Attractive: The unique design makes the ShowerTablet Select 300 an eye-catcher in the bathroom.



Practical: The level surface is made of glass and offers plenty of space for toiletries.



Easy cleaning: The housing is sealed to keep dirt out, and the smooth surface is easy to clean.

- The active function can be recognised immediately by the raised control button
- Level surface up to 700 mm wide made of safety glass with space for shower utensils
- **Easy to clean:** thanks to the smooth glass surface that is resistant to chemical cleaning agents



ShowerTablet® 350

NEW

Rethinking convenience and design



Generous: 300 mm wide shelf made of a scratch-resistant surface material provides plenty of storage.

User-friendly: Slim pin handle with an eye-catching temperature display for easy, comfortable setting of the desired temperature.

Easy cleaning: thanks to the smooth glass surface and precision shaping.

Raised glass edge: beautiful to look at and prevents shower utensils from sliding away.

Ergonomic use: user-friendly temperature control for precise setting of the desired temperature.

Quantity control: regulates the water quantity - for individual showering pleasure.



Clear identification: intuitive use thanks to the easy-to-understand symbols.

ShowerTablet® 350
Shower thermostat



Generous: shelf up to 600 mm wide made of safety glass for more storage space.



Practical: the ShowerTablet is a exposed thermostat that controls the overhead shower by means of a concealed installation.



Flexible: also available as a bath version.



Advantages and benefits

- High-quality surface made of shatterproof safety glass reflects quality
- Shelf made of strong, solid material - resistant to scratching
- Matching the new Raindance E overhead showers in looks and technology
- Easy to combine with any overhead shower in chrome and white/chrome
- Practical 600 mm wide storage shelf

Bath



ShowerTablet® Select 700
Bath thermostat
13183, --000, -400



ShowerTablet® Select 300
Bath thermostat
13151, -000, -400



Surface mirrored
chrome



Surface white/
chrome



ShowerTablet® 600
Bath thermostat
13109, -000, -400



ShowerTablet® 350
Bath thermostat
13107, -000, -400



Surface mirrored
chrome



Surface white/
chrome

Shower



ShowerTablet® Select 700
Shower thermostat
13184, -000, -400



ShowerTablet® Select 300
Shower thermostat
13171, -000, -400



ShowerTablet® 600
Shower thermostat
13108, -000, -400




ShowerTablet® 350
Shower thermostat
13102, -000, -400



Ecostat® thermostats

All under control: Thermostatic technology for greater shower pleasure

hansgrohe offers a large number of exposed thermostats. These not only upgrade the look of bathrooms, they also enhance the comfort of showering. They provide the convenient regulation of flow rate, water pressure and water temperature. Yet the distinct advantage of an exposed thermostat is: This mixer can be installed quickly and easily on existing connections.



Ecostat® Comfort
Shower thermostat



Advantages and benefits

- Visual and technical upgrade of the bathroom
- Convenient preset temperature
- Water and energy savings compared with single lever mixers
- Temperatures kept constant, so no scalding even when pressure/temperature fluctuates in the water supply

Bath



Ecostat® Comfort
Bath thermostat
13114, -000



NEW

Ecostat® 1001 CL
Bath thermostat
13201, -000



Ecostat® Select
Bath thermostat
13141, -000, -400



Ecostat® Universal
Bath thermostat
13123, -000



Ecostat® Comfort Care
Bath thermostat
13115, -000



Shower



Ecostat® Comfort
Shower thermostat
13116, -000



NEW

Ecostat® 1001 CL
Shower thermostat
13211, -000



Ecostat® Select
Shower thermostat
13161, -000, -400



- EcoStop function
- Ergonomic handle design of metal
- Basic set diameter 42 mm
- Robust, and therefore ideal for projects

- Practical shelf
- Insulated body remains cool to the touch preventing the risk of injury




Ecostat® Universal
Shower thermostat
13122, -000




Ecostat® Comfort Care
Shower thermostat
13117, -000

Shower combinations




**Raindance® Select E 120/
ShowerTablet® Select 300 Combi Set**
with ShowerTablet Select thermostat
27027, -000, -400 0.90 m
27026, -000, -400 0.65 m (not shown)






**Raindance® Select S 150/
Ecostat® Select S Combi Set**
with Ecostat Select thermostat
27037, -000, -400 0.90 m
27036, -000, -400 0.65 m
(not shown)







**Raindance® Select E 120/
Ecostat® Select Combi Set**
with Ecostat Select thermostat
27039, -000, -400 0.90 m
27038, -000, -400 0.65 m
(not shown)







Croma® Select E Vario Combi Set
with Ecostat Comfort thermostat
27082, -400 0.90 m
27081, -400 0.65 m (not shown)






Croma® Select S Vario Combi Set
with Ecostat Comfort thermostat
27014, -400 0.90 m
27013, -400 0.65 m (not shown)





Croma® 100 Vario Combi Set
with Ecostat Comfort thermostat
27035, -000 0.90 m
27033, -000 0.90 m (9 l/min)
EcoSmart
27034, -000 0.65 m (not shown)
27032, -000 0.65 m (9 l/min)
EcoSmart (not shown)






Crometta® 100 Vario Combi Set
with Ecostat Universal thermostat
27031, -400 0.90 m
27030, -400 0.65 m (not shown)



Crometta® Vario Combi Set
with Ecostat 1001 CL thermostat
27813, -400 0.90 m
27812, -400 0.65 m (not shown)



Advantages and benefits

- Two products combined in one
- Matched in looks and function
- Less expensive than purchasing separately
- Easy order process
- Easy to store



Under-basin thermostat
exposed
15346, -000



- Easy to connect to existing valves, e.g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Safety e.g. in nursery schools, hospitals or hotels
- Safe for thermal disinfection

hangrohe Concealed finish sets

The concealed finish sets at a glance

	NEW			
	RainSelect®	ShowerSelect® Glass	ShowerSelect®	ShowerSelect® S
				
Surface chrome	■	-	■	■
Surface glass	White/chrome Black/chrome	White/chrome Black/chrome	-	-
Thermostat solution for 1 function	-	15762, -400, -600	15762, -000	15744, -000
Thermostat solution for 2 functions	15355, -000, -400, -600	15738, -400, -600	15763, -000	15743, -000
Thermostat solution for 3 functions	15356, -000, -400, -600	15736, -400, -600	15764, -000	15745, -000
Thermostat solution for 4 functions	15357, -000, -400, -600	■	15764, -000	15745, -000
Thermostat solution for 5 functions	15358, -000, -400, -600	-	-	-
Mixer solution for 1 function	-	-	15767, -000	15747, -000
Mixer solution for 2 functions	-	-	15768, -000	15748, -000
Functions selected by Select button	■	■	■	■
Functions selected by turning	-	-	-	-
Version incl. FixFit/holder*	■	-	■	-
Based on iBox universal	-	■	■	■
Extension rosettes	-	13604, -000	13593, -000	13597, -000

* Not shown.

■ Available. - Not available.

NEW

Ecostat®

Ecostat® E

Ecostat® S

PuraVida®



▪	▪	▪	White/chrome
-	-	-	-
15712, -000	15707, -000	15757, -000	15775, -000, -400
15714, -000	15708, -000	15758, -000	15771, -000, -400
-	-	-	15777, -000, -400
-	-	-	-
-	-	-	-
-	-	-	▪
-	-	-	▪
-	-	-	-
▪	▪	▪	▪
-	-	-	-
▪	▪	▪	▪
15497, -000	15597, -000	13597, -000	15597, -000

hansgrohe concealed finish sets based on the iBox® universal

Concealed installation overview of functions



1 function



ShowerSelect® Thermostat



ShowerSelect®
Thermostat
15762, -000
Glass surface
15737, -400, -600

ShowerSelect® Mixer



ShowerSelect®
Mixer
15767, -000

Ecostat® Thermostat



Ecostat®
Thermostat
for 1 function
15712, -000



Ecostat® E
Thermostat
15707, -000

ShowerSelect® Thermostat



ShowerSelect® S
Thermostat
15744, -000

ShowerSelect® Mixer



ShowerSelect® S
Mixer
15747, -000

Ecostat® Thermostat



Ecostat® S
Thermostat
15757, -000

You will be able to satisfy any of your customers' requirements - and help them keep to their budgets - with hansgrohe's complete concealed range for between one and four functions. The choice starts with the

operation: are the showers and spray types to be controlled conventionally by turning, or with complete ease at the touch of a button? Your customers also have complete freedom of design: the ShowerSelect is now also available

in a round design and as a mixer. Ecostat thermostats are available as a circle, and now also as a square with rounded corners. Plenty of options for attractive installations that blend beautifully with the bathroom.



2 functions



ShowerSelect® Thermostat



ShowerSelect®
Thermostat
15763, -000
Glass surface
15738, -400, -600



ShowerSelect®
Thermostat
with FixFit and Porter
15765, -000

ShowerSelect® Mixer



ShowerSelect®
Mixer
15768, -000

Ecostat® Thermostat



Ecostat®
Thermostat
for 2 functions
15714, -000



Ecostat® E
Thermostat
15708, -000

ShowerSelect® Thermostat



ShowerSelect® S
Thermostat
15743, -000

ShowerSelect® Mixer



ShowerSelect® S
Mixer
15748, -000

Ecostat® Thermostat



Ecostat® S
Thermostat
15758, -000



3 functions



ShowerSelect®



ShowerSelect®
Valve
15764, -000
Glass surface
15736, -400, -600



ShowerSelect®
Highflow Thermostat
15760, -000
Glass surface
15734, -400, -600

Ecostat® Thermostat



iControl® E
Valve
15777, -000



Ecostat® E
Highflow Thermostat
15706, -000
Thermostat
15705, -000 (not shown)

Ecostat® Thermostat



Trio®/Quattro® E
Shut-off/diverter valve
15937, -000



Ecostat® E
Highflow Thermostat
15706, -000
Thermostat
15705, -000 (not shown)



Shut-off valve E
15978, -000

ShowerSelect®



ShowerSelect® S
Valve
15745, -000



ShowerSelect® S
Highflow Thermostat
15741, -000

Ecostat® Thermostat



Trio®/Quattro® S
Shut-off/diverter valve
15932, -000



Ecostat® S
Highflow Thermostat
15756, -000
Thermostat
15755, -000 (not shown)



Shut-off valve S
15972, -000



4 functions



ShowerSelect®



ShowerSelect®
Valve
15764, -000
Glass surface
15736, -400, -600



ShowerSelect®
Highflow Thermostat
15761, -000
Glass surface
15735, -400, -600

Ecostat® Thermostat



iControl® E
Valve
15777, -000



Ecostat® E
Highflow Thermostat
15706, -000



Shut-off valve E
15978, -000

Ecostat® Thermostat



Trio®/Quattro® E
Shut-off/diverter valve
15937, -000



Shut-off valve E
15978, -000



Ecostat® E
Highflow Thermostat
15706, -000



Shut-off valve E
15978, -000

ShowerSelect®



ShowerSelect® S
Valve
15745, -000



ShowerSelect® S
Highflow Thermostat
15742, -000

Ecostat® Thermostat



Trio®/Quattro® S
Shut-off/diverter valve
15932, -000



Shut-off valve S
15972, -000



Ecostat® S
Highflow Thermostat
15756, -000



Shut-off valve S
15972, -000

RainSelect®

NEW

Change over to elegance


The shape of the RainSelect creates an unknown elegance in the bathroom. The new installation method facilitates thin attachments to the wall, and delights with its filigree,

relief-like appeal. This opens up a whole variety of new design options. However, the RainSelect also has much to offer in the way of functionality: It allows up to 5 functions to use

the innovative and intuitive Select technology. Furthermore, a holder is integrated for the hand shower.



Version in white/chrome with glass buttons



Large buttons
70 mm x 70 mm

Select technology

Pin handle made
of metal

Clear hot/
cold display

16.5 mm
90 mm

Metal frame

Minimalistic
appearance

Narrow 90 mm high band
with a metal frame and low
installation height of 16.5 mm

Clear allocation of functions


Quantity control with shut-off
function

Practical: integrated FixFit
holder made of metal, free
choice of hand shower and
hose but not included in the
delivery and must be ordered
separately

RainSelect®
Thermostat for 4 functions

Advantages and benefits

- Range of applications: several versions for the shower for up to 5 functions, and also as a bath version for 2 functions
- Convenient: Select technology makes using it easy for a large target group of all ages and by people with impairments
- Design: horizontal with rectangular design language – also ideal for large showers, since the space is utilised well
- Durable buttons: permanently abrasion resistant thanks to the printing on the back



Basic set for 5 functions



Version in chrome with metal buttons



Version in black/chrome with glass buttons



RainSelect® is available in 3 different versions to suit any desired design.

- Individual: water volume control offers personal settings, above all for close-body showering with the hand shower
- Cleaning: easy thanks to the separate shut-off function
- Tidy looks: on the wall for a timeless bathroom ambience in the shower area
- Reliable planning: only a single object needs to be planned
- Universal application: suits any Rainmaker Select or other existing multi-spray overhead shower

Control for greater showering pleasure



Touch of button: thanks to Select, choosing a function is as easy as using a light switch.



Button size: large button (70 mm x 70 mm) with clearly legible lettering.



Temperature setting: clear symbols and distinct hot/cold display for easy use.



SafetyStop function: prevents accidental temperature settings exceeding 40°C.



Volume control: precise control of the flow amount, which helps to save water.



Cleaning: switches off quickly to make cleaning easier for the users.



FixFit holder: free choice of hand shower and hose.



Thickness: narrow 90 mm band with a metal frame and low installation height of 16.5 mm.



RainSelect®
 Thermostat for 2 functions
 # 15355, -000, -400, -600
 Dimensions 456 mm x 90 mm
 Basic set for concealed installation
 # 15310180



RainSelect®
 Thermostat for 3 functions
 # 15356, -000, -400, -600
 Dimensions 527 mm x 90 mm
 Basic set for concealed installation
 # 15311180



RainSelect®
 Thermostat for 4 functions
 # 15357, -000, -400, -600
 Dimensions 598 mm x 90 mm
 Basic set for concealed installation
 # 15312180



RainSelect®
 Thermostat for 5 functions
 # 15358, -000, -400, -600
 Dimensions 669 mm x 90 mm
 Basic set for concealed installation
 # 15313180



RainSelect®
 Thermostat for 2 functions with bath filler
 # 15359, -000, -400, -600
 Dimensions 527 mm x 90 mm
 Basic set for concealed installation
 # 15314180



Surface chrome (-000)



Surface white/chrome (-400)



Surface black/chrome (-600)



Advantages and benefits

- Design options: metal frame in 3 finishes: chrome, glass in black/chrome and glass in white/chrome – attractive to new target groups and for projects

ShowerSelect® Thermostat with FixFit® and Porter



Control the shower with ease

Large symbols ensure ease of use

Visual highlight in any bathroom thanks to the matt satin Select buttons in combination with the luxurious chrome surface



Chrome-plated metal escutcheon

Free choice of hand shower and hose - to suit the bathroom and requirements

Integrated FixFit hose connection and Porter shower holder for added comfort

Ergonomically controlled by the slender, cylindrical handle and pin

ShowerSelect®

Thermostat with FixFit and Porter
Escutcheon size 155 mm x 188 mm



Advantages and benefits

- Tidy looks on the wall for a timeless bathroom ambience in the shower area
- High planning reliability: installation based on the iBox universal
- Minimum effort: no need to drill a separate FixFit and holder



ShowerSelect® Concealed finish sets


Operation in all its tremendous variety

ShowerSelect®

Thermostat for 2 functions
Escutcheon size 155 mm x 155 mm

ShowerSelect® S

Mixer for 2 functions
Escutcheon diameter 150 mm



- Constant water temperature even with fluctuating water pressure
- Temperature limited at 40°C, a higher temperature can be set by touching the button on the underside of the handle
- Safe for thermal disinfection
- Plastic escutcheon and metal handle

- For pipes with stable water pressure
- Unique product: Mixer technology with a new handle design, so it can be used with any mixer and shower line
- Easy temperature adjustment
- The depth of the metal handle does not depend on the installation depth of the iBox universal
- Fluctuating water pressures are no problem for the high quality hansgrohe cartridges



Advantages and benefits

- Individual choice: 2 different technologies - thermostat or mixer
- Convenient: easy operation thanks to various button combinations for any showering situation
- Button durability: permanently abrasion-proof printing
- Savings: thanks to the recommended operating pressure of the Select valves of 0.1 to 0.5 MPa max. 1 MPa
- Design: available square or round - for any taste, style or shower type

Lots of advantages – lots of benefits



Intuitive: Easy-to-use Select buttons for intuitive, comfortable control – even for those with restricted mobility.



Clear: Easy to understand, abrasion-resistant symbols make control easier.



Easy to use: Can be controlled using an elbow or fist thanks to the button extension that is included in the box. Installing the optional button extension makes use possible with some restricted freedom of movement.



User-friendly: The desired temperature can be set precisely with the user-friendly handle.



Easy cleaning: The flush-fit buttons leave a flat surface that is easy to clean.



Attractive: The rectangular shape blends perfectly with a tiled bathroom and will also go in many modern bathroom designs.




Economical: The easy-to-push button encourages the user to switch the water off frequently, which helps to save water.



User-friendly: The functions can all be used at the same time – for even greater shower pleasure.



Advantages and benefits



- Showering pleasure: high level of comfort by simultaneously setting several functions
- Design options: 3 finishes: chrome, white glass and black glass – attractive to new target groups

Attractive finishes for any ambience and taste



Chrome: the timeless classic for any bathroom.



White glass: stylish and exclusive – an eye-catcher in the bathroom that matches the Rainmaker Select and all other overhead showers.



Black glass: Modern and elegant – a visual highlight in the bathroom that combines perfectly with chrome products. Available to match: the Rainmaker overhead showers in black/chrome.



The ShowerSelect finish set for 2 functions received not only the "Design Plus Award" and the "iF Award 2014", but also the award of the ZVSHK, the German Central Association Plumbing, Heating and Air Conditioning, for excellent design for users with restricted mobility.

- Savings: functions can be switched off easily and quickly to save water
- Easy to use: fast, inexpensive renovations possible by simply replacing the existing finish sets

Thermostats



ShowerSelect*
Thermostat
for 1 function
15762, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Thermostat
for 2 functions
15763, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Thermostat
for 2 functions, with hose connection
and shower support (Hand shower and
flexible hose can be chosen freely)
15765, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Valve
for 3 functions
15764, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Highflow thermostat
15760, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Highflow Thermostat
for 1 function (bottom) and
1 additional function (top)
15761, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Mixer
for 1 function
15767, -000
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Mixer
for 2 functions
15768, -000
Escutcheon size 155 mm x 155 mm



Thermostats – Glass surface



- Elegant glass surface as a visual highlight
- Flush-fit buttons in the same glass blend seamlessly with the finish set
- The print on the buttons is permanent and will not rub off
- Suitable button combination already in place, special solutions available on request.
- Perfect interplay between the glass surface and shower partitions, mirrors and windows plus the new Rainmaker Select overhead showers for optimum integration in the bathroom
- Select technology for easy control at the touch of a button
- Easy installation based on the iBox universal
- Matches coloured push plates and designer wall-hung WCs



ShowerSelect*
Thermostat
for 1 function
Glass surface
15737, -400, -600
Escutcheon size 155 mm x 155 mm



ShowerSelect*
Thermostat
for 2 functions
Glass surface
15738, -400, -600
Escutcheon size 155 mm x 155 mm






ShowerSelect® S
Thermostat
for 1 function
15744, -000
Escutcheon diameter 150 mm



ShowerSelect® S
Thermostat
for 2 functions
15743, -000
Escutcheon diameter 150 mm



ShowerSelect® S
Valve
for 3 functions
15745, -000
Escutcheon diameter 150 mm



iBox® universal
Basic set iBox universal
01800180
Extension set 25 mm for too deep installation:
13595000
Extension set 22 mm for too low installation depths:
13593000 for ShowerSelect in the dimensions 155 mm x 155 mm
13597000 for ShowerSelect of diameter 150 mm
13601000 for ShowerSelect including FixFit and holder
13604000 for ShowerSelect glass



ShowerSelect® S
Highflow thermostat
15741, -000
Escutcheon diameter 150 mm



ShowerSelect® S
Highflow Thermostat
for 1 function (bottom) and
1 additional function (top)
15742, -000
Escutcheon diameter 150 mm



ShowerSelect® S
Mixer
for 1 function
15747, -000
Escutcheon diameter 150 mm



ShowerSelect® S
Mixer
for 2 functions
15748, -000
Escutcheon diameter 150 mm



ShowerSelect®
Highflow thermostat
Glass surface
15734, -400, -600
Escutcheon size 155 mm x 155 mm



ShowerSelect®
Highflow Thermostat
for 1 function (bottom) and
1 additional function (top)
Glass surface
15735, -400, -600
Escutcheon size 155 mm x 155 mm



ShowerSelect®
Valve
for 3 functions
Glass surface
15736, -400, -600
Escutcheon size 155 mm x 155 mm



Optional button extension
(#92696, -000)



White/chrome version
(-400)




Black/chrome version
(-600)

Ecostat® concealed finish sets

NEW

Established technology in a new design



Ecostat® E: Thermostat in a square design with rounded corners.

Ecostat® S: Thermostat in a round design.



Easy to use: Unique identification of the functions makes handling easier.



Clear: Larger print for even easier legibility - and intuitive use.



Safe: Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands.



Advantages and benefits

- Convenient: easy to operate by turning the handle to choose between hand and overhead shower and to control the amount of water
- Safe and easy control thanks to size-optimised handles
- User friendly: thanks to the precise control of the water temperature
- Design options: 3 design options to suit any bathroom and spray form
- Pleasant: constant water temperature thanks to thermostat technology



NEW

Ecostat®
Thermostat
for 1 function
15712, -000
Escutcheon size 155 mm x 155 mm



NEW

Ecostat®
Thermostat
for 2 functions
15714, -000
Escutcheon size 155 mm x 155 mm




Ecostat® E
Thermostat
for 1 function
15707, -000
Escutcheon size 155 mm x 155 mm



Ecostat® E
Thermostat
for 2 functions
15708, -000
Escutcheon size 155 mm x 155 mm



Ecostat® E
Thermostat
15705, -000
Highflow thermostat
15706, -000 (not shown)
Escutcheon size 155 mm x 155 mm



iBox® universal
Basic set iBox universal
01800180
**Extension set 25 mm
for too deep installation:**
13595000
**Extension set 22 mm
for too low installation depths:**
13597000 for Ecostat S,
diameter 150 mm
15497000 for Ecostat
measuring 155 mm x 155 mm
15597000 for Ecostat E and PuraVida
measuring 155 mm x 155 mm
13596000 for escutcheons of
diameter 170 mm



Ecostat® S
Thermostat
for 1 function
15757, -000
Escutcheon diameter 150 mm



Ecostat® S
Thermostat
for 2 functions
15758, -000
Escutcheon diameter 150 mm



Ecostat® S
Thermostat
15755, -000
Highflow thermostat
15756, -000 (not shown)
Escutcheon diameter 150 mm



PuraVida®
Thermostat
for 1 function
15775, -000, -400
Escutcheon size
155 mm x 155 mm



PuraVida®
Thermostat
for 2 functions
15771, -000, -400
Escutcheon size
155 mm x 155 mm



PuraVida® iControl®
Valve
for 3 functions
15777, -000, -400
Escutcheon size
155 mm x 155 mm

Valves



Trio®/Quattro® S
Shut-off/diverter
valve
15932, -000



Shut-off valve
for PuraVida
15978, -000, -400



Shut-off valve E
31677, -000



Shut-off valve S
15972, -000



Shut-off valve
for Logis
71970, -000



Shut-off valve
for Logis Classic
71976, -000

SHOWER PLANNING, ASSEMBLY AND INSTALLATION

Information on exposed and concealed installations and
exposed and concealed solutions for 1 to 5 functions




Installation information

Installation options for any bathroom desire


Every bathroom has different requirements - and there's the right installation option for all of them. One multi-talent for concealed solutions is the iBox universal, which disappears inside the wall as the mixer technology and can be combined

with any standard or thermostat solution. New: concealed installation of hansgrohe RainSelect thermostats. The hansgrohe exposed ShowerTablet Select 700 is fitted using an innovative exposed/concealed installation method. The following chapter


contains information on the planning and installation of the various installation options, along with QR codes for the available installation videos and sample installations.




RainSelect®: The new finish set combines exclusive technology in a single object.




iBox® universal: The multi-talent is the perfect concealed solution. The mixer technology is hidden away behind the wall.




Showerpipes: Can be fitted to existing wall connections, which makes it ideal for modernising large shower areas.



Exposed/concealed installation: The innovative installation is a highlight, both technically and optically. The ShowerTablet with exposed thermostat can control a single-spray overhead shower to a G½ wall connection.



Bath installation: Flexible options for exposed or concealed installation on the bath.



Shower system: control, overhead and hand shower and the side showers merge in a system with universal control.


RainSelect®

Basic installation for the new type of shower control

RainSelect is the shower control solution for the exclusive bathroom interior. A range of attachment options facilitate installation in the most diverse shower and bath areas. The thermostat is attached to the usual standard


connections, and can be combined with Rainmaker Select and any existing single or multi-spray overhead shower. The integration of thermostat, shower holder, hose connection and control of up to five functions including

volume control in a neat object makes planning safe and easy. The basic set is easy to install, and is also used as a template for installation.




Basic set RainSelect®
Thermostat for 2 functions
15310180

Basic set is used as a template for installation. Can be fitted by one person after being drawn on with a spirit level




All basic sets are attached to G^{3/4} standard connections.





Dimension drawing of basic set.



Installation options for the RainSelect® basic set




Installation directly on the wall




Installation in front of the wall; here with variable spacers on hanger bolts M 10




Installation on carrier system




Installation of the basic set and flushing of pipes




Plastering over fitted, tested basic set (finish wall installations with cladding). Fill the dried seam between the wall and housing with silicone (without acetic acid).




Apply PCI Lastogum or similar sealant to the wall in accordance with the manufacturer's instructions.




Trim the sealing collar to size. Slide over the housing, and press into the adhesive and silicone. Tile the wall. Shorten the housing to 1–2 mm.




Remove the plaster cap.




Remove the plug.



Flush through the pipes.




Insert the plug.




Fit the plaster cap.


Fitting the RainSelect® finish set for 2 functions




Removing the construction plug




Fitting the Select valves




Fitting the quality valve




Fitting sound insulators, no-return valve and dirt strainer





Fitting the thermostat cartridge




Measuring the optimum screw length for components that can be cut to length




Shortening the shower holder connection




Shortening the fixation screws




Adjusting the thermostat and flow valves




Sealing the basic set




Pre-assembling the covers




Using the key attachment by pressing




Tightening the screws of the Select valves to 0.1 Nm




Tightening the screws of the flow valve to 0.1 Nm



Tightening the screws of the thermostat valve to 0.1 Nm




Shortening the activation of Select valves




Fitting the activation for Select valves




Fitting the adjustment screw for Select valves




Clicking the template for fitting the glass buttons




Adjusting the template for the glass button




Removing the template



Clicking the glass button




Fitting the shower holder




Attaching the shower holder at 4 Nm




Starting the water flow and activating the button for the hand shower




Activating the button for the overhead shower




Fitting the glass cover and applying the seals



Screwing in the attachment rings for the glass cover



Using the temperature and flow limiter



Snapping the temperature and flow handle into position


iBox® universal

The universal basis for all concealed installation solutions


With the iBox universal, the mixer technology is concealed in the wall. This not only looks good, but also creates more space and thus greater shower pleasure.

Another advantage is the flexibility of the system and design. The iBox universal may be installed before the decision has been made for a shower system. As the basic set

for any hansgrohe standard and thermostatic solutions, it is easy to change or upgrade at any time.



Concealed installation: The basic set disappears completely into the wall. Mixers and shower finish sets from various ranges can be fitted to it.



Over the long term: The basic set is retained when the bathroom is refurbished. The functions block and finish set can then be easily replaced.

iBox® universal: one for all



Shower planning/assembly/installation – iBox universal



Rainmaker® Select 460
Overhead shower with three spray types



Raindance® Rainfall® 180
Overhead shower with two spray types



Raindance® Rainfall® 240
Overhead shower with three spray types



PuraVida®
Single lever bath mixer



Metris®
Single lever shower mixer



Talis® S
Single lever bath mixer



ShowerSelect® S
Valve for 3 functions



ShowerSelect®
Thermostat for 1 function



ShowerSelect®
Mixer for 2 functions



EcoStat®
Thermostat




ShowerSelect®
Thermostat for 2 functions
with FixFit and holder



ShowerSelect®
Thermostat glass for 2 functions

iBox® universal: convincing on all fronts



Advantages and benefits

- One basic set for 16 function solutions
- Suitable for over 200 hansgrohe and AXOR finish sets
- Pre-installation enhances decision making flexibility for mixers
- An attractive bathroom, as bulky technology is out of sight behind the wall
- Greater freedom of movement when showering
- Easy to replace with new mixers or finish set designs when renovating
- Concealed installation solutions tried and tested millions of times

Advantages and benefits specifically for project activities

- The iBox universal offers a high level of flexibility and lots of design options
- One basic set for all solutions, simplifying project planning
- The iBox is suitable for use in private or public facilities and complies with all the main international standards
- Covers any solution with up to 4 functions

iBox® universal: the all-rounder with many strengths




Rotation-symmetrical installation

- Symmetrical construction; all the connections are the same
- It is important that cold water is connected on the right and hot water on the left
- The lower outlet has priority for bath mixers
- Either the upper or lower outlet can be connected for shower mixers




Safe and economical

- Basic set includes only the connection block
- The valuable functions block is supplied later and mounted with the finish set
- Prevents problems like theft, dirt and frost damage occurring during the building phase and expensive warehousing becomes unnecessary




Many installation types

- Coordinated with to all the standard installation systems, connection types and mixers
- Patented flexible adjustment ring
- Attachment options on 2 levels and G^{3/4} connections for universal installation possibilities
- Also suitable for stronger wall constructions and dry wall installations as well as for pre-fabricated houses



Integrated safety combination

- Used in conjunction with Exafill baths with an outflow and overflow mixer, it eliminates the need for an external pipe breaker on concealed installation single lever bath mixers: lower installation costs and fewer functional parts in the wall




Perfect moisture protection

- Sealing sleeves on all 4 connections, sealing sleeve under the tiles and the carrier escutcheon that seals against splashes perfectly protect the masonry against moisture on all sides




Solutions for walls that are very deep or very shallow

- If the iBox universal is too deep in the wall, the basic set extension is inserted between the connection and functions block
- The extension set provides safety right up to the wall and perfectly protects the masonry against moisture
- The standard body of the iBox universal has become flatter and is therefore even more suitable for walls with shallow installation depths



Low noise levels

- Brass bodies on seals ensure that the noise of water-bearing parts is transferred to the masonry
- The carrier escutcheon is screwed to the housing of the iBox universal and not to the functions block, which means that the noise cannot be transmitted to the tiles



Collar extension

- Thanks to the extension, even shallow installation depths are no longer a problem
- The extension collar means that the iBox can be installed even in narrow walls





Easy rinsing

- Flush block included and can be mounted in various different positions. This means that pipes can be flushed through to the end just in front of the wall, as per DIN 1988/EN 1717 part 2


Installation options and dimension drawings iBox® universal




Installation directly on the wall




Installation in front of the wall; here with variable spacers on hanger bolts M 10





Installation on carrier system




Installation on prefab house mounting panels or prefab shell




Installation directly in the wall



Installation with mounting rail set




Outlet 2, e.g. shower (top)



Extension 25 mm

Extension 22 mm (for low installation depth)

Technical details, assembly tips and installation information



iBox® universal, Front and side views

#01800180

Operating pressure:	max. 1 MPa
Recommended operating pressure:	0.1–0.5 MPa
Test pressure:	1.6 MPa (1 MPa = 10 bar = 147 psi)
Hot water temperature:	max. 80 °C
Recommended hot water temperature:	65 °C
Connection dimensions:	G $\frac{3}{4}$
Connections:	cold right, warm left

Free flow at:	0.3 MPa
Bath mixer outlet bath:	31 l/min
Bath mixer outlet shower:	24 l/min
Shower mixer:	32 l/min
Thermostat:	43 l/min
Thermostat with shut-off valve:	26 l/min
Thermostat with shut-off and changeover valve:	26 l/min
Thermostat Highflow:	48 l/min
Test mark:	DVGW, SVGW

Tips for raw installation

Fit the basic set with the hot water connection on the left and the cold water connection on the right.
Installation depth: 80 mm to 108 mm.

Extension set 25 mm for too deep installation:

13595000

Extension set 22 mm for too low installation depths:

- # 13596000 for rosettes 170 mm diameter
- # 13597000 for Ecostat S 150 mm diameter
- # 15497000 for Ecostat measuring 155 x 155 mm
- # 15597000 for PuraVida measuring 155 x 155 mm
- # 13593000 for ShowerSelect
- # 13601000 for ShowerSelect including FixFit and holder
- # 13604000 for ShowerSelect glass


The basic set can be fitted to suit the structural conditions. The iBox universal is suitable for both bath and shower installation. With single lever basin mixers, the lower outlet (outlet 1) has priority. With shower installations, the outlet that is not required needs to be stopped with a plug.

The rotation-symmetrical base unit of the iBox universal can be used horizontally or vertically.


Exception: installation of basin mixers with safety combinations; only vertical installation is possible here.

Flushing

Complete installation as per DIN 1988/EN 1717, part 2, Flushing. The arrows on the flush block indicate which inlet is connected to which outlet pipe, for instance cold water to outlet 1 and hot water to outlet 2. If only outlet 1 is required, then the flush block needs to be rotated by 90° after the first flush.



Tips for the bath tub




iBox® universal in combination with Exafill bath filler with outlet and overflow fitting:

switch off water to the Exafill during the construction stage!

Raw installation:

1. install iBox universal
2. Lay pipes to Exafill and block (metal plug)
3. Flush and press pipe system




Place bath:

1. Switch off water
2. Install bath with Exafill and connect to mains water
3. Flush pipe to Exafill with sample filler necks and check for leaks
4. Switch off water at floor level
5. Remove flush block
6. Insert plug (A) in outlet for Exafill
7. Fit flush block
8. Switch on water


Installation iBox® universal



All inclusive – iBox universal plus sealing cuff, 3 reduction nipples from DN20 to DN15, 1 plug DN20, flush block, building protection cap, 1 plug for raw installation Exafill bath fill (with outflow and overflow fitting), installation instructions. No need to order any additional accessories!



Installation tip – to turn in connections, secure the iBox universal in the vice using a piece of pipe with a G $\frac{3}{4}$ thread.



In the correct position – it's easy to level out the iBox universal using the attached positioning tools.




The right connections – designed to match any standard pipe system, the fittings can be pressed directly against the iBox universal.



Fits any installation system – thanks to the 2 fixing levels and the many different fixing options, the iBox universal will fit on any standard installation system.




Standardised flushing to DIN 1988 – thanks to the flush block that is included in the delivery, future-oriented flushing on the pipes is easily possible.



Plug for Exafill outlet – this plug ensures that, after testing the pipe system and filling the bath, the pressure in the whole pipe system is maintained even after the water to the intake is switched off.




127 mm drill – the circular shape of the iBox universal was deliberately chosen so a drill can be used. This makes it easy to make precise cut-outs in the plating of the wall installation or the tiles.




Sealing cuff for front wall installation – to ensure there are no leaks with front wall installation, the sealing cuff is pushed into PCI-Lastagum on the wall (or similar sealant that complies with the manufacturer's information).

Installation standard finish set




iBox® universal – all ready for bathing fun: functions block, fixing screws, carrier rosette, handle sleeves, handle adapters, handles and installation instructions.




28 mm tile leveller – after tiling, the protruding rim of the iBox universal is trimmed with a knife to 2 mm in front of the tiles. This ensures an absolutely leakproof fit between the wall breakthrough and the iBox universal.




Inject silicone into seam – to ensure that the unit is sealed against splashes, silicone is injected into the seam between the iBox universal and the tiles.



Removal of flush block – unscrew the Allen screw and remove the flush block before installing the functions block. Do not forget to turn off the water!!




Installation functions block – the enclosed fixing screws are used to attach the functions block directly to the connecting block.



Attachment of carrier rosette – easy-to-shorten plastic screws are used to attach the carrier rosette to the housing of the iBox universal. This provides sound-proofing to in front of the tiles. The foam rubber seal will protect against splashes in the area of the join.



Attach decorative rosette – the screw-free decorative rosette simply slides over the carrier rosette. The protecting foam rubber and O-rings on the openings for the handle sleeves guarantee a safe fit.




Attachment of handles – to finish, the handles are snapped into place.




Finish – the iBox universal and desired finish set can be installed in a very short period of time and without having to order any accessories such as stoppers or attachment aids for the various installation methods.


Installation ShowerSelect® finish set




Leave 1-2 mm free – the protruding rim of the iBox universal is trimmed away with a sharp cutter or similar tool about 2 mm from the tiles. Protect the tiles. Inject silicone into seam.




Installation functions block – first remove the functions block. Then insert the ShowerSelect functions block and secure using the enclosed fixing materials at a tightening torque of 5 Nm.




Enclosed template – the template with corresponding holes is used as an aid to shortening the button extension.




Shorten extensions – the button extensions are sawn flush at template height. Smooth any irregularities with sandpaper to leave a level surface.




Adjust the centring screw – use a 4 mm Allen key (SW 4 mm) to undo the screw as far as the inner edge of the template.




Remove spring attachment – remove the template and pull the spring attachment upwards.



Measure precisely – use a folding rule or tape measure to measure the length for the fixing screws of the carrier rosette. Use pliers to shorten the plastic screws to the calculated length.



Define the button position – with optional nut flush installation (0 mm), with extension cap button raised (2 mm).



Fit finish set – screw the carrier rosette into place and slide on the cartridge sleeve. Then insert the foam rubber seal in the rosette. Finally, secure the rosette and seal to the carrier rosette and snap the thermostat handle into place.

iBox® universal

Installation extension Select button

The enclosed extension caps can be used to extend the button position by 2 mm. This will make it even easier to use the control elements. Users with limited mobility can use an elbow or fist instead.

Without extension cap



Select button, without extension cap, closed and flush-fit



Select button, without extension cap, open, 4 mm

With extension cap



Select button, with extension cap, closed, 2 mm



Select button, with extension cap, open, 6 mm

Installation ShowerTablet® Select 700



The new ShowerTablets are the first hansgrohe exposed thermostats that also control a single-spray overhead shower on a G $\frac{1}{2}$ wall connection. And with absolute ease at the touch of a button on the ShowerTablet Select 700. The innovative surface-concealed

installation is a genuine highlight, in both technology and visual appeal. The 700 mm wide storage shelf also offers space for all paraphernalia and can be cleaned easily thanks to its high-quality glass surface.




ShowerTablet® Select 700

Thermostat

13184, -000, -400

Exposed/concealed installation


for 2 functions: The ShowerTablet Select 700 is installed on commercially available connections (G $\frac{1}{2}$). The specified measurements are the distance between the hot and cold pipes and the connection for the supply line to the overhead shower. The overhead shower itself can be placed anywhere in the shower area.



Installation ShowerTablet® 600 Universal shower thermostat


The ShowerTablet 600 Universal shower thermostat also uses a concealed installation (G½) to control a single-spray overhead shower. However, contrary to

the ShowerTablet Select 700, a basic set is required. The turning knobs on the front make it user friendly, and it has a 600 mm wide shelf.



ShowerTablet® Select 600
Thermostat
13108, -000, -400

Basic set
13129180



Exposed/concealed installation for 2 functions: The ShowerTablet Select 600 is installed on commercially available connections (G½) using a basic set that needs to be ordered separately. The specified measurements are the distance between the hot and cold pipes and the connection for the supply line to the overhead shower. The overhead shower itself can be placed anywhere in the shower area.

Rainmaker® Select – installation on a wall


The Rainmaker Select overhead shower can be fitted to existing wall connections. This makes it ideal for bathroom modernisations. It is suitable for large shower areas, and can

be fitted to existing wall connections. This makes it ideal for bathroom modernisations.

Wall mounting

Please consider in your plans the size and design of the shower cubicle, and the outlet angles and reaches of each spray type.

All dimensions in mm




Rainmaker® Select 460 3jet

Rainmaker® Select 580 3jet


Round tube Showerpipes – flexible in height

Regardless of the height of the room and the water connections, a number of round tube Showerpipes can always be placed in the optimum position. The round tube can only be cut to the right length on the underside, which means that individual customer requirements can also be met.

Room height A




Room height B



Versatile positioning


The swivelling spray makes the Showerpipes extremely versatile – perfect for use in any bath or shower situation.

Bath installation



Showerpipes can easily be installed on the front or long side of the bath, according to the positions of the water connections. The overhead shower can also be aligned individually.

Shower installation



Often, the existing water connections are not positioned in the middle of a shower. Thanks to the swivelling shower arm, the head shower can still be placed in the middle of the shower after installation.

Concealed installation 1 function:

ShowerSelect® concealed thermostat with Raindance® Select S 120 3jet shower set



Components


Mixers

- Ⓑ Basic set iBox universal
01800180
Thermostat ShowerSelect
for 1 function
15762, -000

Alternative:
Thermostat ShowerSelect S
15744000
Mixer ShowerSelect
15767000
Mixer ShowerSelect S
15747000
Thermostat Ecostat E
15707000
Thermostat Ecostat S
15757000


Showers

- Ⓐ Raindance® Select S 120 3jet/
Unica® S Puro Set
26631, -000
- Ⓒ Shower connection
FixFit Square
26455, -000
- Ⓓ Staro 90 Waste system
60056, -000



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Exposed installation 1 function:

ShowerTablet® 350 exposed thermostat with Raindance® Select S 120/Unica® 'E shower set

Components


Mixers

- Ⓑ Thermostat ShowerTablet 350 # 13102, -400

Alternative:
ShowerTablet Select 300
13171, -400


Showers

- Ⓐ Raindance® Select S 120/Unica® 'E Shower Set # 27646, -400
- Ⓒ Staro 90 Waste system # 60056, -000



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Exposed/concealed installation 2 functions:

ShowerTablet® Select 700 exposed/concealed thermostat with single-spray Rainmaker® Select 460 1jet overhead shower and Raindance® Select S 120 3jet hand shower



Components

Mixers

- Ⓑ Thermostat ShowerTablet Select 700 # 13184, -400


Alternative:
Thermostat
ShowerTablet 600
13108, -400
Basic set
13129180

Showers

- Ⓐ Overhead shower Rainmaker Select 460 1jet # 24003, -400


Alternative:
Overhead shower
Raindance E 300
26238, -000

- Ⓒ Hand shower Raindance Select S 120 3jet # 26530, -400
Porter 'S Shower holder # 28331, -000
- Ⓓ Isiflex Shower hose # 28276, -000
- Ⓔ Raindrain XXL Waste system # 60067, -000



Flow diagram

Overhead shower Rainmaker Select 460 1jet # 24003, -400




Legend

- ① Rain XL

Flow diagram

Hand shower Raindance Select S 120 3jet # 26530, -400



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Concealed installation 2 functions:

ShowerSelect® concealed thermostat with single-spray Rainmaker® Select 460 1jet overhead shower and Raindance® Select S 120 3jet hand shower



Components



Mixers

- Ⓑ Basic set iBox universal #01800180
Thermostat ShowerSelect for 2 functions #15738, -600

Showers


- Ⓐ Overhead shower Rainmaker Select 460 1jet #24003, -600
- Ⓒ Hand shower Raindance Select S 120 3jet #26530, -400
Porter 'S Shower holder #28331, -000
- Ⓓ Isiflex Shower hose #28276, -000
Shower connection FixFit Square #26455, -000
- Ⓔ Raindrain XXL Waste system #60067, -000

Alternative:
Overhead shower Raindance Select S 300 2jet #27378, -000



Flow diagram

Overhead shower Rainmaker Select 460 1jet #24003, -400




Legend

- Ⓛ Rain XL

Flow diagram

Hand shower Raindance Select S 120 3jet #26530, -400



Legend

- Ⓛ RainAir
- Ⓜ Rain
- Ⓨ Whirl

• denotes minimum operating pressure

Concealed installation 2 functions:

ShowerSelect® S concealed thermostat with Croma® 280 Air 1jet overhead shower, Unica® 'Comfort shower bar and foot support


Components

Mixers

- Ⓒ Basic set
iBox universal
01800180
ShowerSelect S
15743, -000
- Ⓓ FixFit S
27453, -000
- Ⓔ Comfort foot support
26329, -000


Showers

- Ⓐ Overhead shower
Croma 280 Air 1jet
26220, -000
Shower arm
27413, -000
- Ⓑ Shower Set Unica 'Comfort
26326, -400
- Ⓕ Raindrain XXL Waste system
60067, -000



Flow diagram

Overhead shower Croma 280 Air 1jet
26220, -000




Legend

- ① Rain

Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Concealed installation 3 functions:

RainSelect® concealed thermostat for 3 functions, Rainmaker® Select 460 2jet overhead shower and Raindance® Select S 120 3jet hand shower


Components

Mixers

- Ⓒ Basic set
15311180
RainSelect Thermostat
for 3 functions
15356, -400


Showers

- Ⓐ Basic set iBox universal
01800180
Overhead shower Rainmaker
Select 460 2jet
24005, -400
- Ⓑ Hand shower Raindance
Select S 120 3jet
26530, -400
- Ⓓ Isiflex Shower hose
28272, -000
- Ⓔ Raindrain XXL Waste system
60067, -000



Flow diagram

Overhead shower Rainmaker Select 460 2jet
24005, -400




Legend

- Ⓐ Rain XL
- Ⓑ RainStream

Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400



Legend

- Ⓐ RainAir
- Ⓑ Rain
- Ⓒ Whirl

• denotes minimum operating pressure

Concealed installation 3 functions:

ShowerSelect® concealed thermostat with two-spray Rainmaker® Select 460 2jet overhead shower and Raindance® Select S 120 3jet hand shower



Components

Mixers


- (C) Basic set iBox universal
01800180
Valve ShowerSelect for 3 functions
15736, -400
- (D) Basic set iBox universal
01800180
Highflow Thermostat ShowerSelect
15734, -400

Alternative:
Valve ShowerSelect S for 3 functions
15745, -000
Highflow Thermostat ShowerSelect S
15741, -000

Showers


- (A) Basic set iBox universal
01800180
Overhead shower Rainmaker Select 460 2jet
24005, -400
- (B) Hand shower Raindance Select S 120 3jet
26530, -400
Shower holder/Shower connection
FixFit/Porter Square
26486, -000
Isiflex Shower hose
28272, -000
- (E) Raindrain XXL Waste system
60067, -000

Alternative:
Overhead shower
Raindance E 420 Air 2jet
27373, -000




Flow diagram

Overhead shower
Rainmaker Select 460 2jet
24005, -400



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400




Legend

- ① Rain XL
- ② RainStream

Legend

- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

Concealed installation 3 functions:

Ecostat® S concealed thermostat with two-spray Raindance® Rainfall® 2jet overhead shower and Raindance® Select S 120 3jet hand shower

Components

Mixers


- (C) Quattro basic set
15930180
Trio/Quattro S shut-off valve
15932, -000
- (D) Basic set shut-off valve
15974180
Shut-off valve S DN15/DN20
15972, -000
- (E) Basic set iBox universal
01800180
Highflow Thermostat Ecostat S
15715, -000

Other alternatives possible.

Showers

- (A) Basic set iBox universal
01800180
Overhead shower Raindance
Rainfall 2jet
28433, -000


Alternative:
Overhead shower Raindance
Select E 300 3jet
26468, -000



- (B) Hand shower Raindance
Select S 120 3jet
26530, -000
Porter 'S Shower holder
28331, -000
Isiflex Shower hose
28276, -000
- (F) Shower connection FixFit S
27453, -000
- (G) Raindrain XXL Waste system
60067, -000


Flow diagram

Overhead shower Raindance Rainfall 2jet
28433, -000




Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -000



• denotes minimum operating pressure



Concealed installation 4 functions:

ShowerSelect® concealed thermostat with three-spray Rainmaker® Select 580 3jet overhead shower and Raindance® Select S 120 3jet hand shower



Components


Mixers

- (C) Basic set iBox universal #01800180
Valve ShowerSelect for 3 functions #15736, -400
- (D) Basic set iBox universal #01800180
Thermostat Highflow ShowerSelect for 1 function (bottom) and one additional function (top) #15735, -400

Alternative:
Valve ShowerSelect S for 3 functions #15745, -000
Highflow Thermostat ShowerSelect S #15742, -000

Showers


- (A) Basic set iBox universal #01800180
Overhead shower Rainmaker Select 580 3jet #24001, -400



- (B) Hand shower Raindance Select S 120 3jet #26530, -400
Porter 'S Shower holder #28331, -000
Isiflex Shower hose #28271, -000
- (E) Shower connection FixFit Square #26455, -000
- (F) Raindrain XXL Waste system #60067, -000

Flow diagram

Overhead shower Rainmaker Select 580 3jet #24001, -400




Legend

- (1) Rain XL
- (2) RainFlow
- (3) Mono


Flow diagram

Hand shower Raindance Select S 120 3jet #26530, -400



Legend

- (1) RainAir
- (2) Rain
- (3) Whirl



• denotes minimum operating pressure

Concealed installation 4 functions:

RainSelect® concealed thermostat with three-spray Rainmaker® Select 460 3jet overhead shower and Raindance® Select S 120 3jet hand shower


Components

Mixers

- Ⓒ Basic set
15312180
RainSelect Thermostat
for 4 functions
15357, -600


Showers

- Ⓐ Basic set iBox universal
01800180
Rainmaker Select 460 3jet
24007, -600
- Ⓑ Hand shower Raindance
Select S 120 3jet
26530, -000
Isiflex Shower hose
28272, -000
- Ⓓ Raindrain XXL Waste system
60067, -000




Flow diagram

Overhead shower Rainmaker Select 460 3jet
24007, -600



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -000



• denotes minimum operating pressure

Concealed installation 5 functions:

RainSelect® concealed thermostat with three-spray Rainmaker® Select 580 3jet overhead shower, Raindance® Select S 120 3jet hand shower and PuraVida® 100 side showers

Components

Mixers


- (D) Basic set
15311180
RainSelect Thermostat
for 5 functions
15356, -000

Showers

- (A) Basic set iBox universal
01800180
Overhead shower
Rainmaker Select 580 3jet
24001, -400
- (B) Side showers
PuraVida 100
28430, -400
- (C) Hand shower Raindance
Select S 120 3jet
26530, -400
- (E) Isiflex Shower hose
28272, -000
- (F) Raindrain XXL Waste system
60067, -000


Flow diagram

Overhead shower
Rainmaker Select 580 3jet
24001, -400





Flow diagram

Side showers PuraVida 100
28430, -400



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400



• denotes minimum operating pressure

Exposed installation Showerpipe:

Rainmaker® Select 460 3jet Showerpipe

Components

Mixers


- Ⓐ Rainmaker Select 460 3jet Showerpipe # 27106, -400
- Ⓑ Raindrain XXL Waste system # 60067, -000

Sample installation. See range for further alternatives.



Flow diagram

Rainmaker Select 460 3jet Showerpipe # 27106, -400



Legend

- ① Hand shower
- ② Overhead shower

• denotes minimum operating pressure

Exposed installation bath:

ShowerTablet® Select 700 exposed thermostat bath
with Raindance® Select S 120 3jet hand shower

Components

Mixers

- Ⓐ ShowerTablet Select 700 bath thermostat
13183, -000


Showers

- Ⓑ Hand shower Raindance
Select S 120 3jet
26530, -000
Porter 'S Shower holder
28331, -000
Isiflex Shower hose
28272, -000

- Ⓒ Waste und overflow set Flexaplus S
58150, -000

Flow diagram

ShowerTablet Select 700 bath thermostat
13183, -000




Legend

- ① Shower outflow with 1-B resistance
- ② Bath outflow


Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

Exposed/concealed installation bath:

ShowerTablet® 600 exposed/concealed thermostat
with Raindance® Select S 120 3jet hand shower


Components

Mixers

- Ⓒ Basic set
13129180
Thermostat ShowerTablet
Bath 600
13109, -400


Showers

- Ⓑ Hand shower Raindance
Select S 120 3jet
26530, -400
Porter 'S Shower holder
28331, -000
Isiflex Shower hose
28272, -000
- Ⓒ Exafill filler/outflow/overflow
fitting
58123, -000



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Concealed installation bath:

RainSelect® concealed thermostat bath for 2 functions with Raindance® Select S 120 3jet hand shower


Components

Mixers

- Ⓐ Basic set
15314180
RainSelect Bath thermostat
15359, -400


Showers

- Ⓑ Raindance Select S 120 3jet Hand shower
26530, -400
Isiflex Shower hose
28272, -000
- Ⓒ Waste und overflow set Flexaplus S
58150, -000



Flow diagram

Hand shower Raindance Select S 120 3jet
26530, -400



• denotes minimum operating pressure

BATH MIXERS

The right product for every taste:

Basin mixers | Bidet mixers

Bath and shower mixers | Accessories



hansgrohe bathroom mixers

Stylish choices for an individual dream bathroom

The hansgrohe mixers line caters to every style and taste, from modern to classic, from geometrical to rounded. This wide range

gives your customers the freedom to find their personal style through the whole bathroom. Besides the wash basin solutions, there are

also matching bath and shower mixers and accessories.

PuraVida®



Elegant mixers for more sensuality in the bathroom. From page 164.

Metropol® **NEW**




Perfect geometric design for pure fascination. From page 170.

Metris®/Metris® S



Large areas add a timeless elegance to the bathroom. From page 176.

Talis® Select S/Talis® S



A new naturalness that also appeals for operation at the touch of a button. From page 182.

Talis®/Talis® S



Flowing forms create a modern flair. From page 186.

Talis® Select E/Talis® E



Pioneering style that also sets standards with operation at the touch of a button. From page 188.

Focus®



Dynamic design emanates freshness and lightness. From page 192.

Logis®



Soft silhouette for a homely atmosphere. From page 194.

Metropol® Classic **NEW**




Exclusive elegance for a bathroom full of harmony. From page 198.

Metris® Classic



Decorative lines for an elevated ambience. From page 202.

Talis® Classic



Harmonious elegance for tasteful bathrooms. From page 204.

Logis® Classic



Classic charisma that elegantly completes the bathroom. From page 206.

ComfortZone: Mixer wash basin combinations

Something to suit every customer



Whether free standing, wall-hanging, exposed or built-in basins, the perfected hansgrohe portfolio with a range of heights provides the right solution for every one of your needs. High risers and high, swivelling mixers can be used to fill even large wash bowls or wash hair with ease. Mid range mixer heights allow adequate freedom of

movement for daily routines. Low mixers are a must, too, e.g. as highlights in the guest toilet or cloakroom. Optimal functionality is not the only consideration, the look is also decisive in the choice of mixer and washbasin combinations. To compare these to the best possible effect, you can make use of the hansgrohe ComfortZone configurator

available on the internet. You can then design the washbasin with the greatest of ease. You can even show your customers in advance how each of the mixer lines blend perfectly into their environment. Visit <http://pro.hansgrohe-int.com/configurator>

Avantgarde PuraVida®

Free standing basin



Example design with **PuraVida® 240**

Wall-hanging basin



Example design with **PuraVida® 200**

Modern Metropol® Metris®/Metris® S Talis® Select S/Talis® S Talis®/Talis® S Talis® Select E/Talis® E Focus® Logis®



Example design with **Metris® 260**



Example design with **Metris® 230**

Classic Metropol® Classic Metris® Classic Talis® Classic Logis® Classic



Example design with **Metris® Classic 250**



ComfortZone: Whether you need more freedom of movement when washing your hands, washing your hair, or filling large containers; the taller the mixer, the more flexibility you have in your daily dealings with water. We call this area between the mixer and the basin the ComfortZone. For more comfort. For more space. For every day.

Exposed basin

Built-in basin

Hand wash basin



Example design with **PuraVida® 100**



Example design with **Metris® 200**



Example design with **Metris® 110**



Example design with **Metris® 100**



Example design with **Metris® Classic 100**



Example design with **Metris® Classic 100**



Example design with **Metris® Classic 100**

ComfortZone test




The right mixer for every washbasin


The taller the mixer, the larger the usable space. If a wash basin and mixer are not properly tuned to each other, the user suffers annoying splashes. As a measure to eliminate

this eventuality from the outset, hansgrohe has developed the ComfortZone test. Under highly realistic conditions, hansgrohe mixers are tested for their compatibility with the wash


basins of market leading manufacturers. The tests were conducted on the following five wash basin configurations.




Mixer behind free standing exposed basin or behind wash bowl.




Wash bowl with exposed mixer.



Wash bowl with wall mixer.



Mixer for built-in basin.



Wall-hanging wash basin with exposed mixer.



Feel confident of your recommendation when you see: the hansgrohe ComfortZone test seal.



How the ComfortZone test works

1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

2. Spray test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between jets, the splashes are analysed and the wash basin rubbed dry.

3. Practical test

Is there any splashing when washing the hands? A standardised hand model is passed under the water jet and the splashes outside of the basin analysed.

Free PDF: the results from over 12,000 combinations

Utilise our knowhow from thousands of tests: We provide you, as a professional partner, exclusive access to all findings of these test series. This overview of all tested mixer and wash basin combinations provides

a sound basis for your recommendations. The PDF files with all the test findings are available free of charge at

<http://pro.hansgrohe-int.com/comfortzone-test>

hansgrohe

Which hansgrohe mixer suits which basin?

hansgrohe ComfortZone mixer with product code

Wash basin with product code

	450	500 x 230	485 x 315	595 x 465	550 x 465	850 x 490	1050 x 490	1250 x 490	600 x 470	800 x 470	1000 x 470	1200 x 470	500 x 380	600 x 380						
Metris	# 070225.00	# 070350.28	# 070350.29	# 033048.00	# 033048.22	# 040360.00	# 031555.00	# 032985.00	# 032910.00	# 032912.00	# 045460.90	# 045460.37	# 045480.00	# 045480.27	# 045410.27	# 045410.28	# 045412.00	# 045412.40	# 045560.00	# 045560.00
Metris 100	# 31088000	✓	✓																	
	# 31166000	✓	✓																	
Metris 110	# 31080000	✓	✓	✓	✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31121000	✓	✓	✓	✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31084000	✓	✓	✓	✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metris 200	# 31183000			✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31165000			✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metris 200	# 31087000			✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31187000			✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31081000			✓ b1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metris 200	# 31082000			✓ b2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	# 31184000			✓ b2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metris 165 mm	# 31085000			✓ d1															✓ d1	✓ d1
Metris 225 mm	# 31086000			✓ d1									✓ c1							

Suitable combinations

Mounting dimensions for different installations

Advantages and benefits

- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- Recommendations from over 12,000 tested mixer wash basin combinations available online for planning – constantly expanded and updated
- The certainty that wash basin and mixer harmonise – without annoying splashes

Find out more in the “ComfortZone Test” discussion and at <http://pro.hansgrohe-int.com/comfortzone-test>

Bath mixers – ComfortZone

Innovative mixer technologies by hansgrohe

More technology and comfort for you and your customers

Adjustable hot water limiter prevents too high a temperature, protecting against scalding

Low Class 1 noise development, so ideal for multifamily homes, hotels and offices

Simple and safe regulation of temperature wide mixing range and easy to use handles



Stable control thanks to the patented **Boltic lever lock** with the wedge shaped control lever

High quality and silent **ceramic cartridges**

Easy to clean the mixer with **QuickClean**

EcoSmart technology for water and energy savings

AirPower for a pleasant water jet

Lots of space under the spout thanks to the **ComfortZone**

Shaft attachment with attachment nut and seal

Water damage virtually eliminated thanks to flexible, state of the art connector hoses, G $\frac{3}{8}$



Advantages and benefits

- EcoSmart technology limits flow to 5 l/min, saving water and energy
- QuickClean for easy cleaning and long-lasting mixers
- AirPower for a full and soft water jet
- Compliance with the German drinking water regulations TrinkwV of 2013
- Various designs and styles - the right mixer for every taste
- Five year warranty

Find out more at <http://pro.hansgrohe-int.com>



Select: easy operation at the touch of a button

A button instead of a lever – this is the new shape of comfort at the basin. Thanks to the Select button, a gentle touch is all it takes to get the water flowing. Another

touch, and it stops. This makes daily routines such as shaving, washing hair and brushing teeth much easier. For people of any age. The mechanical Select button satisfies any

requirements: long-term tests have confirmed its quality and durability.



Advantages and benefits

- Easy operation – suitable for all ages
- Temperature can be pre-set
- Can also be operated with an arm or elbow

AirPower: for water in all of its fullness



AirPower draws air in through the outlet and then it is used to enrich the flowing water. The water jet becomes fuller, lighter and softer.



Advantages and benefits

- Fuller, lighter, softer drops for a pleasant water jet
- Less risk of splashing
- High efficiency contributes towards reduced water consumption

QuickClean: rubbing away limescale in moments



QuickClean stands for flexible silicone inserts on the aerators that are simply rubbed with a finger to remove dirt and limescale. This ensures the products remain functional and last longer.



Advantages and benefits

- Fast and easy cleaning
- Long lifetime and functionality



EcoSmart®: water and energy savings

Thanks to EcoSmart technology, the water consumed by all hansgrohe basin mixers was reduced to 5 l/min from the customary 13 l/min. This also saves energy because less hot water needs to be heated.

All this was made possible with air injection and the integrated EcoSmart system. Our basin mixers Talis, Focus, and Metris each achieved the best possible results (Level A) in the home section. Not only in projects,

water and energy savings are gaining in significance on the private sector as well. This is not only about potential savings, but also the protection of our environment.



WELL Home Water Efficiency Label	
Manufacturer:	Hansgrohe SE
Product category:	Wash basin valve
Type:	Single lever valve
Model:	Hansgrohe Logis
Registration number:	WA19952-20140203
Water Efficiency Criteria	
Flow rate > 6.0 l/min ≤ 9.0 l/min	*
Controlled flow rate 2-4.0 l/min ≤ 6.0 l/min	**
Flow-independent temperature setting	*
Temperature limit / Cold water valve	**
<small>Information about use and installation: www.well-online.eu. A Label of EUnited Valves European Valve Manufacturers Association</small>	



Logis® 100

l/min
5.0

Example calculation of annual savings with EcoSmart basin mixer*:

Water **approx 61,880 l**
 CO₂ **approx 413 kg**
 Costs **approx £ 393** for water and energy

* Compared with a basin mixer with 13.5 l/min. Average values for a family of four in Germany in 2014. Sterling figure based on Euro conversion at a rate of 0.72

All products with WELL or waterlabel certificates are specially marked in the catalogue



Advantages and benefits

- Water consumption as low as 5 l/min
- Precision O ring for a constant flow even under fluctuating water pressures
- Full, sparkling water jet thanks to air enrichment
- Reduced consumption for less energy needs and hence less CO₂ emissions
- Lower water and energy consumption for double efficiency



How much water can be saved is calculated by the savings calculator at: <http://pro.hansgrohe-int.com/savings-calculator>

l/min
3.5

LowFlow: mixers for minimal flow rates

Especially in projects, water and energy savings are an important factor for the certification of buildings, e.g. under

Part G, LEED or BREEAM. For this purpose, hansgrohe has developed special cartridges that minimise the flow rate through its mixers.


These LowFlow cartridges have a restricted opening angle and special spray formers. Result: a flow rate of only 3.5 l/min.



Advantages and benefits

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate

CoolStart®: now saving energy is even easier



Whereas the central position on standard mixers immediately activates mixed water (both hot and cold), with CoolStart mixers only cold water runs through. The pipe

system is therefore not filled unnecessarily with hot water. Hot water is not added until the lever is moved to the left. This helps to reduce the energy needs and hence CO₂ emissions as

well. This goes easy on the environment – and your pocket as well.



CoolStart technology is available in the following mixers:



Metropol® 100
Metropol® 110



Metris® 110



Talis® 80
Talis® S 80
Talis® E 80



Focus® 100
Focus® 70



Logis® 100
Logis® 70

CoolStart: Hot water runs only when it is actually needed.

Advantages and benefits

- At the basic setting, only cold water flows without the need to draw on heated water
- Potential for water, energy and financial savings
- Special user ergonomics (the lever need only be moved to the left for hot water)

hansgrohe bathroom mixers

The bathroom mixer lines at a glance

Spout height

Logis®	Focus®	Talis® E/ Talis® Select E		Talis® S/ Talis® Select S		Talis®/ Talis® S	
 Logis® 210	 Focus® 240		 Talis® Select E 240				
	 Focus® 230			 Talis® S 210	 Talis® 210 Talis® S		
 Logis® 190	 Focus® 190				 Talis® Select S 190		
 Logis® 100	 Focus® 100		 Talis® Select E 110		 Talis® Select S 100		
 Logis® 70	 Focus® 70	 Talis® E 80		 Talis® S 80	 Talis® Select S 80	 Talis® 80	 Talis® S

How to use the overview in your sales presentation

The higher a product is positioned, the higher its ComfortZone and price.



Scan this QR code and present our mixers at work.

Metris®	Metris® S	NEW Metropol®	Talis® Classic	Metris® Classic	NEW Metropol® Classic	PuraVida®
Metris® 260	Metris® S	Metropol® 260	Talis® Classic 230	Metris® Classic 250	Metropol® Classic 260	PuraVida® 240
Metris® 230	Metris® S	Metropol® 230				
Metris® 200	Metris® S				Metropol® Classic 160	PuraVida® 200
Metris® 110	Metris® S	Metropol® 110			Metropol® Classic 110	PuraVida® 110
Metris® 100		Metropol® 100	Talis® Classic 80	Talis® Classic Natural 90	Metris® Classic 100	PuraVida® 100

hansgrohe bathroom mixers

The bathroom mixer range at a glance

		Logis®	Focus®	Talis®	Talis® S	Talis® Select S	Talis® E
Basin							
Single lever basin mixer							
	Pillar tap for small wash basins	71120, -000	31130, -000	32130, -000	72017, -000		71706, -000
	with pop-up waste set	71070, -000	31730, -000	32040, -000	72010, -000	72040, -000	71700, -000
	with Push-Open waste set	71077, -000	31604, -000		72011, -000		71701, -000
	without waste set	71071, -000	31733, -000	32041, -000	72012, -000	72041, -000	71702, -000
	for open water heaters	71074, -000	31132, -000		72016, -000		71707, -000
Taller models							
	with pop-up waste set	71100, -000	31607, -000		72020, -000	72042, -000	71710, -000
	with Push-Open waste set						
	without waste set	71101, -000	31517, -000		72021, -000	72043, -000	71712, -000
Single lever basin mixer with swivel spout							
	with pop-up waste set	71130, -000	31609, -000	32084, -000	72105, -000		
	with Push-Open waste set			32082, -000			
	without waste set	71131, -000	31519, -000				
Single lever basin mixers for wash bowls (high risers)							
	with pop-up waste set	71090, -000	31531, -000		72031, -000	72044, -000	71716, -000
	with Push-Open waste set						
	without waste set	71091, -000	31532, -000		72032, -000	72045, -000	71717, -000
3-hole basin mixer							
							71733, -000
Taller models		71133, -000		32310, -000	72130, -000		
Single lever basin mixer							
	Wall installation 165 mm			31618, -000	72110, -000		71732, -000
	Wall installation 195 mm	71220, -000					
	Wall installation 225 mm			31611, -000	72111, -000		71134, -000
Floor-standing washbasin mixer (not shown)							



Scan this QR code and present our mixers at work.

Talis® Select E	Metris®	Metris® S	Talis® Classic	Metris® Classic	NEW Metropol® Classic	NEW Metropol®	PuraVida®
							
	31166, -000					32501, -000	15132, -000, -400
	31088, -000		14118, -000			32500, -000 74500, -000	15075, -000, -400
	31080, -000	31060, -000	14111, -000 14127, -000	31075, -000	31300, -000, -090		15074, -000, -400
							15070, -000, -400
	31084, -000	31068, -000		31077, -000	31301, -000, -090		
	31074, -000						
							
71750, -000	31183, -000	31021, -000			31302, -000, -090	32506, -000 74506, -000	15081, -000, -400
						32507, -000 74507, -000	
71751, -000		31026, -000					
							
	31087, -000	31159, -000					
	31187, -000	31161, -000				32511, -000 74511, -000	
	31081, -000						
							
71752, -000	31082, -000	31022, -000	14116, -000	31078, -000	31303, -000, -090		
						32512/74512, -000	15072, -000, -400
71753, -000	31184, -000	31023, -000					
							
	31083, -000			31073, -000	31330, -000, -090 31304, -000, -090 31306, -000, -090	32514, -000 74514, -000	15073, -000, -400
					31331, -000, -090 31305, -000, -090 31307, -000, -090	32515, -000 74515, -000	
							
	31085, -000	31162, -000				32525, -000 74525, -000	15084, -000, -400
	31086, -000	31163, -000		31003, -000		32526, -000 74526, -000	15085, -000, -400
						32530, -000 74530, -000	

hansgrohe bathroom mixers

The bathroom mixer range at a glance

		Logis®	Focus®	Talis®	Talis® S	Talis® Select S	Talis® E
Bidet							
Single lever bidet mixer							
		71200, -000 71204, -000	31920, -000	32240, -000	72200, -000	72202, -000	71720, -000
Bath							
Single lever bath mixer							
	Exposed	71400, -000	31940, -000	32440, -000	72400, -000		71740, -000
							
	Concealed	71405, -000	31945, -000	32475, -000	72405, -000		71745, -000
	with safety combination	71407, -000	31946, -000	32477, -000	72406, -000		71474, -000
							
Floor standing				72412, -000			
3-hole rim-mounted mixer							
				72415, -000		71747, -000	
3-hole rim-mounted mixer							
		71310, -000		72416, -000		71730, -000	
4-hole rim-mounted mixer							
				72418, -000			
Bath filler							
		71410, -000	13414, -000	13414, -000	72410, -000		71410, -000
Shower							
Single lever shower mixer							
	Exposed	71600, -000	31960, -000	32640, -000	72600, -000		71760, -000
							
Concealed	71605, -000	31965, -000	32675, -000	72605, -000		71765, -000	

	Talis® Select E	Metris®	Metris® S	Talis® Classic	Metris® Classic	Metropol® Classic	Metropol®	PuraVida®
								
		31280,-000	31261,-000	14120,-000	31275,-000	31320,-000,-090	32520,-000 74520,-000	15270,-000,-400
								
		31480,-000	31460,-000	14140,-000	31478,-000	31340,-000,-090	32540,-000 74540,-000	15472,-000,-400
								
		31493,-000 31454,-000	31465,-000	14145,-000	31485,-000	31345,-000,-090	32545,-000 74545,-000	15445,-000,-400 15447,-000,-400
		31487,-000 31451,-000	31466,-000				32546,-000 74546,-000	
								
		31471,-000				31445,-000,-090	32531,-000 32532,-000 74532,-000	15473,-000,-400
								
		31190,-000					32550,-000 74550,-000	15432,-000,-400
								
		31442,-000	31446,-000 31447,-000			31441,-000,-090 31315,-000,-090 31449,-000,-090	32552,-000 74552,-000	15446,-000,-400
								
		31494,-000	14420,-000		13413,-000	13425,-000,-090	32542,-000 32543,-000	15412,-000,-400
								
		31680,-000	31660,-000	14161,-000	31672,-000	31360,-000,-090	32560,-000 74560,-000	15672,-000,-400
								
		31685,-000 31456,-000	31665,-000	14165,-000	31676,-000	31365,-000,-090	32565,-000 74565,-000	15665,-000,-400

PuraVida®

Sensuous poetry of purity and clarity



PuraVida® 110



Attractive: PuraVida emanates a special elegance and integrates perfectly in the bathroom, harmonising with white ceramics.



Complete in itself: Here pure elegance can be seen in all of the details. Moreover, the overhead shower is ergonomically shaped to completely cover the user's shoulders.



Emotionally appealing: The DualFinish surface unites white and chrome in a harmony of quality.



Advantages and benefits

- Breadth of range to enable complete, coordinated bathroom design
- Sculptured look from the harmonious unity of body and spout
- Flat pin handle with joystick cartridge
- Visible quality in the precise contoured lines
- Clear laminar jet and adjustable spray angle
- DualFinish surface with precise edges between chrome and white
- Scratch resistant powder coating

Basin/bidet



PuraVida® 240
Single lever basin mixer
with Push-Open waste set
15072, -000, -400
Hose length 900 mm
15066, -000, -400 Hose
length 600 mm



PuraVida® 200
Single lever basin mixer
with Push-Open waste set
15081, -000, -400



PuraVida® 110
Single lever basin mixer
15070, -000, -400
with Push-Open waste set
15074, -000, -400
with pop-up waste set



PuraVida® 100
Single lever basin mixer
for hand wash basin with
Push-Open waste set
15075, -000, -400



- More freedom of movement at the wash basin for greater comfort



PuraVida® 100
Pillar top
for small wash basin
15132, -000, -400



PuraVida®
Electronic basin mixer
with temperature control
15170, -000, -400 Battery
operation
15172, -000, -400 Mains
connection 230 V



PuraVida® 100
3-hole basin mixer with fixed
spout
15073, -000, -400
without waste set
15063, -000, -400 with
pop-up waste set



PuraVida®
Single lever basin mixer for
wall installation
15085, -000, -400
225 mm
Basic set for concealed
installation
13622180



PuraVida®
Single lever basin mixer for
wall installation
15084, -000, -400 165 mm
Basic set for concealed
installation
13622180



PuraVida®
Single lever bidet mixer
with pop-up waste set
15270, -000, -400



Surface
chrome (-000)



Surface white/
chrome (-400)

PuraVida®

Bath





PuraVida®
3-hole rim-mounted mixer
15432, -000, -400
Basic set for concealed installation
13437180



PuraVida®
4-hole bath mixer
for rim-mounted installation
15446, -000, -400
Basic set for concealed installation
13444180



PuraVida®
2-hole rim-mounted thermostat
15474, -000, -400
Basic set for concealed installation
13550180



- No broken tiles thanks to pre-assembled basic set
- Secuflex Box protects the shower hose behind the bath
- Shower hose does not catch when used
- Easy servicing thanks to completely sealed system which can be accessed from above



PuraVida®
Single lever bath mixer, floor standing, with PuraVida 120 ljet baton hand shower
15473, -000, -400
Basic set
10452180




PuraVida®
Single lever bath mixer exposed
15472, -000, -400



PuraVida®
Single lever bath mixer concealed
15445, -000, -400
15447, -000, -400 with safety combination



PuraVida®
Bath filler exposed
15412, -000, -400



- Sound-insulated changeover, ideal for hotels

Shower



PuraVida®
Single lever shower mixer
exposed
15672, -000, -400



PuraVida®
Single lever shower mixer
concealed
15665, -000, -400



Surface chrome
(-000)



Surface white/
chrome (-400)



PuraVida®
Thermostat for 1 function
concealed
15775, -000, -400




PuraVida®
Thermostat for 2 functions
concealed
15771, -000, -400



Trio®/Quattro®
Shut-off/diverter valve
for PuraVida
15937, -000, -400



Shut-off valve
for PuraVida
15978, -000, -400



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal



PuraVida®

Showers




PuraVida® 400
Overhead shower (21 l/min)
27437, -000, -400 with shower arm
390 mm
27390, -000, -400 with ceiling
connection 100 mm (not shown)




PuraVida® 150 3jet
Hand shower
28557, -000, -400 (16 l/min)
28567, -000, -400 (9 l/min) EcoSmart




PuraVida® 120 1jet
Baton hand shower
28558, -000, -400 (16 l/min)
28568, -000, -400 (9 l/min) EcoSmart




- Ergonomically shaped for the width of shoulders
- Long shower arm for generous freedom of movement
- DualFinish for elegant surfaces





- Innovative design
- 2-shell structure
- Spray modes changed at the push of a button
- Hygienic, internal water guide



PuraVida® 100
Side shower
28430, -000, -400



PuraVida®/Unica® Set
27853, -000, -400 0.90 m



Surface chrome (-000)



Surface white/chrome (-400)

Accessories



Porter 'S
Shower holder
28331, -000



PuraVida® FixFit®
DN15 hose connection
with ball joint
and non-return valve
27414, -000

Accessories



PuraVida®
Liquid soap dispenser
41503, -000



PuraVida®
Toothbrush tumbler
41504, -000



PuraVida®
Soap dish
41502, -000



PuraVida®
Towel hook
41501, -000



PuraVida®
Roll holder
41508, -000



PuraVida®
Spare roll holder
41518, -000



PuraVida®
WC brush with
ceramic tumbler
41505, -000



PuraVida®
Towel holder,
twin-handle
41512, -000



PuraVida®
Grab rail, 300 mm
41513, -000




PuraVida®
Bath towel rail, 600 mm
41506, -000

Metropol®

NEW



The new form of fascination



Metropol® 110
Metropol® Select 110



Appealing: Geometric design language takes up the design of the bathroom to create a pleasant atmosphere.



Impressive: Metropol mixers also create an exclusive effect when used as free-standing items.



Elegant: The open handle design adds lightness and exclusivity into the shower.



Advantages and benefits

- Perfect geometric design language for a timeless bathroom design
- Minimalistic yet intuitive Select button for easy operation
- Design freedom thanks to the wide range of options: various spout lengths and 3 handles for washbasins. Also various installation options for washbasins and baths.
- ComfortZone - hand washing made easy thanks to the various height options

Basin



Metropol® 260
Single lever basin mixer
with lever handle
32512, -000 with Push-Open
waste set



Metropol® 260
Single lever basin mixer
with loop handle
74512, -000 with Push-Open
waste set



Metropol® Select 260
Basin mixer
32572, -000 with Push-Open
waste set



Metropol® 110
Single lever basin mixer
with lever handle
32506, -000 with pop-up waste set
32507, -000 with Push-Open waste set
32508, -000 CoolStart with
Push-Open waste set
32509, -000 LowFlow



Metropol® 110
Single lever basin mixer
with loop handle
74506, -000 with pop-up waste set
74507, -000 with Push-Open waste set



Metropol® Select 110
Basin mixer
32571, -000 with Push-Open waste set



Metropol® 100
Single lever basin mixer
with lever handle and long spout,
157 mm
32502, -000 with Push-Open waste set
32503, -000 CoolStart with
Push-Open waste set



Metropol® 100
Single lever basin mixer
with loop handle and long spout,
157 mm
74502, -000 with Push-Open waste set



Metropol® Select 100
Basin mixer
with long spout, 157 mm
32570, -000 with Push-Open waste set



Metropol®

Basin



Metropol® 100
Single lever basin mixer
with lever handle and short spout,
127 mm
32500, -000 with Push-Open waste set
32501, -000 Pillar tap

Metropol® 100
Single lever basin mixer
with loop handle and short spout,
127 mm
74500, -000 with Push-Open waste set



Metropol® 230
Single lever basin mixer
with lever handle and 120° swivel spout
32511, -000 with Push-Open waste set

Metropol® 230
Single lever basin mixer
with loop handle and 120° swivel spout
74511, -000 with Push-Open waste set

Available from Q2/2018



Metropol® 160
3-hole basin mixer
with lever handle
32515, -000 with Push-Open
waste set

Metropol® 160
3-hole basin mixer
with loop handle
74515, -000 with Push-Open
waste set

Metropol® 110
3-hole basin mixer
with lever handle
32514, -000 with Push-Open
waste set

Metropol® 110
3-hole basin mixer
with loop handle
74514, -000 with Push-Open
waste set



Metropol®

Basin



Metropol®
Single lever basin mixer
with lever handle for wall installation
32526, -000 225 mm
32525, -000 165 mm (not shown)
Basic set for concealed installation
13622180



Metropol®
Single lever basin mixer
with loop handle for wall installation
74526, -000 225 mm
74525, -000 165 mm (not shown)
Basic set for concealed installation
13622180



Metropol®
Single lever basin mixer
with lever handle,
floor standing
32530, -000
Basic set
10452180



Metropol®
Single lever basin mixer
with loop handle,
floor standing
74530, -000
Basic set
10452180



Bidet



Metropol®
Single lever bidet mixer
with lever handle
32520, -000 with Push-Open waste set



Metropol®
Single lever bidet mixer
with loop handle
74520, -000 with Push-Open waste set

Metropol®

Bath



Metropol®
Single lever bath mixer
exposed
32540, -000



Metropol®
Single lever bath mixer
exposed
74540, -000



Metropol®
Single lever bath mixer
concealed
32545, -000
32546, -000 with safety combination



Metropol®
Single lever bath mixer
concealed
74545, -000
74546, -000 with safety combination



Metropol®
3-hole rim-mounted mixer
32550, -000 with Secuflex
32551, -000 without Secuflex



Metropol®
3-hole rim-mounted mixer
74550, -000 with Secuflex
74551, -000 without Secuflex



Metropol®
4-hole bath mixer
for rim-mounted installation
32552, -000 with Secuflex
32553, -000 without Secuflex



Metropol®
4-hole bath mixer
for rim-mounted installation
74552, -000 with Secuflex
74553, -000 without Secuflex



Metropol®
Bath filler
exposed
32542, -000



Metropol®
Bath filler
exposed
32543, -000



Metropol®
2-hole rim-mounted thermostat
32548, -000
Basic set for concealed installation
13550180



Metropol®
2-hole rim-mounted thermostat
74548, -000
Basic set for concealed installation
13550180

Metropol®


Bath



Metropol®
Single lever bath mixer
with lever handle,
floor-standing, with
rod-style hand shower
32532, -000
Basic set
10452180



Metropol®
Single lever bath mixer
with loop handle,
floor-standing, with
rod-style hand shower
74532, -000
Basic set
10452180



Metropol®
Bath filler,
floor standing
32531, -000
Basic set
10452180



Shower



Metropol®
Single lever shower mixer
exposed
32560, -000



Metropol®
Single lever shower mixer
exposed
74560, -000



Metropol®
Single lever shower mixer
concealed
32565, -000



Metropol®
Single lever shower mixer
concealed
74565, -000

Metris®

To suit every customer



Metris® 110



User-friendly: Five basin mixer heights are available offering the right solution for any installation situation.



Elegant: Generous handle and spout surfaces lend the bathroom a luxurious ambience.



Modern: Metris mixers are designed for discretion, providing space for the personal ComfortZone.



Advantages and benefits

- Generous surfaces for elegant, quality bathroom design
- The open sweep of the flat handle reflects its ease of use
- Tapered base and precision edges emphasise the character of quality
- Five basin mixer heights for individual free space
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Basin/bidet



Metris® 260
Single lever basin mixer
31082, -000 with pop-up waste set
31184, -000 without waste set



Metris® 230
Single lever basin mixer
with 120° swivel spout
31087, -000 with pop-up waste set
31187, -000 with Push-Open
waste set
31081, -000 without waste set



Metris® 200
Single lever basin mixer
31183, -000 with pop-up waste set
31185, -000 without waste set



Metris® 110
Single lever basin mixer
31080, -000 with pop-up waste set
31084, -000 without waste set
31203, -000 LowFlow with pop-up waste set
31074, -000 for open water heaters
31204, -000 LowFlow for open water heaters
31121, -000 CoolStart with pop-up waste set
(not shown)



Metris® 100
Single lever basin mixer
31088, -000 with pop-up waste set
31186, -000 without waste set



Metris® 100
3-hole basin mixer
31083, -000 with fixed spout



Metris®
Single lever basin mixer
for wall installation
31086, -000 225 mm
31085, -000 165 mm (not shown)
Basic set for concealed installation
13622180



Metris®
Pillar tap
for small wash basin
31166, -000



Metris®
Single lever bidet mixer
31280, -000 with pop-up waste set



Metris®

Bath



Metris®
Single lever bath mixer
exposed
31480, -000



Metris®
Single lever bath mixer
concealed
31493, -000
31487, -000 with safety combination



Metris®
Single lever bath mixer
concealed
31454, -000
31451, -000 with safety combination



- Sound-insulated changeover, ideal for hotels





Metris®
Bath filler
exposed
31494, -000



Metris®
3-hole rim-mounted mixer
31190, -000
Basic set for concealed installation
13437180




Metris®
4-hole bath mixer
for rim-mounted installation
31442, -000
Basic set for concealed installation
13444180



- No broken tiles thanks to pre-assembled basic set
- Secuflex Box protects the shower hose behind the bath
- Shower hose does not catch when used
- Easy servicing thanks to completely sealed system and easy access from above



Metris®
Single lever bath mixer,
floor standing, with PuraVida 120 1jet
baton hand shower
31471, -000
Basic set
10452180



Shower



Metris®
Single lever shower mixer
exposed
31680, -000



Metris®
Single lever shower mixer
concealed
31685, -000



Metris®
Single lever shower mixer
concealed
31456, -000




Metris®
Thermostat
concealed
31572, -000 for 1 function (not shown)
31573, -000 for 2 functions



Metris®
Thermostat
concealed
31570, -000
Highflow Thermostat
31571, -000 (not shown)



iControl® S
Valve for 3 functions
concealed
15955, -000



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal



Metris® S

Basin



Metris® S
Single lever basin mixer
31022, -000 with pop-up waste set
31023, -000 without waste set



Metris® S
Single lever basin mixer
31021, -000 with pop-up waste set
31026, -000 without waste set



Metris® S
Single lever basin mixer
with 120° swivel spout
31159, -000 with pop-up waste set
31161, -000 with Push-Open waste set



Metris® S
Single lever basin mixer
31060, -000 with pop-up waste set
31068, -000 without waste set
31063, -000 LowFlow



Metris® S
Single lever basin mixer
for wall installation
31162, -000 165 mm (not shown)
31163, -000 225 mm
Basic set for concealed installation
13622180



Metris® S
Electronic basin mixer
with temperature control
31100, -000 Battery operation
31102, -000 Mains connection 230 V
without temperature control
31101, -000 Battery operation (not shown)
31103, -000 Mains connection 230 V (not shown)



Bidet



Metris® S
Single lever bidet mixer
31261, -000 with pop-up waste set

Bath



Metris® S
Single lever bath mixer
exposed
31460, -000




Metris® S
Single lever bath mixer
concealed
31465, -000
31466, -000 with safety combination



Metris® S
Bath filler
exposed
14420, -000



Metris® S
4-hole bath mixer
for rim-mounted installation
31446, -000 170 mm
31447, -000 220 mm
13444180 Basic set for concealed
installation




Shower



Metris® S
Single lever shower mixer
exposed
31660, -000



Metris® S
Single lever shower mixer
concealed
31665, -000



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal

- Metris S presents a timeless design with a clear, precise flow of lines
- Ergonomic pin handle emphasises the precision of the design languages
- Extensive range for every application
- Also ideal for large scale projects




Escutcheon diameter Metris S: 150 mm. **Matching valves** can be found on page 109.

Talis® Select S/Talis® S



This is where form and function blend



Talis® Select S 100

Talis® S 100



User-friendly: Whether with a finger, arm or elbow - the Select button makes operation easier than ever. The temperature can remain pre-set.



Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



Natural: harmonious integration of the mixers in the bathroom thanks to the naturally blending pipe bodies.



Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Helps to save water, since the easy operation encourages the user to keep switching it off
- **Easy to clean:** thanks to the clear conical shapes
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Basin



Talis® Select S 190
Basin mixer
72044, -000 with pop-up waste set
72045, -000 without waste set



Talis® Select S 100
Basin mixer
72042, -000 with pop-up waste set
72043, -000 without waste set



Talis® Select S 80
Basin mixer
72040, -000 with pop-up waste set
72041, -000 without waste set



Talis® S 190
Single lever basin mixer
72031, -000 with pop-up waste set
72032, -000 without waste set



Talis® S 100
Single lever basin mixer
72020, -000 with pop-up waste set
72021, -000 without waste set
72022, -000 CoolStart with pop-up waste set (not shown)
72023, -000 CoolStart without waste set (not shown)
72024, -000 LowFlow with pop-up waste set
72025, -000 LowFlow without waste set



Talis® S 80
Single lever basin mixer
72010, -000 with pop-up waste set
72011, -000 with Push-Open waste set
72012, -000 without waste set
72013, -000 CoolStart with pop-up waste set (not shown)
72014, -000 CoolStart without waste set (not shown)
72015, -000 LowFlow with pop-up waste set
72018, -000 LowFlow without waste set
72016, -000 for open water heaters
72017, -000 Pillar tap (not shown)



Talis® Select S/Talis® S

Basin



Talis® S 250
Single lever basin mixer
72115, -000 with pop-up waste set
72116, -000 without waste set



Talis® S 140
Single lever basin mixer
72113, -000 with pop-up waste set
72114, -000 without waste set



Talis® S 210
Single lever basin mixer
with 120° swivel spout
72105, -000 with pop-up waste set



- Easy operation thanks to the easy-to-reach pin handle
- **Easy to clean** since the handle on the side means less dirt
- Entirely new design language for additional customer groups
- Suitable for large basins



Talis® S
3-hole basin mixer
72130, -000



Talis® S
Single lever basin mixer
for wall installation
72111, -000 225 mm
Basic set for concealed installation
13622180



Talis® S
Single lever basin mixer
for wall installation
72110, -000 165 mm
Basic set for concealed installation
13622180



Bidet



Talis® Select S
Bidet mixer
72202, -000



Talis® S
Single lever bidet mixer
72200, -000



Bath



Talis® S
3-hole rim-mounted mixer
72415, -000
Basic set for
concealed installation
13233180




Talis® S
3-hole rim-mounted mixer
72416, -000
Basic set for
concealed installation
13437180



Talis® S
4-hole bath mixer
for rim-mounted installation
72418, -000
Basic set for
concealed installation
13444180



Talis® S
Bath filler
exposed
72410, -000




Talis® S
Single lever bath mixer
exposed
72400, -000



Talis® S
Single lever bath mixer
concealed
72405, -000
72406, -000 with safety combination



Talis® S
Single lever bath mixer,
floor standing, with AXOR
Starck baton hand shower
72412, -000
Basic set
10452180




Shower



Talis® S
Single lever shower mixer
exposed
72600, -000



Talis® S
Single lever shower mixer
concealed
72605, -000
72607, -000 Highflow (not shown)



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal

Talis®/Talis® S

Basin



Talis® 210
Single lever basin mixer
with 60° swivel spout
32082, -000 with Push-Open
waste set
32084, -000 with pop-up waste set
32080, -000 with fixed spout



Talis® S
Single lever basin mixer
32070, -000 with 360° swivel spout
and waste set
32073, -000 120° swivel spout and
waste set



Talis® 80
Single lever basin mixer
32040, -000 with pop-up waste set
32042, -000 for open water heaters



Talis®
Pillar tap
for small wash basins
13132, -000 (not shown)



Talis® S
Single lever basin mixer
32020, -000 with pop-up waste set
32031, -000 without waste set
32032, -000 with pop-up waste set,
for open water heaters



Talis® 200
2-handle basin mixer
with 120° swivel spout
32030, -000



Talis® 230
3-hole basin mixer
32310, -000



Talis®
Single lever basin mixer
for wall installation
31618, -000 165 mm
31620, -000 165 mm LowFlow
31611, -000 225 mm (not shown)
Basic set for concealed installation
13622180



Bidet



Talis®
Single lever bidet mixer
32240, -000



Talis® S
Single lever bidet mixer
32220, -000



Bath



Talis®
Single lever bath mixer
exposed
32440, -000



Talis® S
Single lever bath mixer
exposed
32420, -000



Talis®
Single lever bath mixer
concealed
32475, -000
32477, -000 with safety combination



Talis®
Bath filler
exposed
13414, -000



Shower




Talis®
Single lever shower mixer
exposed
32640, -000



Talis® S
Single lever shower mixer
exposed
32620, -000



Talis®
Single lever shower mixer
concealed
32675, -000



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal



- Talis and Talis S mixers offer exclusive bathroom designs with functional clarity
- Slender and unadorned design
- Characteristic pin handle for ease of use



Escutcheon diameter Talis and Talis S: 150 mm. **Matching valves** can be found on page 109.

Talis® Select E/Talis® E




Comfort in its most natural form



reddot award 2016
winner



DESIGN
AWARD
2016



Talis® Select E 110

Talis® E 110



User-friendly: Whether with a finger, arm or elbow - the Select button makes operation easier than ever.



Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



Elegant: With their precise edges, the mixers contribute to the overall look of harmony in the modern bathroom.



Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- **Easy to clean:** thanks to the generous areas
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Basin



Talis® Select E 240
 Basin mixer
 # 71752, -000 with pop-up waste set
 # 71753, -000 without waste set



Talis® Select E 110
 Basin mixer
 # 71750, -000 with pop-up waste set
 # 71751, -000 without waste set



Talis® E 240
 Single lever basin mixer
 # 71716, -000 with pop-up waste set
 # 71717, -000 without waste set



Talis® E 110
 Single lever basin mixer
 # 71710, -000 with pop-up waste set
 # 71711, -000 with Push-Open waste set
 # 71712, -000 without waste set
 # 71713, -000 CoolStart with pop-up waste set (not shown)
 # 71714, -000 CoolStart without waste set (not shown)
 # 71715, -000 LowFlow with pop-up waste set



Talis® E 80
 Single lever basin mixer
 # 71700, -000 with pop-up waste set
 # 71701, -000 with Push-Open waste set
 # 71702, -000 without waste set
 # 71703, -000 CoolStart with pop-up waste set (not shown)
 # 71704, -000 CoolStart without waste set (not shown)
 # 71705, -000 LowFlow with pop-up waste set
 # 71707, -000 for open water heaters
 # 71706, -000 Pillar tap (not shown)



Talis® E

Basin



Talis® E 150
Single lever basin mixer
71754, -000 with pop-up waste set
71755, -000 without waste set



Talis® E
3-hole basin mixer
71733, -000



Talis® E
Single lever basin mixer
for wall installation
71732, -000 165 mm
71734, -000 225 mm (not shown)



- Easy operation thanks to the easy-to-reach pin handle
- **Easy to clean** since the handle on the side means less dirt
- Entirely new design language for additional customer groups
- Suitable for large basins



Bidet



Talis® E
Single lever bidet mixer
71720, -000 with pop-up waste set
71721, -000 with Push-Open waste set



Bath



Talis® E
3-hole rim-mounted mixer
71747, -000
Basic set for concealed installation
13233180



Talis® E
3-hole rim-mounted mixer
71730, -000
Basic set for concealed installation
13437180



Talis® E
Single lever bath mixer
exposed
71740, -000



Talis® E
Single lever bath mixer
concealed
71745, -000
71474, -000 with safety combination



Talis® E
Bath filler
exposed
71410, -000




Shower



Talis® E
Single lever shower mixer
exposed
71760, -000



Talis® E
Single lever shower mixer
concealed
71765, -000



Basic set for concealed thermostats and mixers
01800180 iBox universal

Focus®

With top quality, comfort and great value



Focus® 100



User-friendly: Gentle, caressing roundness and the ergonomic handle invite you to try out the ease of use.



Living: The cylindrical, contemporary body of Focus mixers brings elegance and value to the bathroom.



Advantages and benefits

- Design complete in itself and expressed in a clear, generous language
- Dynamic silhouette and gentle round shapes emphasise the quality
- Ergonomic handle for ease of use
- Excellent value with a high level of comfort
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Basin/bidet



Focus® 240
Single lever basin mixer
with 120° swivel spout
31609, -000 with pop-up
waste set
31519, -000 without waste set



NEW

Focus® 230
Single lever basin mixer
31531, -000 with pop-up
waste set
31532, -000 without waste set



Focus® 190
Single lever basin mixer
31608, -000 with pop-up
waste set
31518, -000 without waste set



Focus® 100
Single lever basin mixer
31607, -000 with pop-up
waste set
31517, -000 without waste set
31603, -000 LowFlow with
pop-up waste set
31513, -000 LowFlow without
waste set
31621, -000 CoolStart with
pop-up waste set (not shown)



Focus® 70
Single lever basin mixer
31730, -000 with pop-up waste
set
31733, -000 without waste set
31951, -000 LowFlow with
pop-up waste set
31952, -000 LowFlow without
waste set
31132, -000 for open water
heaters
31604, -000 with Push-Open
waste set
31130, -000 Pillar tap
(not shown)
31539, -000 CoolStart with
pop-up waste set (not shown)



Focus®
Single lever basin mixer
for wall installation
31923, -000



Focus®
Electronic basin mixer
with temperature control
31171, -000 Battery operation
31173, -000 Mains connection 230 V
without temperature control
31172, -000 Battery operation
(not shown)
31174, -000 Mains connection 230 V
(not shown)



Focus®
Single lever bidet mixer
31920, -000 with pop-up
waste set
31922, -000 with Push-Open
waste set



Bath



Focus®
Single lever bath mixer
exposed
31940, -000



Focus®
Single lever bath mixer
concealed*
31945, -000
31946, -000 with safety
combination



Focus®
Bath filler
exposed
13414, -000



Shower



Focus®
Single lever shower mixer
exposed
31960, -000



Focus®
Single lever shower mixer
concealed*
31965, -000



Kitchen mixers in the Focus line can be found on pages 232 onwards.

Escutcheon diameter Focus: 150 mm. ***Basic set for concealed mixers** # 01800180 iBox universal.

Focus Care products from page 210.

Logis®

Harmonious design with precision feeling



Logis® 100



Pleasing: The precise shoulder lines and rounded edges delight both the eye and the hand.



Flexible: The extensive range has the best and most irresistible solution for any installation situation.



Homely: Thanks to the gentle silhouettes, the Logis mixers create a harmonious atmosphere.



Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High-value, quiet ceramic cartridge – perfect for apartment blocks, hotels and offices
- High value in the lower price category
- Extensive range with various basin mixer heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Basin/bidet



Logis® 210
Single lever basin mixer
with 120° swivel spout
71130, -000 with pop-up waste set
71131, -000 without waste set



Logis® 190
Single lever basin mixer
71090, -000 with pop-up waste set
71091, -000 without waste set



Logis® 100
Single lever basin mixer
71100, -000 with pop-up waste set
71107, -000 with Push-Open waste set
71102, -000 CoolStart with pop-up waste set (not shown)
71103, -000 CoolStart without waste set (not shown)
71101, -000 without waste set



Logis® 70
Single lever basin mixer
71070, -000 with pop-up waste set
71077, -000 with Push-Open waste set
71072, -000 CoolStart with pop-up waste set (not shown)
71073, -000 CoolStart without waste set (not shown)
71071, -000 without waste set
71074, -000 for open water heaters
71078, -000 with pop-up waste set



Logis®
Single lever basin mixer
for wall installation
71220, -000 195 mm
13622180 Basic set for concealed installation



Logis®
Single lever basin mixer
for wall installation
Exposed
71225, -000



Kitchen mixers in the Logis Classic line can be found on pages 233 onwards.

Logis®

Basin



Logis®
3-hole basin mixer
71133, -000 with pop-up waste set



Logis®
2-handle basin mixer
71222, -000 with pop-up waste set
71221, -000 without waste set



Logis® 70
Pillar tap
71120, -000 Cold water
71121, -000 Warm water (not shown)



Bidet



Logis® 70
Single lever bidet mixer
71204, -000



Logis® 100
Single lever bidet mixer
71200, -000



Bath



Logis®
Single lever bath mixer
exposed
71400, -000



Logis®
2-handle bath mixer
exposed installation
71243, -000



Logis®
Single lever bath mixer
concealed
71405, -000
71407, -000 with safety combination



Logis®
Bath filler
exposed
71410, -000



Logis®
3-hole rim-mounted mixer
71310, -000
Basic set for concealed installation
13437180



Shower



Logis®
Single lever shower mixer
exposed
71600, -000




Logis®
2-handle shower mixer exposed
installation
71263, -000



Logis®
Single lever shower mixer
concealed
71605, -000
71607, -000 Highflow (not shown)



Logis®
Shut-off valve
71970, -000



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal

Metropol® Classic

NEW

A world full of elegance and harmony

Elegant appeal thanks to the gentleness of the surfaces and the delicate gold accents



Sculptural effects from the opulent plinths

The rounded spout enhances the classic appeal

Elegant basic set with precise edges represents modern elegance

Metropol® Classic 110



Versatile: Handles available in the 3 versions (1) cross handle, (2) lever and (3) zero handle for 3-hole mixers.



Elegant: Delicate gold accents are elegance and add value to the room.



Harmonious: Metropol Classic combines sophisticated gold-coloured details with polished chrome finishes, resulting in a range of alluringly elegant fittings.



Advantages and benefits

- Elegant mixer line that will add value to any bathroom
- 3 handle options for different bathroom ambiances cross handle, zero handle and lever handle
- 3 different basin mixer heights for individual free space
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- **Easy to clean** thanks to QuickClean technology

Basin/bidet



Metropol® Classic 260
Single lever basin mixer
with pop-up waste set
31303, -000, -090



Metropol® Classic 160
Single lever basin mixer
with pop-up waste set
31302, -000, -090



Metropol® Classic 110
Single lever basin mixer
31300, -000, -090 with pop-up
waste set
31301, -000, -090 without
waste set



Metropol® Classic 160
3-hole basin mixer
with pop-up waste set
31331, -000, -090 with lever
handle



Metropol® Classic 160
3-hole basin mixer
with pop-up waste set
31307, -000, -090 with cross
handle



Metropol® Classic 160
3-hole basin mixer
with pop-up waste set
31305, -000, -090 with zero
handle



Metropol® Classic 110
3-hole basin mixer
with pop-up waste set
31330, -000, -090 with lever
handle




Metropol® Classic 110
3-hole basin mixer
with pop-up waste set
31306, -000, -090 with cross
handle




Metropol® Classic 110
3-hole basin mixer
with pop-up waste set
31304, -000, -090 with zero
handle



Metropol® Classic
Single lever bidet mixer
31320, -000, -090



Chrome/gold-optic
(-090)



Chrome (-000)

Metropol® Classic

Bath



Metropol® Classic
Single lever bath mixer
exposed
31340, -000, -090



Metropol® Classic
Single lever bath mixer
concealed
31345, -000, -090



Metropol® Classic
Single lever bath mixer,
Floor standing
31445, -000, -090
Basic set
10452180



Metropol® Classic
4-hole bath mixer
for rim-mounted installation
31441, -000, -090 with lever
handle



Metropol® Classic
4-hole bath mixer
for rim-mounted installation
31449, -000, -090 with cross
handle



Metropol® Classic
4-hole bath mixer
for rim-mounted installation
31315, -000, -090 with zero
handle



Metropol® Classic
Bath filler
exposed
13425, -000, -090



Metropol® Classic

Shower




Metropol® Classic
Single lever shower mixer
exposed
31360, -000, -090




Metropol® Classic
Single lever shower mixer
concealed
31365, -000, -090




Raindance® Classic 240 Air
Overhead shower (19 l/min)
27424, -000, -090
with shower arm 390 mm
27405, -000, -090
with ceiling connection 100 mm
(not shown)



Raindance® Classic 100
Air 3jet Hand shower
28548, -000, -090 (17 l/min)



Raindance® Classic 100
Air 3jet Hand shower
27843, -000, -090 0.65 m
27841, -000, -090 0.90 m



Metris® Classic

Modern classic with elegant design



Metris® Classic 100



Elegant: The brilliant and smooth surface of the mixers presents highlights of luxury in every bathroom.



Classical: The elegant design with discreetly shaped handle and spout emanate high quality and pleasure.



Advantages and benefits

- Balanced, minimal design with unpretentious classical elegance
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Very slender and easy to operate thanks to the M1 cartridge
- Connected via temperature-resistant, taste- and odour-neutral PEX hoses
- **Easy to clean:** thanks to the exclusive, long-lasting chrome surface
- With scald protection for added safety

Basin/bidet



Metris® Classic 250
Single lever basin mixer
31078, -000 with pop-up
waste set



Metris® Classic 100
Single lever basin mixer
31075, -000 with pop-up
waste set
31077, -000 without waste
set



Metris® Classic
Single lever basin mixer
for wall installation
31003, -000 225 mm
Basic set for concealed
installation # 13622180



Metris® Classic 100
3-hole basin mixer
31073, -000 with pop-up
waste set



Metris® Classic
Single lever basin mixer
31275, -000 with pop-up
waste set



Bath



Metris® Classic
Single lever bath mixer
exposed
31478, -000



Metris® Classic
Single lever bath mixer
concealed
31485, -000



Metris® Classic
Bath filler
exposed
13413, -000



Shower




Metris® Classic
Single lever shower mixer
exposed
31672, -000



Metris® Classic
Single lever shower mixer
concealed
31676, -000



FixFit® Classic
DN15 hose connection with
non-return valve
16884, -000



**Basic set for concealed
thermostats and mixers**
01800180 iBox universal

Talis® Classic

The harmony of classic elegance



Talis® Classic 80



Natural: The mixers in the Talis Classic line combine original charm and pioneering water saving technology.



Supreme: Geometrical transitions, refined sweeps and discreet lines introduce a calm, yet exciting style to the bathroom.



Advantages and benefits

- Cylindrical basic form and tall geometry emanate elegance
- Very slender and easy to operate thanks to the M1 cartridge
- Pin handle for ease of use
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Connected via temperature-resistant, taste- and odour-neutral PEX hoses
- With scald protection for added safety

Basin/bidet



Talis® Classic 230
Single lever basin mixer
14116, -000 with pop-up
waste set



Talis® Classic 80
Single lever basin mixer
14111, -000 with pop-up
waste set
14118, -000 without waste
set



Talis® Classic Natural 90
Single lever basin mixer
14127, -000 with pop-up
waste set



Talis® Classic
Single lever bidet mixer
14120, -000 with pop-up
waste set



Bath



Talis® Classic
Single lever bath mixer
exposed
14140, -000



Talis® Classic
Single lever bath mixer
concealed
14145, -000


Shower



Talis® Classic
Single lever shower mixer
exposed
14161, -000



Talis® Classic
Single lever shower mixer
concealed
14165, -000




**Basic set for concealed
thermostats and mixers**
01800180 iBox universal



Logis® Classic

The perfect blend of elegance and functionality



Logis® Classic



Advantages and benefits

- Elegant design with classic elements
- Basic shape adapted to the basin for harmonious integration
- Easy to clean: thanks to the clear cylindrical shapes
- Swivel range limited for easier handling
- Long-lasting ceramic valves in the entire range
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Also available as low-pressure versions
- hansgrohe quality at entry-level prices

Basin



Logis® Classic
2-handle basin mixer
71270, -000 with pop-up waste set
71272, -000 with Push-Open waste set



Logis® Classic
3-hole basin mixer
71323, -000 with pop-up waste set



Logis® Classic
Pillar tap
71135, -000 Cold water
71136, -000 Warm water (not shown)



Bath



Logis® Classic
2-handle bath mixer exposed installation
71240, -000



Shower



Logis® Classic
2-handle shower mixer
exposed installation
71260, -000



Logis® Classic
Shut-off valve
71976, -000

Unica® 'Comfort


NEW

Leaves nothing to be desired with regard to strength and comfort

The Unica 'Comfort range is a user-friendly, practical solution for any bathroom. And the strong, robust materials also make it ideal for projects, especially hotels. The strong shower bars have a high

tensile strength of up to 200 kg, so can also be used as a grab handle. The 25 mm thick chrome-plated brass bar and strong metal wall supports guarantee firm and safe support, and prevents it from being pulled from the wall.


The grab handle and shelf, foot support and the Raindance Select S 120 hand shower are the dot on the 'i' when it comes to comfort.



Advantages and benefits

- Single-handed use thanks to self-locking slider
- Easy to change the spray type using the Select button
- Smooth tilt of the shower holder by up to 90°
- High tensile strength of up to 200 kg
- Combination of shelf, grab handle and holder as a compact solution for the bathroom
- Detachable shelf in solid white plastic offers plenty of space for all kind of shower utensils
- The shower bar and grab handle are also ideal for the bath

Shower Sets



Foot support 'Comfort
26329, -000



Grab rail 'Comfort
with shelf and holder
26328, -400



- Made of metal with a non-slip silicone coating



- Holder can be fitted to the left or right, or may be removed

Care mixers

More comfort and safety with hansgrohe Care

Longer handles, intuitive use, constant temperatures, large lettering: The mixers in the Talis Care and Focus Care lines and the Ecostat Comfort Care thermostats provide that extra safety, comfort and ease of use in

the bathroom. The resulting ease in handling water offers particular benefits to families with small children. These perfected solutions are ideal wherever people are in need of assistance owing to their age or illness or

wherever special hygiene conditions apply: i. e. at retirement homes, hospitals, health resorts, or hospices. But also where greater ease of use and safety are required, for instance in nursery schools, or hotels.



Focus® Care

Single lever basin mixer

Ecostat® Comfort Care

Shower thermostat



Advantages and benefits

- Extra long, flat control lever: ergonomically formed for the whole hand or arm
- Comfortable use under a light touch
- Robust brass body and metal handle for a particularly long lifetime
- Temperature preset, e. g. for people who have lost their feeling for hot and cold

Talis® Care

Basin



Talis® Care 80
Single lever basin mixer
32035, -000



Talis® Care
Single lever basin mixer
exposed
32037, -000

Bath



Ecostat® Comfort Care
Bath thermostat
exposed
13115, -000



Shower



Ecostat® Comfort Care
Single lever shower mixer
exposed
13117, -000

Focus® Care

Basin



Focus® Care 100
Single lever basin mixer
31911, -000 with pop-up
waste set
31915, -000 without waste
set
31917, -000 CoolStart
without waste set (not shown)



Focus® Care 70
Single lever basin mixer
31910, -000 with pop-up
waste set
31914, -000 without waste
set



Focus® Care
Single lever basin mixer
exposed
31913, -000

Shower



Focus® Care
Single lever shower mixer
exposed
31916, -000



- User optimised lever length 121 mm
- Strong metal body and handle
- Laminar spray



Under-basin thermostat
exposed
15346, -000



Quick coupling
28346, -000



- Easy to connect to existing valves, e.g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Safety e.g. in nursery schools, hospitals or hotels
- Safe for thermal disinfection

- For quick, easy emptying of hoses

Electronic basin mixer

Sensors for greater hygiene and water savings

Here, water flows only when it is actually needed: Contactless mixers with infrared proximity electronics are especially useful in public facilities for saving water -

and hence for cutting the costs of consumption and energy. In addition, the contactless technology eliminates the risk of contamination associated with heavily used mixers in public

and corporate washrooms. Above all on the care and health sectors, hygiene experts recommend sensor controlled water sources.



Focus®
Electronic basin mixer



Advantages and benefits

- Water savings thanks to automatic stop
- Available for battery and mains connection
- Contactless, so particularly hygienic
- Ideal for public and business sectors
- WELL certified

Electronic basin mixer

PuraVida®



PuraVida®
Electronic basin mixer
with temperature control
15170, -000, -400 Battery operation



Metris® S



Metris® S
Electronic basin mixer
with temperature control
31100, -000 Battery operation
31102, -000 Mains connection 230 V



Metris® S
Electronic basin mixer
with temperature control
31101, -000 Battery operation
31103, -000 Mains connection 230 V



Focus®



Focus®
Electronic basin mixer
with temperature control
31171, -000 Battery operation
31173, -000 Mains connection 230 V



Focus®
Electronic basin mixer
with temperature control
31172, -000 Battery operation
31174, -000 Mains connection 230 V



Accessories

Logis®



Liquid soap dispenser
Glass
40514, -000



Toothbrush tumbler
Glass
40518, -000



Soap dish
Glass
40515, -000



Towel hook
40511, -000



Roll holder
with cover
40523, -000



Roll holder
without cover
40526, -000



Spare roll holder
40517, -000



Toilet brush tumbler
Glass
40522, -000



Towel holder
twin-handle
40512, -000



Grab rail
300 mm Drilling distance
40513, -000



Bath towel rail
600 mm Drilling distance
40516, -000

Logis® Classic



Liquid soap dispenser
Ceramics
41614, -000



Toothbrush tumbler
Ceramics
41618, -000



Soap dish
Ceramics
41615, -000



Towel hook
41611, -000



Roll holder
with cover
41623, -000



Roll holder
without cover
41626, -000



Spare roll holder
41617, -000



Toilet brush tumbler
Ceramics
41632, -000



Towel holder
twin-handle
41612, -000



Grab rail
300 mm Drilling distance
41613, -000



Bath towel rail
600 mm Drilling distance
41616, -000

hansgrohe waste systems

Discreet design, perfect function

Cleanliness is indispensable for well being in the bathroom. For this reason, hansgrohe has developed a large number of innovative waste systems. The used water

can then drain off quickly and easily. Flexible models like Exafill, Flexaplus, Raindrain and Flowstar are easy to install and in addition are perfectly easy to use. Overflow control and

other intelligent functions maintain comfort on a high level for a very long time.



Push-Open: The Push-Open waste is opened and closed at the tap of a finger and water can collect and drain off very easily.



Flowstar®: The Flowstar waste system also presents a visually clean solution under the wash basin.



Exafill® S bath: The integrated fine flood spray fills the bath easily and free of splashes, so a separate bath filler is not needed. Exafill S is everything in one: bath filler, outflow and overflow. Better still: The installation is pleasantly uncomplicated – and with QuickClean technology cleaning the filler nozzles is just as easy.



Flexaplus® S bath: Never again a bath that has run too full. The outflow and overflow mixer regulates excess bath water through the overflow control element. In addition, the water level in the bath can be raised by up to 25 mm – for even more bath fun.



Raindrain® 90 XXL shower: Ideal for large showers with high flow rates like Raindance Rainfall or Raindance Rainmaker. Provides for a fast and uncomplicated outflow in all shower trays. The perfect shower outflow with a max capacity of 51 l/min and easy installation.



Advantages and benefits

- Water can drain off quickly and easily
- Easy to install and use
- Reliable even for large showers with high flow rates
- Overflow control and other intelligent functions

Wastes and Overflow



Flowstar® designer siphon
52100, -000
Set: 1 Flowstar,
2 angle valve bolts
(incl. angle valve)
52120, -000 (not shown)



Flowstar® S designer siphon
52105, -000



Angle valve E
13902, -000



Angle valve S
13901, -000



Free-flow waste
Push-Open
50100, -000



Free-flow waste
Push-Open
50105, -000



Free-flow waste
with closed cover plate
50001, -000, -800



Waste set
with tilting lever
94139, -000

Waste systems for showers



Raindrain® 90 XXL
Complete set 51 l/min
60067, -000



- Flow performance max 51 l/min
- Easy installation



Staro® '90
Complete set 29 l/min
60056, -000



Staro® '52
Complete set 33 l/min
60060, -000

Waste systems for bath tubs



Flexaplusth
58143, -000
Waste and overflow complete set with flexible hose for standard tubs



Flexaplusth S
58150, -000
Waste and overflow complete set with flexible hose for standard tubs



Flexaplusth
58140180
Waste and overflow complete set with flexible hose for standard tubs



Flexaplusth
58141180
Bath filler with waste and overflow basic set for special tubs



- Spring loaded plug protects against injury
- Self cleaning screw siphon



Flexaplusth
58185, -000 Finish set



Flexaplusth S
58186, -000 Finish set



Exafillth
58123, -000
Bath filler with waste and overflow complete set for standard tubs



Exafillth
58125180
Bath filler with waste and overflow complete set for standard tubs



Exafillth
58126180
Bath filler with waste and overflow basic set for special tubs



Exafillth
58127, -000 Finish set



Exafillth S
58113, -000
Bath filler with waste and overflow complete set for standard tubs



Exafillth S
58115180
Bath filler with waste and overflow complete set for standard tubs



Exafillth S
58116180
Bath filler with waste and overflow basic set for special tubs



Exafillth S
58117, -000 Finish set



- Flexibly adaptable to bath forms

KITCHEN MIXERS


Mixer diversity where know-how quality, functionality and design come together:

Metris® Select | Metris® | Talis® Select S | Talis® S | Focus® | Logis® | Logis® Classic



Select technology

Comfort at the touch of a button – to suit your customers' taste



The innovative Select technology provides extremely comfortable operation at the touch of a button – including in the kitchen of course. Many people find cooking helps them to relax and switch off. And switching off is the key. With the Select button, it happens

literally at the touch of a hand – or elbow. This keeps the mixer clean even if the user has dirty hands. It's easier to turn the water off between various tasks, which means it's also easier to avoid wasting water. So cooking remains relaxing thanks to the modern yet practical

design of hansgrohe's kitchen mixers – even the pull-out spray is available with Select technology. Intelligent handling then turns cooking into a real pleasure.



More freedom of movement: The Select button is operated almost in passing, bringing added comfort and more flexibility into daily activities.

hansgrohe kitchen mixers

The kitchen mixer lines at a glance

		Metris® Select S/Metris®		Talis® Select S/Talis® S	
					
	Product name	Metris® Select 320	Metris® 320	Talis® Select S 300	Talis® S 200
Versions	With Select technology	■	-	■	-
	With pull-out spray	-	ComfortZone 320 14820, -000, -800 ComfortZone 220 14834, -000, -800	-	ComfortZone 200 72813, -000, -800 ComfortZone 160 72815, -000, -800
	With pull-out spout	ComfortZone 320 14884, -000, -800 ComfortZone 240 14857, -000, 800	ComfortZone 320 14821, -000, -800	ComfortZone 300 72821, -000, -800 ComfortZone 220 72822, -000, -800	-
	With swivel spout	ComfortZone 320 14883, -000, -800 ComfortZone 260 14847, -000, -800	ComfortZone 320 14822, -000, -800	ComfortZone 300 72820, -000, -800	ComfortZone 260 72810, -000, -800 ComfortZone 220 72814, -000, -800
	For window installation	-	ComfortZone 320 14823, -000	-	-
	For open water heaters	-	-	-	ComfortZone 260 72812, -000
	With shut-off valve	-	ComfortZone 320 14888, -000	-	ComfortZone 220 72811, -000



Scan this QR code and present our kitchen mixers at work.

	Talis® S	Focus®		Logis®			
							
	Talis® S² Variarc	Talis® S	Focus® 240	Focus® 160	Logis® 260	Logis® 220	Logis® 160
-	-	-	-	-	-	-	-
ComfortZone 220 14877, -000	ComfortZone 170 32841, -000	ComfortZone 240 31815, -000, -800	-	-	-	-	-
ComfortZone 260 14872, -000	-	-	-	-	-	-	-
ComfortZone 270 14870, -000	ComfortZone 170 32851, -000	ComfortZone 280 31817, -000, -800 ComfortZone 260 31820, -000, -800	ComfortZone 160 31806, -000, -800	ComfortZone 260 71835, -000	ComfortZone 220 71280, -000	ComfortZone 160 71832, -000 ComfortZone 120 71830, -000	
ComfortZone 260 14872, -000 ComfortZone 220 14877, -000	-	-	-	-	-	ComfortZone 160 71833, -000	
-	ComfortZone 170 32842, -000	ComfortZone 260 31822, -000	ComfortZone 160 31804, -000	-	-	ComfortZone 120 71831, -000	
ComfortZone 270 14875, -000	-	ComfortZone 260 31823, -000	ComfortZone 160 31803, -000	-	-	ComfortZone 220 71834, -000	

hansgrohe kitchen technologies

Everything that makes excellent kitchen helpers

A kitchen helper should not only be an eye-catcher it should also withstand a lot. After all, a kitchen mixer is used up to ninety times a day. This makes it the most often used device in the kitchen. That is why we make every single kitchen mixer exclusively from top

quality materials – and fit them with technical highlights. This means: From the peeler to the gourmet, from the dishwasher to the five star chef – hansgrohe kitchen mixers are a pleasure to all. No matter who is turning on the tap: Here is where know-how quality,

functionality and design come together. This makes our kitchen mixers competent helpers at the sink that will convince even the most discerning of customers.



Quality made by hansgrohe: High quality materials and the fulfilment of international standards assure buyers that they are purchasing a long lasting quality product.



MagFit magnetic holder: Thanks to the MagFit function, the hose slides back almost silently and slots back into place in the middle of the mixer spout.



Pull-out spray with two spray types: The pull-out spray also offers two types of spray, normal and shower, which are easy to change between.



Ergonomic handles: Long flat handles for ease of control.



Swivel function: The mixers offer either a limited swivel range (110°/120°/150°) or all-round freedom of movement (360°).



Pull-out spray/spout: The pull-out spray and the pull-out spout extend the range at the sink.



ComfortZone: The ultra high spout offers plenty of space and is ideal for filling large containers and pots.



Select Button: Select technology ensures that using it is easy: a simple click is all it takes to stop and start the water flow. As easy as ABC with an elbow or the back of a hand – so the mixer stays clean.



Vertical handle position: Installation is possible even when there is only little room between the mixer and wall. Plus: Hot water flows at the vertical handle out of the reach of children's hands.



Variable handle positioning: The handle can be installed on the left or right, as preferred.



Stainless steel look PVD: Stainless steel look surfaces are made with PVD technology and are particularly resistant to wear and scratches.



QuickClean: It is very difficult for limescale to take hold on the elastic disc and if it does, it can easily be rubbed away.



Fold-down function for window installation: Ideal for installation in front of a window; simply lift the mixer up when required and lay it down.



Ceramic or joystick cartridge with Boltic handle lock: Thanks to the specially hardened plastics, the joystick, M1 and M2 cartridges help to ensure the mixer has a long functional life. The wedge-shaped control lever of the Boltic handle prevents the handle wobbling in use.



PEX hoses: The PEX hoses are temperature-resistant and neutral in taste and odour.



Easy installation: Flexible connections and the integrated stabilisation plate for thin-walled stainless steel sinks make it easier to install the mixer, and guarantee safe results.



QuickConnect for pull-out spray hoses: Thanks to the QuickConnect function, the hoses are particularly easy to fit.




Kitchen shut-off valve: Available as an option in the same design as any hansgrohe kitchen mixer for external device shut-off, such as dishwashers.



Five year guarantee: You can trust hansgrohe quality. This is confirmed by the voluntary five-year warranty.

Metris® Select

Easy operation is the best recipe



Flexible: Tasks blend seamlessly thanks to the combination of intuitive Select button and practical pull-out spout – for more comfort in the kitchen and beyond the sink.



Advantages and benefits

- Mixer easy to turn on and off at the touch of a button
- Intuitive control concept makes it ideal for all ages
- New spray design for easy handling with no irritating twisting of the wrist
- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Basic form matches the shape of the sink and integrates harmoniously in the kitchen

Metris® Select



Metris® Select 320
Single lever kitchen mixer
with pull-out spout,
150° swivel spout
14884, -000, -800



NEW



Metris® Select 240
Single lever kitchen mixer
with pull-out spout,
150° swivel spout
14857, -000, -800




Metris® Select 320
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
14883, -000, -800



NEW



Metris® Select 260
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
14847, -000, -800



Metris®



Metris® 320
Single lever kitchen mixer
with pull-out spray,
two spray types,
110°/150° swivel spout
14820, -000, -800



NEW



Metris® 220
Single lever kitchen mixer
with pull-out spray,
two spray types,
110°/150° swivel spout
14834, -000, 800




Metris® 320
Single lever kitchen mixer
with pull-out spout,
110°/150° swivel spout
14821, -000, -800




Metris® 320
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
14822, -000, -800
14823, -000 for
installation in front of a
window (not shown)
14888, -000 with shut-
off valve (not shown)



- Vertical handle position
- Pull-out spray with 2 spray types (normal/shower spray)
- Clear, laminar spray for fewer splashes

- Suitable for installation in front of a window
- Available with device shut-off valve

Kitchen mixers

Talis® Select

The all-rounder for the modern kitchen



Versatile: Even containers that are some distance away are easy to reach and fill without splashing thanks to the Select button and the pull-out hose – even with just one hand.

Robust: Whether on the pull-out spray or the 150° swivel spout, the Select button is purely mechanical, which makes it especially robust.



Advantages and benefits

- Select version with intuitive operation at the touch of a button
- Select technology integrated harmoniously in the slender spout
- Conical basic shape radiates a luxurious elegance
- **Easy to clean:** thanks to the large areas and precise transitions
- Two Select mixer types for individual requirements: with pull-out or swivel spout

Talis® Select S



Talis® Select S 300
Single lever kitchen mixer
with pull-out spout 150°
72821, -000, -800



Talis® Select S 220
Single lever kitchen mixer
with pull-out spout 150°
72822, -000, -800



Talis® Select S 300
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
72820, -000, -800



Talis® S



Talis® S 200
Single lever kitchen mixer
with 110°/150° swivel spout
72813, -000, -800



Talis® S 160
Single lever kitchen mixer
with pull-out spout,
two spray types,
110°/150° swivel spout
72815, -000, -800



Talis® S 260
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
72810, -000, -800
72812, -000
for open water heaters



Talis® S 220
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
72814, -000, -800
72811, -000 with shut-off
valve (not shown)



- Vertical handle position
- Pull-out spray with 2 spray types (normal/shower spray)
- Clear, laminar spray for fewer splashes

Talis® S² Variarc

Swinging elegance for the kitchen



Practical: Thanks to the integrated changeover function, the mixer can also be installed in front of a window.

Variable: Choice of two spray types: standard and shower spray.



Advantages and benefits

- Vertical handle position for easy use even when there is little space in front of the wall
- Suitable for continuous-flow water heaters
- Swivel range 150°
- Mixer with 2 spray types (standard/shower spray)
- MagFit magnetic holder for spray

Talis® S² Variarc



Talis® S² Variarc
Single lever kitchen mixer,
two spray types, 150° swivel
spout possible for window
installation
14877, -000



Talis® S² Variarc
Single lever kitchen mixer
with pull-out spout, 150°
swivel spout possible for
window installation
14872, -000



Talis® S² Variarc
Single lever kitchen mixer
with 110°/150°/360°
swivel spout
14870, -000
14873, -000 for open water
heaters
14875, -000 with shut-off
valve (not shown)



Talis® S



Talis® S
Single lever kitchen mixer
with pull-out spray, two spray
types, 150° swivel spout
32841, -000
32842, -000 for open water
heaters



Talis® S
Single lever kitchen mixer
with 150° swivel spout
32851, -000



Talis® Classic



Talis® Classic
Single lever kitchen mixer
with pull-out spray, two spray
types, 150° swivel spout
14864, -000
ComfortZone 210
14863, -000
ComfortZone 240 (not shown)



Talis® Classic
Single lever kitchen mixer
with 150° swivel spout
14858, -000



Focus®



Focus® 240
Single lever kitchen mixer
with pull-out spray, two spray types,
150° swivel spout
31815, -000, -800



Focus® 260
Single lever kitchen mixer
with 110°/150°/360° swivel spout
31820, -000, -800
31822, -000 for open water heaters
31823, -000 with shut-off valve
(not shown)



Focus® 280
Single lever kitchen mixer
with 110°/150°/360° swivel spout
31817, -000, -800



- Pull-out spray with 2 spray types (normal/shower spray)
- MagFit magnetic holder for spray



- Swivel range can be set in three steps (110°/150°/360°)
- Variable handle position (right or left)



Focus® 160
Single lever kitchen mixer
with 360° swivel spout
31806, -000, -800
31804, -000 for open water heaters
31816, -000 CoolStart Eco (not shown)
31803, -000 with shut-off valve
(not shown)



Focus® E
Single lever kitchen mixer
with 360° swivel spout
31780, -000
31784, -000 for open water heaters



Focus®
Single lever kitchen mixer
for wall installation,
180° swivel spout
31825, -000



Kitchen shut-off valve
10823, -000, -800
to match any hansgrohe kitchen mixer



Logis®



Logis® 260
Single lever kitchen mixer
with 110°/150°/360° swivel spout
71835, -000



Logis® 200
2-handle kitchen mixer,
swivel spout 110°/150°/360°
71280, -000



Logis®
Single lever kitchen mixer
for wall installation,
180° swivel spout
71836, -000



Logis® 160
Single lever kitchen mixer
with 360° swivel spout
71832, -000
71833, -000 for installation in
front of a window (not shown)
71834, -000 with shut-off valve
(not shown)
71839, -000 CoolStart Eco
(not shown)



Logis® 120
Single lever kitchen mixer
with 360° swivel spout
71830, -000
71831, -000 for open water
heaters
71837, -000 CoolStart Eco
(not shown)



Logis® Classic



Logis® Classic 200
2-handle kitchen mixer,
swivel spout, 110°/150°/360°
71285, -000



Logis® Classic
2-handle kitchen mixer for wall
mounting, swivel spout 180°
71286, -000



Logis® Classic
2-handle kitchen mixer
for wall mounting,
swivel spout 180°
71287, -000



COMPANY

**Ideas with water:
Hansgrohe has been a step
ahead of its time since 1901**



The Hansgrohe company

From the outset we blazed a trail in the handling of water

Hans Grohe was a pioneer, constantly looking to create new innovations, he was not satisfied with anything less than groundbreaking. In a time when initial ideas were being aired for private home bathrooms and the daily shower was still utopian, he was already developing the first showerheads. He therefore set new standards in the bathroom – far beyond the borders of the Black Forest. Now with 34 companies, 21 sales offices,

supplying products to 143 countries on every continent and global availability of our products, the hansgrohe brand is seen to be one of the few global players in the sanitary industry. Now as then, the company produces mainly in Schiltach and Offenburg – an acknowledgement to “made in Germany” and at the same time an expression of the values lived at Hansgrohe. One of the most important values is that of social responsibility.

The Hansgrohe Group is therefore one of the sector’s pioneers in the arena of sustainability and environmental and climatic protection. This is reflected in water- and energy-saving products as well as in environmentally-friendly production technologies, global environmental protection projects, and information on the sustainable handling of the resource water.



Hansgrohe is represented at 55 locations all over the world.

Shower history at hansgrohe

Milestones of shower technology

From the trickling apparatus to the convenient spray change at the push of a button: Since 1901, the inventions from the Black Forest thinktank have been shaping the

bathroom landscape all over the world. Many products, concepts and solutions developed and designed at hansgrohe have given fresh impetus to the international bathroom industry.

Some have written bathroom, perhaps even cultural, history. Such a success story motivates us to constantly stay ahead of the times.



1928

1968

Selecta®

1974

Tribel®

1976

Mistral®

1986

Aktiva®

1987

Mistral® Eco

First hand shower with white porcelain handle.

Selecta hand shower with continuously adjustable shower spray and glass look.

First design award winning hand shower in many colours and with three spray types.

First hand shower with rotating massage spray.

First hand shower with anti-limescale function QuickClean.

New technology with up to 50% water savings.



1993
Joco®

First cartoon design hand shower for children.

1999
Aktiva® A8

2-shell hand shower with internal flow structure and threefold anti-limescale function.

2003
Raindance®

First hand shower with XL showerhead and Whirl spray.

2004
Raindance® Air

First hand shower with AirPower technology.

2009
PuraVida®

Pioneering design language with DualFinish in white/chrome; easy spray change at the push of a button.

2011
Raindance® Select

First Raindance hand shower with Select technology for spray changes.

2012
Raindance® Select

First hand shower with two full rain sprays, changed by Select.

History of hansgrohe mixers

Revolutions in mixer history

A hansgrohe mixer is so much more than just a tap. It is always a piece of future for the bathroom. hansgrohe added highlights in technology and form with its very first mixer, back in 1981. This was followed by numerous other innovations and inventions, and the company set standards in design and functionality – which is confirmed by numerous awards. Of course, this success is also a commitment. Which is why hansgrohe does everything it can to introduce further epochs in the bathroom history. hansgrohe has always stood for innovation.



1981
ALLEGROH

The first mixer with the new lever handle, swivel spout and innovative ball mix technique.

1985
Uno

First single lever mixers in red, white, grey and yellow – winners of several design awards.

1997
Boltic

Patented handle lock protects against handle wobbles – even after years.

2001
iBox® universal

First and only basic set for all standard and thermostat solutions – a revolution in concealed installation.

2002
Talis® S

The slender, sophisticated lines bring a new simplicity into the bathroom.



2005

World of Styles

Two new style worlds: Elegance – circular, rounded and organic shapes. And Style – clear, minimal and flat.

2007

EcoSmart®

New, environmentally friendly technology; hansgrohe mixers only use 5 l/min as standard.

2009

PuraVida®

Pioneering design with DualFinish in white/chrome; international award winner thanks to the sculptural looks and technical features.

2011

ComfortZone

Various spout heights provide greater freedom of movement in the bathroom.

2012

CoolStart®

User-friendly, energy-saving technology where only cold water flows when the handle is in the central position.

2015

Talis® Select

First basin mixer with Select technology. Water is turned on and off at the touch of a button.



Award for outstanding design

Perfected water pleasure also means for us: Perfectly shaped

To us, design is not a matter of taste, but an attitude – even a passion. Accordingly, international acclaim has been a constant source of joy to us: With its brands hansgrohe and AXOR, Hansgrohe SE is in sixth place in the 2017 iF rankings, and is therefore

number one in the bathroom industry. Over 491 awards in 50 design prizes all over the world make us one of the highest award winners on the sanitary market. However, design is never an end in itself, but always an expression of equality between form and

function. In the search for the most intelligent solution, we create showers and mixers whose extraordinary quality is a never ending source of pleasure.



Raindance®
Hand shower



Raindance® S 150
Hand shower



Raindance® Royale 350
Overhead shower



Rainmaker®
Rainmaker®
Overhead shower



Metris® S
Electronic basin mixer



Focus® S
Single lever basin mixer



Talis® E2
Single lever basin mixer



Croma® 100 Multi
Hand shower



Raindance®
Rainfall® 240
Overhead shower



Talis® S2
Single lever basin mixer



Raindance®
Connect S 240
Showerpipe



Croma® 100
Showerpipe



**Raindance® S 150/
Raindance® Unica® S**
Set



Ecostat® E
Bath thermostat



Talis® Classic
Single lever basin mixer



Crometta® 85 Green
Hand shower



PuraVida® 240
Single lever basin mixer



PuraVida® 400
Overhead shower



PuraVida® 150
Hand shower



PuraVida® 110
Single lever basin mixer



RainBrain®
Shower control



Focus® E2
Single lever basin mixer



Raindance® E 420
Showerpipe



Raindance® 240
Showerpipe





reddot design award



Focus Open Silber 2012

DESIGN PLUS

powered by: **ISH**



Raindance® E 420
Overhead shower



2010 2012



PuraVida®
Electronic kitchen mixer



2011 2012



Raindance®
Select S 150
Hand shower



2011 2012 2012



Raindance®
Rainfall® 180
Overhead shower



2012



PuraVida®
Electronic basin mixer



2012



Focus® 240
Single lever basin mixer



2012



Focus®
Electronic basin mixer



2012 2012



PuraVida® 225
Single lever basin mixer



2012 2012



Metris®
Product family Single
lever basin mixer



2012 2012



Talis®
Product family Single
lever basin mixer



2012



Focus®
Product family Single
lever basin mixer



2012



Raindance®
Select E 120
Hand shower



2013



Raindance® Rainfall®
Stream 150 1jet



2013



Raindance® Lift
Showerpanel®



2013



ShowerSelect®
Thermostat product family



2013 2014 2014



ShowerTablet®
Select 300
Thermostat



2013 2014



Raindance®
Select S 120
Hand shower



2014



Metris® 320
Single lever kitchen mixer



2014



Logis®
Product family Single
lever basin mixer



2014 2014



Metris® Select 320
Single lever kitchen mixer



2014



Talis® Select S
Product family Select
basin mixer



2015 2015



Rainmaker® Select
Showerpipe



2015 2015



ShowerSelect® Glass
Thermostat product family



2015 2015



Crometta® 100 Vario
Hand shower



2016



Manfred Dorn, Tom Schönherr, Andreas Haug,
and Harald Lutz (from left)

Winner of many awards: Phoenix Design

This team has been shaping the face of hansgrohe for many years: Andreas Haug, Tom Schönherr, Manfred Dorn and Harald Lutz. Their yardstick of successful design is the satisfaction of the people who use their products. Although this creative team prefer to work in the background, they are nevertheless overjoyed at the many awards their design workshop has received.

Photo: Phoenix Design

International projects

The world is our home



All over the world, developers and investors work hand in hand with architects and planners on sophisticated projects. They are constantly in need of intelligent and aesthetically appealing solutions for handling the essential element water. The mixers,

showers and bathroom collections from the Black Forest lend top addresses that definite extra design and comfort: in impressive hotels and public buildings, in private residences and royal palaces, in exclusive sports clubs and in cruise ships and luxury yachts. You will

find further inspiring examples of this on our innovative bathroom planning platform: <http://ispecify.hansgrohe.com>



Hotel Vander Urbani Resort, Ljubljana
hansgrohe products:
PuraVida® basin mixer 200,
PuraVida® bath mixer,
PuraVida® baton shower

Photos: Miran Kambic



Unique Design Hotel Lone, Rovinj
hansgrohe products:
Talis® basin mixer,
Talis® bath mixer,
Croma® 100 hand shower

Photos: 3LHD



Hotel JW Marriott Santa Fe, Mexico City
 hansgrohe products:
 PuraVida® basin mixer,
 PuraVida® bath mixer,
 PuraVida® baton shower

Photos: Hotel Marriott Santa Fe



Neue Hofgärten, Ludwigshafen
 hansgrohe products:
 Metris® bath mixer,
 Cromo® 100 Vario/Porter 'S set

Photos: hansgrohe Esch



Hotel 5S Hilton, Gdańsk
 hansgrohe products:
 Talis® 80 basin mixer,
 Raindance® S 120 Air/Unica® 'S Puro shower set,
 Ecostat® S thermostat

Photos: Jan Wójcikiewicz

Further inspiring references can be found under <http://ispecify.hansgrohe.com>

Stamford Residences, Sydney
hansgrohe products:
Focus® 100 basin mixer,
Focus® bath spout

Photos: Stuart Scott



Hotel Saint Regis, Roma
hansgrohe products:
Raindance® E 420 Air Showerpipe,
Raindance® Classic 300 overhead shower,
Raindance® E 120 Air hand shower

Photo top: Matthias Hamel Fotografie
Photo left: Enrico Maria Santoni


Al Matrook Tower, Bahrain
 hangrohe products:
 Metris® 3-hole bath mixer for the tub rim

Photos: The Domain Bahrain



Private bathroom Christina Obergföll,
 world champion javelin throw 2013
 hangrohe products:
 ShowerSelect® finish sets,
 Raindance® Rainfall®,
 Raindance® Select E 120 hand shower,
 Metris® basin mixer,
 Metris® bath mixer

Photos: Peng Chen



Cruiselinier Norwegian Breakaway
 hangrohe products:
 Metris® basin mixer,
 Metris® 3-hole bath mixer,
 Raindance® S Showerpanel®

Photo top: Meyer Werft
 Photo left: Ingrid Fiebak-Kremer

Technologies



Switches over to a different shower or spray type in moments, and provides pleasure at the touch of a button.



Reduces the flow rate to save water and energy. For long-lasting pleasure.



Combines water with a generous amount of air. For a soft, splash-free water spray and rich, full shower drops.




Limescale deposits are simply wiped away by rubbing a finger over the flexible silicone jets.



Distributes the water over the large spray face enveloping the whole body in drops of well-being.



Defines the useable area between washstand and mixer. Something to suit every customer.



Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.

Spray modes



Rain spray over the entire area of the spray face for large-scale showering pleasure.



Perfect for rinsing shampoo out of your hair.



The especially large spray face envelops your whole body with soft drops.



Gentle shower rain with air-enriched drops.




The ultra-soft drops are a delight for the skin and soul.




An intensive water spray that activates and refreshes.




The most powerful of all Rain sprays – for a refreshingly powerful showering experience.



The harmonious combination of gentle shower drops and dynamic spray.



A concentrated massage spray.



Provides fresh energy after a challenging day: The feel good, revitalising massage spray.



Strong, pulsating massage spray.



A flat, targeted jet for partly refreshing shower pleasure.



A powerful surge spray for the feeling of standing alone in a waterfall. Every day.



Parallel jets of large sparkling water drops right down to the floor for the same showering experience on all body sizes.

Surfaces


Order numbers specifying a surface finish are (#) eight digits long, for example 28500, -000 = Chrome

-000 Chrome
-090 Chrome/
gold-optic
-400 White/chrome


-450 White
-600 Black/chrome
-800 Stainless steel
optic

hansgrohe iSpecify planning platform in the Internet


Project planning made easy



Comprehensive: The iSpecify online platform is perfect for planning bathrooms to all the necessary product specifications, and includes international references for additional inspiration.



User-friendly: Planning commences either with impressive worldwide references, the application or the specific product.




Saves time: All the main product details such as the technical information and dimensional drawings can be easily found and saved in project lists.



Use iSpecify to make your bathroom planning easier:
<http://ispecify.hansgrohe.com>

YouTube Find out more about iSpecify in the video at:
www.youtube.com/hansgrohe



The PartnerPlus services:

Hansgrohe Customer Service

For technical enquiries, experts in the bathroom trade will be happy to assist you with their extensive knowledge of the entire hansgrohe product range. Service and replacement parts are delivered in the fastest possible manner.

Service hours:

Monday – Thursday: 7:30 am – 5 pm

Friday: 7:30 am – 3:30 pm

Phone: +49 7836 51-3128

Fax: +49 7836 51-1440

E-Mail: info@hansgrohe.com

Hansgrohe Sales Service

Phone enquiries regarding products and delivery times.

Service hours:

Monday – Thursday: 8 am – 4 pm

Friday: 8 am – 3 pm

Phone: +49 7836 51-1282

Fax: +49 7836 51-1440

E-Mail: info@hansgrohe.com

Hansgrohe replacement part guarantee

We guarantee the availability of replacement parts for up to ten years. This gives you peace of mind, even for projects that were completed some time ago.

The Hansgrohe Aquademie, Schiltach, Germany

The Aquademie is our event centre where you can experience everything to do with water. Visit our museum to learn all about the history of bathing and the bathroom. Discover in our exhibition how international design stars turn a bathroom into a true oasis of well-being. Let us show you how innovative technologies can make saving water a pure pleasure. Or experience great shower and water fun in our Showerworld, Germany's largest bathroom.

Opening hours:

Monday – Friday: 7.30 am – 7 pm

Saturday – Sunday: 10.30 am – 4 pm

Free admission. Booking required.

Please bring swimwear.

Please bear in mind that we can present only a selection of our products in this sales manual. Our full range can be found at www.hansgrohe-int.com.

Find out more about the hansgrohe world at <http://pro.hansgrohe-int.com>



Experience hansgrohe products interactively

The iPad version of the end customer catalogue can be found at <http://appstore.com/hansgroheshowroom>



Planning with hansgrohe@home

Use this app to show your customers how good a hansgrohe mixer will look in their home, virtually. iTunes: <http://appstore.com/hansgrohehome>
Google Play: <http://play.google.com/store/search?q=hansgrohe+se>



Savings with hansgrohe

All you need to know about how hansgrohe helps to save water and energy can be found at <http://pro.hansgrohe-int.com/savings-calculator> or, on mobile devices, at <http://m.pro.savings.hansgrohe-int.com>



Headquarters – Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach · Tel. +49 7836 51-0
Fax +49 7836 51-1300 · info@hansgrohe.com · www.hansgrohe-int.com

Australia – Hansgrohe Pty Ltd · Level 1 · 123 Camberwell Rd · East Hawthorn · Victoria 3123
Tel. +61 3 9811 9971 · info@hansgrohe.com.au · www.hansgrohe.com.au

Cyprus – Hansgrohe Middle East & Africa Ltd. · PentadaktiLou Street 2 · Office 104 · CY-7101 Larnaca (Aradippou)
Tel. +357 24 813081 · Fax +357 24 813031 · me.support@hansgrohe.com · www.hansgrohe-middleeast.com

Singapore – Hansgrohe Pte. Ltd. · 69 Mohamed Sultan Road · Singapore 239015
Tel. +65 6884 5060 · Fax +65 6884 5070 · info@hansgrohe.com.sg · www.hansgrohe.com.sg



This catalogue has been produced with as much care for the environment as possible. You can also do your bit for the environment by passing this catalogue on to others when you have finished with it or else recycling it.

