



# WISH

Minimum consumption, easy to clean and user-friendly household appliances.

Ovens, hobs & cooker hoods.

We have given our best to make your wishes come true...

because at Teka, we know that sometimes,

your greatest WISH is as simple as sharing pizza with your

loved ones...,

preparing your secret recipe...
or cooking with your friends, sharing great moments with
yours in the kitchen.

This is why we have created  $\mathbf{WISH}$ . Because our greatest  $\mathbf{WISH}$  is that yours, come true...

# TEKA KITCHEN APPLIANCES

TEKA GROUP P4
OUR VALUES P5
WORLDWIDE PRESENCE P6
OVENS P8
MICROWAVE P14



HOODS **P20** HOBS **P26** LAUNDRY P36 REFRIGERATORS P42 DISHWASHERS P48 SINKS **FAUCETS** TEKA ACCESSORIES TEKA WARRANTY **P78 TECHNICAL DRAWINGS** P79

# TEKA GROUP GLOBAL SOLUTIONS FOR

YOUR KITCHEN

Teka is a European industrial group founded in Germany in 1924. With over 90 years of experience in manufacturing domestic and professional appliances, taps, bath fittings and industrial containers. It is also one of the most important groups in the production of stainless steel sinks and beer kegs.



### KITCHEN AND BATH

The Kitchen & Bath Unit is Teka Group's largest business unit. With 16 factories in Europe, America and Asia-Pacific, the unit is the leading European manufacturer of stainless steel sinks and built-in kitchen appliances: ovens, hobs, hoods, etc. As a technology manufacturer offering diversified product ranges, Teka Group provides integrated kitchen and bathroom solutions and bespoke designs to complement its offer.

### PROFESSIONAL KITCHEN

The Professional Kitchen Unit designs, manufactures, markets and services a line of standard modular and tailor- made kitchen and catering equipment for hotel chains, restaurants, education facilities, hospitals, airports and sports clubs, among others. Its high-quality technology and European design have earned it prestigious recognition.



### CONTAINERS

This Unit is specialised in the manufacture of high-quality stainless steel containers. One out of three beer kegs in the world is produced by Teka, which makes us the global leader in this sector, boasting a market share of approximately 35%. The container Unit's clients include the world's most important breweries, in addition to chemical, pharmaceutical and food-service companies.

### THE BRAND WITH VALUES

Success can only be achieved with strong values. Here, at Teka, we are constantly seeking, reviewing and proposing new solutions. But none of them would be as useful as we would like if every single innovation we develope is not underpinned by our values.



### AUTHENTICITY

Since we started out in a small workshop in Germany, we have remained loyal to our roots. Our founder's spirit is our inspiration, generation after generation. That is why we believe in authenticity as a value that never goes out of fashion.



For over 90 years millions of customers have entrusted us their family's care. We accept this trust with pride and to strive for excellence, rather than just settling for the right option. Because the happiness of our customers is our objective.



### PASSION

Great home appliances and quality ingredients do not guarantee excellence. Only when we feel passion, we can attain full satisfaction. We live the world of cooking intensely, making it a great experience for us and our customers.



## SHARED

Sharing emotions is something exceptional. Here, at Teka, we love to give you an excuse to enjoy cherished moments with your family and friends.

Our products create reasons to share emotional moments.

"From the moment that we draw the first lines for our projects, we only have one idea in mind: making those who trust us happy.

04 TEKA GROUP 05






Wherever a customer needs us, we deliver solutions

TEKA LOCATIONSCOUNTRIES WITH FACTORIES

With a worldwide presence, including 23 factories
In 3 continents and offices in 35 countries,
the Group operates in over 116 countries, in 5 continents.
We strive to attain and maintain the highest quality
certifications in compliance with the strictest

environmental standards.

06 WORLDWIDE PRESENCE 07





At Teka, we believe that without convenience and ease of use, there can be no innovation. That is why our  $\widehat{\text{WISH}}$  ovens are truly innovative.

# WISH

## Make a wish

WISH, THE SPECTACULAR NEW OVEN RANGE CREATED BY TEKA.

HIGHLY ACCURATE, LOW CONSUMPTION APPLIANCES WHICH

ARE VERY EASY TO USE AND CLEAN AND WILL MAKE ALL YOUR

COOKING DREAMS COME TRUE – IN A REAL KITCHEN!





### WISH

ovens have been tested in the world's most demanding laboratory:

your kitchen.



### REAL SPACE

With more space inside: Up to 76 litres useful capacity, 30% more than previous models. Trays with 7.5% greater surface area.

Now with anti-tip system.



### **REAL SAVINGS**

WISH ovens reduce energy consumption by up to 20% compared to previous models. Highly efficient, they have a lot to offer and reduce the carbon footprint.




### REAL PRECISION

WISH ovens increase your haptic sensation with new control knobs. Their wider diameter makes for an easy grip and increases precision in every movement.



### SMOOTHNESS, ABOVE ALL

With the **SoftClose** system, avoid unpleasant slamming thanks to the oven's smooth opening and closing. **SoftClose** also ensures safety and comfort.



### ULTIMATE SAFETY AND CLEANLINESS

The **Cool Touch System**®, with up to 4 glass panels, prevents burns.

Furthermore, the glass panels and the doors can be taken apart, making cleaning them properly easy.



### HYDROCLEAN®

TEKA OFFERS YOU
2 WATER SELF-CLEANING OPTIONS:



### HYDROCLEAN® PRO

Activate the HydroClean® PRO function at the press of a button. As easy as pie!



### HYDROCLEAN® ECO

The manual and most ecological option. Add water, set the bottom heat function at 90°C for 4 minutes, wait 20 minutes and ready to go!



The combined action of the steam generated in the oven cavity and HydroClean® technology removes grease and grime with just a glass of water and a few drops of detergent poured onto a wipe. Ready in just 24 effort-free minutes!



### SAFETY

At Teka, safety in your kitchen is not an option.

That is why the oven door features a locking system throughout the entire pyrolytic cleaning process and even during cooking, 3 or 4 insulating glass panels in the door and a 2-speed, tangential Plus fan to cool down the door without wasting energy and to ensure that everything is just right!



### **NEW SLIPPERY ENAMEL**

Cleaning new WISH ovens is more efficient thanks to the Slippery enamel that coats their entire interior. This latest-generation enamel keeps the inside of your oven clean for longer as it resists sticking and increases slipperiness. Its resistance to acids and chemical agents also lengthens its useful life and improves protection against occasional knocks that occur during cooking. With Teka's exclusive enamel, the water (HydroClean®) and heat (Pyrolysis) self-cleaning functions improve results by keeping your oven interior in perfect condition.

10 OVENS 11



**Electric Oven HLB 860** 





- HydroClean® PRO cleaning system
- · Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with TFT 4"
- · LED illuminated knob
- $\,\cdot\,$  Personal Cook assistant: 20 programmed
- · Automatic Express preheating
- SlowCook function: low temperature cooking
- Pizza, ferment, defrosting & ECO functions
- · Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- SoftClose door
- · Full glass inner door
- 1 telescopic guide easy slide
- · Drop down maxi grill
- Anti-tip deep tray and reinforced grid
- Tangential ventilation



**Electric Oven HLB 840** 



**Electric Oven** 

**HLB 830** 





- HydroClean® PRO cleaning system
- Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- · Children safety block
- · Double removable glazed door
- Full glass inner door
- 1 telescopic guide easy slide
- Drop down maxi grill
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation

- · HydroClean® PRO cleaning system
- · Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- · Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- · Children safety block
- · Double removable glazed door
- Full glass inner door
- 1 telescopic guide easy slide
- · Anti-tip deep tray and cooking grid
- Dynamic ventilation

**Electric Oven** 

**HSB 645** 



**Electric Oven** 

**HSB 615** 

WISH







- HydroClean® PRO cleaning system
- · Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- · Express preheating
- ECO and defrosting functions
- · Children safety block
- · Double removable glazed door
- · Full glass inner door
- 1 telescopic guide easy slide
- · Anti-tip deep & baking trays and cooking grid
- Dynamic ventilation

- · HydroClean® ECO cleaning system
- · Slippery enamel
- A Energy class
- Capacity, gross/net: 71/70 litres
- Minute Minder
- Express preheating function
- ECO and defrosting functions
- · Double removable glazed door
- · Full glass inner door
- 1 telescopic guide easy slide
- Anti-tip deep tray and cooking grid
- Dynamic ventilation

EXTERNAL DIMENSIONS

**1** 595 mm **2** 595 mm **2** 559 mm







**1** 595 mm **2** 595 mm **3** 559 mm

EXTERNAL DIMENSIONS **♦** 595 mm **♦** 595 mm **♦** 559 mm

EXTERNAL DIMENSIONS

**♦** 595 mm **♦** 595 mm **♦** 559 mm

EXTERNAL DIMENSIONS

**1** 595 mm **2** 595 mm **2** 559 mm





WISHES COME TRUE

Teka microwaves ovens are your best ally in the kitchen when you WISH to save time without forsaking flavour.

14 MIRCOWAVE 15





**ML 825 TFL** 











**MWE 255 FI** 

Microwave









WISH



**MWE 201 FI** 

Microwave





WISH



- · Glass control panel
- Double glass door
- · Stainless Steel strip
- Electronic touch control
- · Capacity: 25 liters
- 900 W / 1000 W Microwave/Grill power
- Stainless Steel inner cavity
- Quartz grill
- Turntable 31.5 cm
- Five power levels
- · Three cooking functions: (mwo, grill, mwo+grill)
- · 8 auto-cooking menus
- Multi-stage cooking programming (2 stages)
- Defrost by time and weight
- Timer 0-95'
- Quick start + 30"
- Safety block
- Standard accessories: 1 round grid

- Built-in microwave + grill
- Fingerprint-proof stainless steel
- Electronic control panel. White display
- · Capacity: 25 litres
- Three functions: mwo, grill, mwo+grill
- Mwo output power: 900 W
- · Grill power: 1000 W
- Maximum nominal power: 1450 W
- Cavity: Inox
- Five power levels
- Timer: 0 95 minutes
- 10 Auto Cook menus
- Quick start +30 seconds
- Turntable 315 mm
- · Defrost by time and weight
- Children's safety block

- Built-in microwave + grill
- Electronic control panel. White display
- · Capacity: 20 litres
- Three functions: mwo, grill, mwo+grill
- Mwo output power: 800 W
- · Grill power: 1,000 W
- Maximum nominal power: 1,250 W
- Cavity: Inox
- Five power levels
- Timer: 0 95 minutes
- · 8 Auto cook menus
- Quickstart +30 seconds
- Turntable 245 mm
- Defrost by time and weight
- · Children safety block



EXTERNAL DIMENSIONS









EXTERNAL DIMENSIONS

**1** 388 mm **2** 595 mm **2** 400 mm

EXTERNAL DIMENSIONS

**1** 382 mm **2** 595 mm **2** 345 mm

16 MIRCOWAVE

## BUILT-IN STEAMER

TEKA BUILT-IN STEAMER. THE REAL HEALTHY, TASTY OPTION

Do you want to cook as a real professional chef? Steam cooking is the trick. Combine steam and hot air simultaneously and your favourite recipes will keep all the natural juiciness and succulence of the food inside, with a crispy crust outside. Just the way you like it.







### **Built-In Steamer HSC 644 S**



- Slippery enamel
- · Capacity, gross/net: 49/48 litres
- Touch Control panel with LED display
- · 1 cooking function
- Steam cooking 40-60-80-90-100° C
- Sterilization and regeneration
- · Children safety block
- · Automatic disconnection security system
- 1 liter water tank
- · Triple glazed door
- · Full glass inner door
- · Chromed guides
- 5 cooking heights
- 1 Gastronorm with tray
- · Anti-tip deep tray, perforated stainless steel tray and reinforced grid
- Tangential ventilation

### EXTERNAL DIMENSIONS

**1** 455 mm **2** 595 mm **2** 559 mm

### COFFEE MACHINE

### YOUR COFFEE EXPERT, ALWAYS ON HAND

Enjoy the best coffee, whenever you want! The new WISH coffee makers will surprise you with the high degree of satisfaction they provide.

### COFFEE, STEAM OR JUST HOT WATER?

Featuring an easy and intuitive control panel with easy access to 3 great functions: coffee, steam and hot water.

### NOW ALSO FOR COFFEE CAPSULES

You can use different brands of coffee capsules directly in the Teka coffee maker.

And if you prefer a cup of tea, that too!



### SHARE THE PLEASURE

Share the taste and aroma of fresh coffee with your loved ones. Brew two perfect cups of coffee at the same time!

### A FLAVOUR-FILLED ESPRESSO OR A MILD COFFEE?

Select the amount and strength of each cup of coffee with extreme precision. Use fresh coffee beans for an authentic taste





### Multi Capsule Coffee Machine **CLC 835 MC**

WISH



- Multi capsule(\*) and Ground coffee (5 adapters included)
- · Capacity: 1 cup
- · Height adjustable cup support, 3 levels
- 3 functions (coffee, steam and hot water)
- Touch Control panel with TFT 4" display
- Pump power: 19 bar
- Retractable pipe for steam
- 2 Side storage compartments
- Storage drawer
- Liquid waste tray and waste bin
- · Water tank capacity: 1 litre
- Descaling function
- Temperature and quantity of coffee regulation: extra large, large, medium, small
- LED lighting

5 capsule adaptors (Nespresso®, Lavazza®, Caffitaly®, E.S.E. pod (Easy Serving Expresso), Coffee powder.

### EXTERNAL DIMENSIONS

**1** 455 mm **2** 595 mm **3** 330 mm





Delicious aromas with no unpleasant fumes or smells.

**TEKA** WISH hoods are as efficient and beautiful they look like works of art.

## T E K A H O O D S

## Real pure air! Forget about unpleasant fumes and odours in silence

THANKS TO TEKA HOODS, ANNOYING FUMES

AND ODOURS ARE THINGS OF THE PAST.

NOW YOU CAN PREPARE DELICIOUS

DISHES WITHOUT WORRYING ABOUT THE

SMELL. FORGET THE OLD EXTRACTORS THAT

USED TO SPOIL THE HARMONY OF THE

KITCHEN; TEKA HOODS FIT SEAMLESSLY

INTO MODERN-DAY KITCHENS.

### ENJOY ITS POWER AND DESIGN

Teka's hoods offer a variety of technologically advanced control systems that combine ease of use with astonishing aesthetics. They complement any kitchen and co-ordinate beautifully with hobs and ovens.

From functional push-round buttons to electronic panels with digital display or the sleek look of a Touch Control with a digital clock.



### SAFE, EASY-TO-CLEAN HOODS

Easy to dismount and wash, Teka multilayer metal filters have up to 5 layers. Their main aim is to retain grease particles suspended in the air, preventing them from getting into the motor.



### LED LIGHTING: A GENTLE GLOW

Long life, triple brightness and consumption ten times lower than a halogen are some of the benefits of LED lights, without forgetting that they are really resistant and environmentally friendly.






HOODS 23



## Island Hood DH2 90.1 AD

- KRAFTVOLL
- Electronic control panel
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65dBA
- Metal filters
- Conventional extraction
- $\bullet \ \, \text{Optional recirculating or ducting system}$
- Kraftvoll technology






## Chimney Hood DVS 90 AD



- Touch control with digital display
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- RIM extraction
- Delay timer
- Ducting system
- Kraftvoll technology






## Chimney Hood DHL 90AD



- Touch control with digital display
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- Delay timer
- $\bullet \ \mathsf{Optional} \ \mathsf{recirculating} \ \mathsf{or} \ \mathsf{ducting} \ \mathsf{system}$
- Kraftvoll technology






## Chimney Hood DZ 90 AD



- Touch control with digital display
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- Delay timer
- Optional recirculating or ducting system
- Kraftvoll technology






## Chimney Hood DGL 90AD



- Touch control with digital display
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- Delay timer
- Optional recirculating or ducting system
- Kraftvoll technology






### Chimney Hood

### DSI 90 AD



- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- · Invisible display
- Delay timer
- $\bullet \ \, {\sf Optional} \ {\sf recirculating} \ {\sf or} \ {\sf ducting} \ {\sf system}$
- Kraftvoll technology






### **Telescopic Hood**

### TL1 920

- 90cm pull-out compact hood
- Mechanical push button control
- 2 speeds with incandescent type lamps
- Exhaust capacity: 440m³/h
- · Sound power level: 56 dBA
- Metal filters
- Double turbine motor
- Optional recirculating or ducting system






### Telescopic Hood

### TL1 620

- 60cm pull-out compact hood
- Mechanical push button control
- · 2 speeds with incandescent type lamps
- Exhaust capacity: 440m³/h
- Sound power level: 49 dBA
- Metal filters
- Double turbine motor
- Stainless steel and black glass



24 HOODS 25





However you cook, Teka turns it into a genuine experience as if it is WISH granted.

Teka hobs are synonymous with cleaning, safety and efficiency.



## INDUCTION

Much faster, cleaner, safer and energy efficient

THESE HOBS ARE USER FRIENDLY, EASY TO CLEAN
AND EFFORT FREE. MANUFACTURATED TO ENSURE
YOU ONLY USE THE ENERGY YOU NEED. THEY
REDUCE COOKING TIME AND KEEP THE SURFACE
COOL AND SAFE.



## ENJOY THEIR POWER AND DESIGN

We like to create new models that offer you a wide variety of advanced control systems. We pay particular attention to aesthetics, because that is as important to you as their absorption capacity, energy consumption or good lighting.

The new Touch Control panels of black glass with white symbols highlight the personality of these extractor hoods.



### INDUCTION TECHNOLOGY

An electromagnet located beneath the glass surface creates a powerful magnetic field which fits the size and shape of the cookWare and heats only its base while adjacent areas remain cold. Up to 90% of the energy consumed is transferred to the pot being used.



### TRADITIONAL TECHNOLOGIES

A high percentage of the energy is wasted heating the entire surface of the cooking area and the surrounding air. In a gas hob only 55% of the energy used to heat the pan reaches it when it is being used.



Teka's Induction is simply the quickest way to cook. It boils water faster than a comparable gas or vitroceramic hob.



Since the surface of the hob is only heated by the pot, it is easy to swipe with a damp cloth avoiding the need to rub, as it happens with traditional hobs.



EXTRA SAFE

Induction hobs feature automatic pan recognition creating heat precisely where needed, under the pot. Avoid burning!

H O B S 29

### Teka induction hobs: The best option

Teka's induction hobs guarantee you maximum energy precision to meet your needs with no efficiency loss.

Efficient hobs even in the manufacturating process.

The ceramic–glass of our induction hobs is fully recyclable, 100% free.






## 60cm built-in induction hob IR 6031 SR

- · Schott Ceran glass top
- · Bevelled edge
- $\bullet \ \mathsf{Frontal} \ \mathsf{touch} \ \mathsf{control}$
- · Residual heat indicator
- Automatic safety switch off
- Over heat protection
- Digital timer
- $\cdot$  8 levels power and 1 booster
- 3 cooking zones:
- 1 induction element : 145mm
- 1 induction element : 180mm
- 1 induction element : 145mm / 240mm
- Maximum nominal power: 7,100W



## 73cm built-in induction hob IR 721 SR

- Schott Ceran glass top
- Bevelled edge
- Frontal touch control
- · Residual heat indicator
- · Automatic safety switch off
- Over heat protection
- Digital timer
- $\cdot$  8 levels power and 1 booster
- · 2 cooking zones:
- 1 induction element: 180mm
- 1 induction element : 240mm
- Maximum nominal power: 3,500W






### Modular induction hob

### IR 421

- Touch control panel
- Bevelled glass
- Power function
- Low temp functionSecurity blocking
- · Cooking time programmer
- Independent programmer of each cooking zone
- Pan optimization system
- Residual heat indicator
- 2 cooking zones:
- 1 induction element ( 250 mm  $\emptyset$  )
- 1 induction element ( 145 mm  $\emptyset$  )
- Max. nominal power: 3,200W






## Modular induction hob IR 321.1

### ... 32111

- Touch control panel
- Digital programming timer (99 minutes)
- Pan detector and residual heat indicators
- · Child safety lock
- · 2 cooking zone :-
- 1 induction element Ø 210 mm (3,000W),
- 1 induction element Ø 145 mm (1,800W)
- Maximum nominal power: 3,200W



TOBS HOBS 31

### **EFFICIENT AND CLEAN**

User friendly and effortless. Reduce cooking time and energy used.



### The fastest way of cooking

It boils water faster than a comparable gas or vitroceramic hob.



### Easy to clean

Carefree glass-ceramic cooktop panels made with



### Child's Lock

Ceramic hobs feature automatic pan recognition creating heat precisely where needed, under the pot.



### **Residual Heat Indicator**

Indicator for you not to touch a hot cooking zone or to place any heat-sensitive items on it.



### All cookware

Vitro ceramic cooktops will accept almost all types of cookware.




### **Overheat Protection**


An automatic overheat protection switch that detects the heating element of the cooking zone.



### **Ceramic Hob VTTC 60.1**

- Schott Ceran glass top
- · With aluminum frame
- · Touch control panel
- · Residual heat indicator
- · Energy regulator
- 3 cooking zones:
- 2 high light Ø 200 mm (1,800W)
- 1 high light Ø 165 mm (1,200W)
- Maximum nominal power: 4,800W





### **Built-in ceramic hob**

## **VTCM 722**


- · Schott Ceran glass top
- · With aluminum frame Frontal touch control
- · Residual hear indicator
- Digital timer
- 9 level power setting
- · Child safety lock
- · 2 cooking zone:
- 2 triple circuit radian zone (2.3 kw)
- Maximum nominal power: 4.600W




### Modular ceramic hob

### **VTTC 30.1**

- Schott Ceran glass top
- Frameless
- Frontal touch control · Residual heat indicator
- Energy regulator
- · 2 cooking zones:
- 1 high light Ø 200 mm (1,800W)
- 1 high light Ø 165 mm (1,200W)
- · Maximum nominal power: 3,000W





## Enjoy a pleasant cooking experience



 Simple and quick startup of flame ignition



 Safety thermocycle shuts off gas when flame is gone



- Different flame settings to maintain control for various cooking styles
- · Save Gas



- For high durability
- Easy cleaning after use

### **AEROX**

3 ring burner for

better flame control

**TECHNOLOGY** 

Strong and stable flame control for reliable

performance in cooking

### Stainless Steel hob EF 78 2G AI AL DR


- · Gas hob, 78cm
- Frontal Control with rounded metal knobs
- Cast iron pan support
- Electrical Auto-ignition (LPG/NG)
- · Auto lock safety device
- 2 Technik ring burners 5.0kW (Defendi burners)
- Maximum nominal power: 10kW

# **ф**і

### **AEROX**

### Gas on Glass Built-in Hob GT LUX 86 3G AI AL 2TR

- · Tempered glass (8 mm)
- 2 triple ring burners: 5.0 kW
- 1 semi rapid burner: 2.0 kW
- · Cast iron pan support
- Battery Auto-ignition (LPG/NG)
- · Auto lock safety device
- · Black metal knobs




H O B S 33 32 HOBS



### **AEROX**

## Gas on Glass Built-in Hob GT LUX 86 2G AI AL 2TR

- · Tempered glass (8 mm)
- Cast Iron pan support
- Battery Auto-ignition (LPG/NG)
- Auto lock safety device
- Black metal knobs
- 2 triple ring burners: 5.0 kW






### **AEROX**

### Gas on Glass Built-in Hob SQ LUX 86 3G AI AL TR

- Tempered glass (8mm)
- · Cast iron pan support
- Battery Auto-ignition (LPG/NG)
- · Auto lock safety device
- 2 Technik ring burners: 4.8kW | 1 burner: 2.0 kW






### **AEROX**

### Gas on Glass Built-in Hob SQ LUX 86 2G AI AL TR

- · Tempered glass (8mm)
- Cast iron pan support
- Battery Auto-ignition (LPG/NG)
- Auto lock safety device
- 2 Technik ring burners: 4.8kW






### **AEROX**

## Gas on Glass Built-in Hob GW LUX 78 2G AI AL TR


- · Tempered glass (8 mm)
- · Cast iron pan support
- Battery Auto-ignition (LPG/NG)
- Auto lock safety device
- 2 Technik ring burners: 4.8 kW
- Black metal knobs





## Gas on Glass Built-in Hob GSI 78 2G AI AL TR

- $\bullet \ {\sf Enameled\ matt\ finished\ pan\ support}$
- Battery Auto-ignition (LPG/NG)
- · Auto lock safety device
- 2 Technik ring burners: 4.6kW






### **AEROX**

## Modular ceramic hob GT LUX 30 1G AI AL TR

- Black tempered glass(8mm)
- Bevelled edge
- Frameless
- Frontal black knobs
- Cast iron pan support
- Battery Auto-ignition (LPG/NG)
- Triple ring burner: 5.0 kW



The state of the s





Caring for your clothes it is our  $\widehat{\text{WISH}}$  and has never been so easy.

## T E K A L A U N D R Y

## A SPA for your most delicate garments with maximum energy saving



OUR ULTIMATE SPA

LAUNDRY RANGE HAS

TRANSFORMED WASHING

MACHINES INTO

METICULOUS APPAREL

CARE APPLIANCES,

EVIDENCED BY THE

WOOLMARK CERTIFICATE.



### BALANCE CONTROL SYSTEM

Teka's balance control system optimizes clothing distribution, preventing it from becoming tangled. It also increases stability, reducing the noise level and also extends the useful life of the washing machine. In addition, Teka's washing machine drum is a perforated stainless steel drum that helps clothes slide smoothly inside the washing machine.



### **ENERGY EFFICIENCY**

They new SPA range consumes little and offers a lot. These washing machines are characterized by their ability to pamper your clothes using less energy and reducing the environmental footprint. Our washing machine's efficiency improves their energy rating increasing cleaning capacity and delicate-garment care.



### A LOVE FOR CLOTHES

Feel free to wash your woolen garments in your Teka washing machine. The SPA range personifies excellence in top fabric care. Our 8-kilo models proudly show off their Woolmark certificate; a universal quality company that only certifies after testing the woollen garment-washing programme and ensures it keeps your clothes in perfect shape, even after dozens of washes.



### LESS VIBRATION, MORE SILENCE

With Teka's new BLDC Inverter motor, this10+7 Kg, 1600 r.p.m. washer-dryer offers you maximum power that is barely noticeable on the outside.

This is a direct current motor that is super efficient thanks to rotation powered by strong magnets instead of traditional brushes.

Less friction for the motor, which means less vibration and more silence. If we add the option of eliminating the spin cycles during the wash, the result is that we can finally use the washing machine at night without worrying about disturbing anyone.

Plus, the technology provided by the Inverter motor lengthens the washer-dryer's life and reduces power use, saving you money every time you use it.

## THE PERFECT COMBINATION: 2 IN 1. WASHER+DRYER

The ideal solution to wash and dry in one go! It offers all the advantages of a high-advanced washing machine and the best performance of a tumble dryer in laundry care. The perfect combination for small rooms.



### NO MORE ALLERGIES

The smart foam control system adds an additional rinse which is ideal for sensitive skins.



### THE GENTLESS DRYER

Your favorite and delicate fabrics are in safe hands drying at lower temperatures with Advanced Heat Pump Drying Technology.

This system conserves and reuses the hot air. After It passes through the drum, it goes through the evaporator where moisture is removed and stored in a tank. The remaining air is re-heated and sent back to the drum to start the cycle again.

And of course, you can save up to 50% energy compared to traditional models.

38 LAUNDRY 39





### Freestanding washer-dryer **TKD 1610 WD**



















- Drying capacity: 7 kg
- · Woolmark Apparel Care®
- BLDC Inverter Motor
- · 16 washing programs
- 6 drying programmes · Electronic control panel
- Digital display LCD
- · Maximum spin speed: 1600 rpm
- · Electronic washing management (Fuzzy
- Special Programs Wool, baby care and 15'
- Special program 1hour wash + Dry
- Fast program 15 minutes
- 32 cm wide crystal door
- Function buttons for : on/off, delayed programming, extra rinse, spinning selection, fast program and temperature
- · Automatic water regulation
- Delay timer 1-24h
- Balance control system
- · Locking system in case of lack of water or electricity
- Foam control system
- Energy class A/A



### Freestanding washing machine **TKD 1490**







- · Washing capacity: 9 Kg
- · Inverter Motor
- Washing Programs: 16
- · Electronic control panel
- Digital display LCD
- Maximum spin speed: 1400 rpm
- Electronic washing managment (Fuzzy Logic)
- ${}^{ullet}$  Special Programs Wool, baby care and 15'
- Fast program 15 minutes
- · 32 cm wide crystal door
- Function buttons for: temperature, spininnig speed, remaining time and special functions
- Automatic water regulation
- Delay timer 1-24h
- · Balance control system
- · Locking system in case of lack of water or electricity
- · Foam control system
- Energy class: A+++/B





### Freestanding washing machine **TKD 1480**





- · White with chromed door
- · Washing capacity: 8kg
- · Washing programs: 16
- Woolmark apparel care<sup>®</sup>
- ${f \cdot}$  Special programs wool, baby care and 15'
- · Stainless steel drum
- Spinning speeds: 1400 1200 1000 800 600 - 0
- Start delay program 1 24 hours
- 32cm wide crystal door
- · Indicator pilots for: Selected temperature, Spinning speed, Time left and Special
- Fast program 15 minutes
- Energy efficiency class: A +++
- Spinning efficiency class: B
- Water consumption: 11,000 litres/year
- Energy consumption: 196 kWh/year
- Noise level (washing/spinning): 59/78 dBA



### Freestanding dryer

### **TKS 890 H**







- · Heat pump condenser dryer
- 16 programs
- · Drying capacity: 8 Kg
- · Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm
- Humidity sensor
- · Anti-crease program
- · Delicate clothing program
- Cooling program
- · Bi- direction rotation
- · Remaining time indicator
- Removable filter with saturation
- LED indicators for: on/off, filter saturation and full tank
- · Inner light
- Energy class: A++



### Freestanding dryer **TKS 850 C**







- Condenser dryer
- 16 programs
- · Drying capacity: 8 Kg
- · Electronic control panel with display
- Delay timer 1-24h
- · 4 Power levels
- End of cycle alarm
- Speed dry function
- Humidity sensor · Anti-crease program
- · Delicate clothing program
- Cooling program
- · Bi- direction rotation
- · Remaining time indicator
- · Removable filter with saturation
- · LED indicators for: on/off, filter saturation and full tank
- · Inner light
- Energy class: B

EXTERNAL DIMENSIONS











**♦** 850 mm **♦** 595 mm **♦** 565 mm

EXTERNAL DIMENSIONS

**♦** 850 mm **♦** 595 mm **♦** 565 mm

**EXTERNAL DIMENSIONS ♦** 845 mm **♦** 595 mm **♦** 622 mm EXTERNAL DIMENSIONS





WISHES COME TRUE

Cold also plays an important role in a home's warmth.

Our refrigerators WISH it is to keep food fresh because they preserve its nutrients and vitamins efficiency.



TEKA REFRIGERATORS

DELIVER OUTSTANDING

PERFORMANCE WITH A++

ENERGY CONSUMPTION.

THANKS TO NO FROST

TECHNOLOGY AND ITS

ANTIBACTERIAL SYSTEM,

YOUR FOOD WILL ALWAYS

BE KEPT REALLY FRESH.

## T E K A R E F R I G E R A T O R S

Take real care of your health by taking care of your fresh food



### REAL ENERGY EFFICIENCY

Our range of fridges and freezers has been designed with efficiency in mind.

Save money with the most advanced technology. Moreover, using R600A, an eco-friendly refrigerant, your refrigerator has less impact on the environment.



### ECO FUNCTION

With this function, refrigerators keep an optimal and constant temperature minimizing energy consumption and preventing the proliferation of bacteria. It keeps the refrigerator at 6°C and the freezer at -18°C.



### **NEW EASY OPEN HANDLE**

How often have you wished for an easier door handle? Teka has added its new Easy Open system to save you effort. Just a horizontal movement of the aluminium handles will break the inner vacuum, making it easier to open the doors. The new Teka Larder and Up-right Freezer Easy Open handle also provides better protection for your refrigerator.

### EXPERIENCE THE NEW LED LIGHTING

The new Teka refrigerators' LED light bulbs provide beautiful warm white light that enhances visibility even when full. LEDs have a much longer life than conventional light bulbs, while providing significant energy savings. Plus, they do not emit heat, so they do not affect the inside temperature.





### ANTIBACTERIAL SYSTEM

Both the cavity and the doors of Teka refrigerators have been specially treated. This Antibacterial film is made of silver ions and prevents bacteria and microorganisms from growing inside the refrigerator. Thanks to this system, the food keeps fresh and is safe to eat longer, preventing the outbreak of diseases such as salmonella, Legionnaire's disease or hepatitis C.

Some models have not only one but up to 4 antibacterial systems: in the gasket, ioniser, antibacterial odour filter and silver coating for inner plastic.



### NO FROST SYSTEM: COLD WITHOUT FROST

The Teka No Frost System delivers fast, high-quality freezing, preserving food better and removing the different odour mix.

The refrigerator defrosts automatically and collects water lodges in a special compartment where it evaporates. It also maintains an optimal, steady temperature in the entire fridge, apart from monitoring the temperature with greater precision than a traditional system.

It controls the level of humidity at all times and prevents ice and frost from building up on the walls and the food.



### FUZZY LOGIC

The Fuzzy Logic System delivers constant and accurate automatic temperature without the user having to do anything at all. The system has an electronic control that regulates the temperature via independent sensors, which are distributed throughout refrigerator. This maintains a constant temperature and adjusts to the outside temperature automatically.

All the temperature information - both ambient and interior - is collected by the electronic control, which regulates the cold air inlet and accurately sets the different temperatures for each compartment.





0-3°C ZONE

To keep all the nutritive properties of fresh food, grocery or meat with all the nutritive properties up to three times longer, choose the chiller compartment; it provides the ultimate in freshness. It also helps to prevent the growth of the listeria microorganism which can potentially develop above 4°C.

44 REFRIGERATORS 45



### Free standing refrigerator **NFM 680 X**

















- · Aluminum long handle
- · Silver (Inox) color
- · No frost system
- Super freezing and super cooling function
- Electronic control with LED display
- Interior LED light
- Door alarm
- · Automatic ice cube maker
- Home bar with easy-touch open device
- · Multi-air flow design
- · Vacation mode
- · Child lock mode
- · Energy class: A+ • Energy consumption: 415 kWh/year
- Total gross capacity: 585 litres

46 REFRIGERATORS

· Noise level: 43 dBA



Free standing refrigerator **NFM 620 X** 













- · Aluminum long handle
- · Easy ice maker
- · Silver (Inox) color
- No frost system
- $\boldsymbol{\cdot}$  Super freezing and super cooling function
- Electronic control with LED display
- · Interior LED light
- Door alarm
- Multi-air flow design
- Vacation mode
- · Child lock mode
- Energy class: A+
- Energy consumption: 408 kWh/year
- Total gross capacity: 602 litres
- · Noise level: 43 dBA



Free standing refrigerator **NFM 370 S** 





- Two doors
- No frost system
- · Multi air flow system
- · 2 litres bottle rack
- · Reversible door
- Fruit & vegetable crisper
- Recessed handle
- Total gross capacity: 371 litres
- · Climate class : T
- Rated voltage: 220V-240V
- Rated power: 160W



Free standing freezer **TGF 300 NF** 













- Easy handle
- · Silver (Inox) color
- · No frost system
- · Electronic control with LED display
- · Interior LED light
- · Door open alarm
- Separate transparent crisper
- · Twist ice cube maker
- Multi-air flow
- Energy class: A+
- Energy consumption: 434 kWh/year
- Freezer gross capacity: 261 litres
- · Noise level: 47 dBA



Free standing refrigerator **TSL 400 NF** 













- · Silver (Inox) color
- No frost system
- · Electronic control with LED display
- · Interior LED light
- · Door open alarm
- · Separate transparent crisper
- Sealed box
- Multi-air flow
- · High moisturizing patent
- · Energy class: A+
- Energy consumption: 248 kWh/year
- Fridge gross capacity: 355 litres
- · Noise level: 45 dBA



No Frost Built-in combi **CI3 350 NF** 













- · Built In Combi refrigerator
- · Reversible door
- Sliding door Hinges
- · Electronic Control with display on top trim
- LED Illumination from top
- 4\* Freezer
- 3 Safety glass shelves height adjustable
- 1 Chiller (0-3°C Zone)
- 3 Removable Balconies • 3 Freezer Drawers
- 2 Glass shelves in Freezer to maximize loading Antibacterial gasket
- Energy Class: A++
- · Total gross capacity: 275 litres
- Fridge Net Volume: 167 litres · Chiller Net Volume: 19
- Freezer Net Volume: 69 liters
- Energy Consumption: 0,657 kWh/24 horas
- Annual energy Consumption : 240 kWh
- Autonomy: 13 hours
- Freezing Capacity: 4kg/24 hours
- · Climate Class: SN-ST · Noise level: 40 dBA

• Voltage: 230/50 Hz

 Voltage: 220-240 V / 50 Hz · 1 compressor, R600a (42 gr)




**RV 46 D** 

· Tempered glass with stainless steel handle Auto defrosting

• Touch control panel with digital display

- · 6 piece wooden shelves with shelve stopper





- · Dual temperature wine chiller
- · 46 bottles capacity

• Temperature setting: 5°C - 22°C

- Circulated cooling fan for balanced storage temperature
- · Blue LED light



REFRIGERATORS 47





WISHES COME TRUE

Teka dishwashers  $\widehat{\mathsf{WISH}}$  is not only to leave your tableware pristine clean. They also save water and reduce energy consumption.

## TEKA DISHWASHERS

## Wash everything gently guaranteeing brilliant results

TAKING REAL CARE OF THE ENVIRONMENT IS POSSIBLE DUE TO THE LOW ENERGY AND WATER CONSUMPTION OF TEKA DISHWASHERS.

### SOLUTIONS FOR EVERY NEED

What do you prefer? Freestanding or built-in? 60, 45 cm or compact? A red or o white display? A large display or Leds? Teka is your real option.

### CONSISTENCY IN YOUR KITCHEN

Teka offers you maximum uniformity in your appliances. Ebon ovens, SPA washing machines and dishwashers all feature white Leds in their digital displays.





### SAVE MONEY ON YOUR ENERGY BILL!

Their advanced technology will not only get the best cleaning results but will also reduce energy consumption, the CO, emissions and will take care of the household economy as well.



Do you know that you can save water with Aqua-logic? Due to an infrared sensor, Teka dishwashers automatically control the input of water depending on the load's dirtiness level by adjusting all washing parameters.



### AUTO PROGRAM

Don't worry about choosing the right programme any longer! The Auto Program selects the right temperature, wash cycles and the amount of water required in order to use the best program, with perfect results and the lowest energy and water consumption.



### PUSH UP SYSTEM

Wash plates of up to 30 cm diameter in the bottom basket thanks to the new "Push up" height adjustment system. You can adjust the top basket from both sides to 3 different heights by pulling the basket upwards and supporting it from the side handles, even when loaded.



### DIGITAL PROGRAMMING

Take advantage of more economic night rates by delaying the programme up to 24 hours. As a result, the dishwasher will be ready when needed.



### AQUASTOP

You will never have overflows at home! The Full Aquastop System detects any leaks inside the appliance and closes the water inlet (outer safety), ensuring 100% safety in the dishwasher.



### 3-IN-1 SYSTEM

Optimize washing results with minimum power consumption! Due to its 3-in-1 System, the dishwasher recognizes if a tablet is being used and automatically blocks the salt dose and the rinse aid dosing device.



### THIRD CUTLERY BASKET

This basket adapts to any kind of load, from a coffee spoon to larger items, achieving the best cleaning results of each cooking utensil safely for your children. Besides, this third basket delivers very useful extra load flexibility adapting to different positions, for example: a full basket used for cutlery or using only half of the third tray leaving more space for oversized items or high glasses in the second basket



DISHWASHERS 51 50 DISHWASHERS



### Partially integrated dishwasher **DW 605 S**



- · Electronic control panel
- Plate Settings : 12
- Washing programs : 6
- Washing temperatures: 40°, 50°, 55°, 60°,
- Full Aquastop
- Delay timer 3-6-9h
- · Half load program
- Fast program 40 minutes
- Eco program
- · Adjustable upper basket
- Water softener
- Indicator pilots for : Selected program, lack of salt and rinse aid, delay timer
- Back feet adjustment from front
- Energy class : A++/A • Noise level: 49 dBA
- Power supply: 220/240V -50 Hz



Free standing dishwasher

### LP9 850



- Electronic control panel with display
- Fingerprint proof stainless steel door
- · Plate Settings: 14
- 3er cutlery basket
- 3er sprayer
- $\,\cdot\,$  8 washing programs: Auto, intensive, normal, eco, glass, 90min, rapid & soak
- 5 washing temperatures
- Push up upper basket
- Auto wash program with aqualogic (water dirtiness sensor)
- · Alternative wash
- Extra drying function & child lock
- Fast program 30 minutes
- Delay timer 1-24 hours
- · Sliding detergent drawer
- Height adjustable upper basket
- · Indicator lights: Control pilot lights: On/Off; Low salt LED indicator; low rinse aid LED Indicator; selected program; remaining time & delay time
- Grey color baskets
- Stainless steel tub
- Electronic aquastop
- Energy/Drying effciency class: A+++/A
- Energy consumption: 237 kWh/year
- Water consumption: 2800 liters/year
- · Noise level: 44 dBA



Fully integrated dishwasher **DW8 57 FI** 



- · Electronic control panel
- · White LED display
- Plate Settings: 13
- Washing programs: 9
- · Washing temperatures: 40°, 45°, 50°, 55°, 60°,
- 65° C Full Aquastop
- · 3 in 1 selector
- Delay timer 1-24h
- · Half load program
- Fast program 30 minutes
- Eco program
- 5 positions water softener
- · Sliding detergent drawer
- Adjustable upper basket
- $\bullet \ \ Indicator \ pilots \ for : On-off, lack \ of salt \ and$
- Extra dry
- Power wash & express program
- Back feet adjustment from front
- Energy class: A++/A
- · Noise level: 49 dBA
- Power supply: 220/240V -50 Hz

### Free standing dishwasher

### LP2 140 White



- · White door
- Plate Settings : 6
- 6 washing programs
- 6 washing temperatures
- Electronic control panel with display
- Delay timer 1-24 hours
- Eco program
- Fast program: 30 minutes
- · Indicator lights: On/Off, selected program, rinse-aid, salt and time remaining
- Grey color baskets
- · Stainless steel tub
- Energy/drying efficiency class: A+/A
- Energy consumption: 174 kWh/year
- Water consumption: 1820 liters/year
- · Noise level: 49 dBA

EXTERNAL DIMENSIONS



EXTERNAL DIMENSIONS

**♦** 845 mm **♦** 598 mm **♦** 610 mm

EXTERNAL DIMENSIONS

**♦** 820/870 mm **♦** 595 mm **♦** 560 mm

EXTERNAL DIMENSIONS







## The only ones that give you 75 years' peace of mind.

In gratitude for the confidence you have placed in our products, Teka has expanded its commercial warranty to up to 75 years on stainless steel sinks.



### Stainless steel sink care

Stainless steel's best friends are clean water and a mild detergent solution. Cleaning must be done with a soft cloth or sponge, rinsing well and wiped dry.

A routine of simple, gentle and inexpensive cleaning will retain both the corrosion resistance and appearance of stainless steel through years of exposure and use. Occasionally a small amount of (3M/Amway) stainless steel cleaner may be used on a soft cloth. Always rinse and dry as the final step in acleaning procedure.

Don'ts: Do not use coarse abrasive prodders. Do not use acids and silver dip cleaners. Do not use brushes with metal bristles. DO NOT store household products which contain chlorine underneath a sink.

### Not all stainless steels are the same

### Teka only picks the best quality

Kitchen sinks have been manufactured in a wide variety of materials, from wood up to the latest composites. Each has its benefits, and the right one for you will depend on your needs. All sinks, no matter which material you select, will eventually show signs of wear and tear, but they should also be able to withstand the rigors of everyday use for a very long time. The most popular material for kitchen sinks today is stainless steel. Note, however, that not all stainless steel sinks are the same. The first thing to look at is the chrome-to-nickel ratio. Chrome increases hardness and wear resistance, and provides the stainless steel with luster and durability. Nickel increases strength and improves shock resistance. Stainless steel is non-porous, superbly hygienic, rust-free, heat resistant and extremely durable. Only well-known brands use this premium quality stainless steel as standard in their production process, giving a lifetime guarantee that your stainless steel sink will not chip, flake or, of course, crack or break. The chrome-nickel grade is not only important for durability. Some stainless steel sinks look bright and shiny at first, but soon rust and corrode because the combination of chrome and nickel is not

### Stainless steel finishes


Most Teka stainless steel sinks have what is called a polished finish. This elegant fi nish creates an enduring, easy-to-clean luster that is impervious to water stains and calcium deposits. The polished finish requires numerous hand and machine buffing operations which produce a beautiful luster design. For those who prefer a brushed appearance, another option is the normal satin finish. Abrasive grinding produces a uniform pattern of satin finish lines on the metal surface. Teka stainless steel sinks are also available in linen or microtextured finishing, which offers an attractive high relief pattern on the sink's surface. This exclusive finish is also made from 'surgical' stainless steel, i.e. with all the stainless characteristics. The stainless steel hard-plus finishing achieves better results than standard stainless steel thanks to the special treatment applied to the surface that improves its hardness and resistance against scratches, making it an everlasting perfect piece of design in the kitchen.






### Glass Sink **DURO**


- Material: tempered glass & made of 18/10 stainless steel
- Overall measurement in mm: 860 x 510 (Depth:180)
- Built-in dimensions in mm: 840 x 490
- Black mirror black or white security glasses
- Thickness: 0.8mm





### Under worktop **BE LINEA R10 72 40**


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 760 x 440 (Depth: 184)
- Built-in dimensions in mm: 717 x 397
- Thickness: 1.0mm





### Under worktop **BE LINEA R10 55 40**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 760 x 440 (Depth: 184)
- Built-in dimensions in mm: 717 x 397
- Thickness: 1.0mm






### Under worktop

### **BE LINEA R10 40 40**

- · Material: made of 18/10 stainless steel
- Overall Measurements in mm: 440 x 440 (Depth: 184)
- Built-in dimensions in mm: 420 x 420
- · Thickness: 1.0mm




440 400



### Under worktop **BE 2B 845 RHD**


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 845 x 470 (Depth: 250)
- Built-in dimensions in mm: 793 x 418
- · Thickness: 1.0mm





### Under worktop BE 2B 880 R


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 879 x 470 (Depth: 250)
- Built-in dimensions in mm: 853 x 418
- · Thickness: 1.0mm






### Under worktop **ARQ 2B 840**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 840 x 430 (Depth: 220)
- Built-in dimensions in mm: 790 X 380
- Thickness: 1.2mm






All sinks come in Stainless Steel colour


All sinks come in Stainless Steel colour



### **Under worktop ARQ 2B 760**

- Material: made of 18/10 stainless steel
- $\bullet$  Overall measurements in mm: 760 x 440 (Depth: 220)
- Built-in dimensions in mm: 717 x 397
- · Thickness: 1.2mm









### **Under worktop ARQ 70 45**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 700 x 450 (Depth: 220)
- Built-in dimensions in mm: 650 x 400
- Thickness: 1.2mm









### **Under worktop**

### **ARQ 54 41**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 542 x 413 (Depth: 220)
- Built-in dimensions in mm: 500 x 371
- Thickness: 1.2mm









### **Under worktop ARQ 43 43**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 430 x 430 (Depth: 220)
- Built-in dimensions in mm: 400 x 400
- · Thickness: 1.2mm









### Under worktop

### **BE 39**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: Ø 390 (Depth: 180)
- Built-in dimensions in mm: Ø 385
- Thickness: 0.7mm








### **Under worktop**

### BE 40 40

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 433 x 433 (Depth: 180)
- Built-in dimensions in mm: 401 x 401
- Thickness: 0.7mm









### **Under worktop**

### BE 50 40

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 522 x 422 (Depth: 155)
- Built-in dimensions in mm: 496 x 396
- Thickness: 0.7mm








### **Under worktop**

### BE 34 47


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 365x 395 (Depth: 155)
- Built-in dimensions in mm: 335 x 365
- Thickness: 0.7mm






### Inset **INOXTEEL 2B**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 890 x 500 (Depth: 220)
- Built-in dimensions in mm: 866 x 476
- · Thickness: 0.8mm








### Inset

### **INTRO 82**


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 820 x 500 (Depth: 200)
- Built-in dimensions in mm: 790 x 470 (R15)
- · Thickness: 1.2mm





### Inset **INOXTEEL 2B 1D**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 1,160 x 500 (Depth: 190)
- Built-in dimensions in mm: 1136 x 476
- · Thickness: 0.8mm








### Inset **INTRO 60**


- · Material: made of 18/10 stainless steel
- Overall measurements in mm: 600 x 500 (Depth: 200)
- Built-in dimensions in mm: 570 x 470 (R15)
- · Thickness: 1.2mm






### Inset **INOXTEEL JUMBO**

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 800 x 500 (Depth: 230)
- Built-in dimensions in mm: 780 x 480
- · Thickness: 1.0mm








### Inset **INTRO 50**


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 500 x 500 (Depth: 200)
- Built-in dimensions in mm: 470 x 470 (R15)
- Thickness: 1.2mm






Inset **INOXTEEL 1B** 

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 640 x 480 (Depth: 250)
- Built-in dimensions in mm: 608 x 448
- · Thickness: 0.8mm








Inset **EBE 800 2B** 

- Material: made of 18/10 stainless steel
- Overall measurements in mm: 825 x 463 (Depth: 228)
- Built-in dimensions in mm: 780 x 420
- · Thickness: 1.2mm






### **Granite Sink**

### **LUMINA 90 B-TG 86**

- · Two bowls
- · Installation: Inset
- 3½"Pop-up waste
- Oveflow
- · Siphon not included
- · Packaging: Individual Box
- External dimensions in mm: 860 x 500
- Bowl dimensions in mm: 361 x 445 x 195
- Built-in dimensions in mm: 840 x 480
- 195 mm deep bowl
- 90cm cabinet







### **Granite Sink**

### **LAGUNA 80 TG**

- · One bowl
- · Installation: Inset
- 3½"manual waste
- Oveflow
- · Siphon not included
- · Packaging: Individual Box
- External dimensions in mm: 790 x 500
- $\bullet$  Bowl dimensions in mm: 720 x 384 x 195
- Built-in dimensions in mm: 775 x 485
- 195 mm deep bowl
- · 80cm cabinet








### **Granite Sink MENORCA 60 S-TG**

- · One bowl
- · Installation: Inset
- 3½"Pop-up waste
- Oveflow
- · Siphon not included
- Packaging: Individual Box
- External dimensions in mm: 570 x 510
- Bowl dimensions in mm: 513 x 358 x 180
- Built-in dimensions in mm: 550 x 490
- 180 mm deep bowl
- · 60cm cabinet







### **Granite Sink**

### **RADEA 490/370 TG**

- · One bowl
- Installation: Inset / Undermount
- 3½"manual waste
- Oveflow
- · Siphon not included
- Packaging: Individual Box
- External dimensions in mm: 550 x 430
- Bowl dimensions in mm: 490 x 370 x 200
- Built-in dimensions in mm: 530 x 410
- · 200 mm deep bowl
- 60 cm cabinet





### All sinks come in Stainless Steel colour

62 SINKS

### TR 34.1

- An additional cutter is located beneath the grind ring, on top and at the bottom of the turntable. These under cutter help to cut fibrous waste into small particles which helps
- 3/4(0.75)HP 560W
- 220 240V/50Hz
- Black paint
- Air switch on/off system
- Double cutters (top & bottom)
- Anticorrosion protection
- Silent block
- · Automatic rotation reverser
- Metallic L-shape clamp
- · Air activated switch button increases safety around the sink.
- \* Recommended to install with Teka Sink

### **Teka Waste Disposer**

These household disposers offer the best of day-to-day convenience and practically in any home. Easy to install and use, waste disposer provides the peace of mind you need by eliminating messy food residue and sending it straight down to the sewage system.

### An additional cutter located beneath the grind ring

Cutters on top and at the bottom of the turntable, and this under cutter help to cut fibrous waste into small particles and helps in the flow.

### Reasons to get a food Waste Disposer

- Create a hygienic kitchen environment
- Quick and easy way to clean up food waste
- Reduce odors instead of leaving food waste overnight in your kitchen
- Reduce the risk of insect and rodent problem
- Reduce landfill dumps and help lessen the pressure on landfill sites



### **Enjoy drinking water with the new** TekaPure® sink mixers.

Remove unpleasant taste, odour and organic impurities thanks to it's andvanced water filter systems.

- · Improves in 95% water taste and odour
- Removes chlorine taste and organic impurities
- Filter operative capacity: 5800 litres or 1 year Average water consumption per family of 4 people = 4.380 l/year (3 l/day per person).
- · Quick and easy replacement of the cartridge
- The filter system takes up very little space under the sink making it suitable to be installed in the very reduced spaces
- · Filter cartridge replacement available
- Filter with NSF sanitary certification System Tested and Certified by NSF International according to ANSI/NSF Standard 42 for reduction of Chlorine Class I, taste and odour



Left handle to operate the filtered water



Right handle to operate unfiltered tap water



Two independent waterways, one for unfiltered tap water and one for filtered water.


## **Mixer Range**



### **OS 201**

WITH PURIFIER FILTER SYSTEM

- Sink mixer with filter function
- 2 independent waterways for (unfiltered and filtered water)














### **OCEANO**


- Stainless steel
- Flat swivel spout
- Anti-scale aerator





### **MILANO**

- Stainless steel
- Flat swivel spout
- Anti-scale aerator



## "Teka means innovation and quality"

I firmly believe that in architecture and the world of modern habitation every service item plays a fundamental role in household space. As Louis Kahn would say, service spaces bring nobility and functionality to the spaces served...

Particularly, the wet areas of a home - utilitas and servitas of the classical world - today pose an undeniable challenge that seeks solutions based on quality and comfort.

In our milieu, Teka means innovation and quality in seeking solutions, materials and adaptation to new technologies, making it a relentless pioneer and the clear expression of top cutting edge lines.



Sara de la Mata Architect

Project: ICON range for Teka







- · Anti-scale aerator
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Pull-down shower 1 function: aerated spray




M 33x1.5

G 3/8



### **ARK 938**


- Swivel spout
- · Pull-out shower
- New extra resistant flexible hose
- · Anti-scale aerator





### **IN 995**

- · Minimalistic design
- Swivel spout
- · Anti-scale aerator



5 years warranty on manufacturer's defects








### TEK


- $\bullet \ \mathsf{LED}\text{-}\mathsf{illuminated} \ \mathsf{pull}\text{-}\mathsf{down} \ \mathsf{shower}$
- 1 function normal spray
- Touch control operating system
- · Light colour changes according to water temperature
- ${\boldsymbol{\cdot}}$  Security stop in case of electricity failure
- Light indicate water temperature
- 5 water flow position





### **CUADRO PRO**


- Swivel spout
- 3/8" Flexible inlet pipes
- Pull down shower with 2 sprays
- · High resistant flexible spring





### **CUADRO PRO COMPACT**


- Swivel spout
- 3/8" flexible inlet pipes
- Reduction height
- High resistant flexible spring





### **ARK PRO**


- Swivel and flexible spout
- Pull-down shower 2 functions: normal & shower
- · High resistant flexible spring





### **ARIA PRO**


- Swivel and flexible spout
- Pull-down shower 2 functions: normal & shower
- High resistant flexible spring





### IC


- Flat swivel spout
- Anti-scale aerator





### MZ1


- Flat swivel spout
- · Anti-scale aerator





### **ELAN**

- Flat swivel spout
- · Anti-scale aerator
















### COSMO


- Swivel spout
- Fixation on top of work surface for easier installation
- Ergonomic design
- 1/2" flexible inlet pipes





### MC 10 PLUS


- Flat swivel spout
- · Anti-scale aerator





### MC 10 PLUS (PULL-OUT)


- Cast swivel spout
- Pull-out shower with 2 jets
- 1/2" flexible inlet pipes





### **ARK** (PULL-OUT)


- Swivel spout
- 1/2" flexible inlet pipes
- 1 function: normal spray





### **FOXTER** (PULL-OUT)


- Stainless steel
- 1/2" flexible inlet pipes
- 1 function: normal spray





### RONDELLA (PULL-OUT)


- Stainless steel
- 1/2" flexible inlet pipes
- 1 function: normal spray





### MB2 HIGH (HIGH SPOUT)


- Cast swivel spout
- Pull-out shower with 2 jets
- 1/2" flexible inlet pipes





## **ARES** (HIGH SPOUT)

- Flat swivel spout
- · Anti-scale aerator












### **ALAIOR** (HIGH SPOUT)


- Flat swivel spout
- · Anti-scale aerator





### **INCA** (HIGH SPOUT)


- Flat swivel spout
- Anti-scale aerator





### ML (LOW SPOUT)

- Flat swivel spout
- · Anti-scale aerator




## COLD TAP



### **POLO**


- Flat swivel spout
- · Anti-scale aerator





### **ENCANTO**


- Flat swivel spout
- · Anti-scale aerator





### **FINO**


- Flat swivel spout
- Anti-scale aerator





### **FINO PLUS**

- · Stainless steel
- Flat swivel spout
- Anti-scale aerator










### **EBRO**


- Flat swivel spout
- · Anti-scale aerator





### **EBRO** (WALL-MOUNTED)


- Flat swivel spout
- · Anti-scale aerator





### **GALAXY**


- Flat swivel spout
- · Anti-scale aerator





### **GALAXY** (WALL-MOUNTED)


- Flat swivel spout
- Anti-scale aerator





### **TAGUS**


- Flat swivel spout
- · Anti-scale aerator





### **TAGUS** (WALL-MOUNTED)


- Flat swivel spout
- · Anti-scale aerator





### **AQUA**


- Flat swivel spout
- · Anti-scale aerator





### **AQUA** (WALL-MOUNTED)


- Flat swivel spout
- · Anti-scale aerator





### **ARIA**


- Flat swivel spout
- · Anti-scale aerator





### **LUXE**


- Flat swivel spout
- · Anti-scale aerator





### **LUXE** (WALL-MOUNTED)

- Flat swivel spout
- · Anti-scale aerator









• Greater handling sensitivity. Gentle cartridge activation (Max. 0.30 Nm)

• Maximum product life reliability. Exceeds 350,000 cycles in standardised endurance trials. Exceeds the top level by 42%

• Complies with the most demanding regulations: EN-817; NF-077; NF-D 18.202; ASME 1 112.18.1

• Noise. In accordance with European regulation EN-817

**General features of our products** 

- Ecological. Temperature and fl ow caps
- $\cdot$  Supports over 50 bars of pressure. The standard pressure in a Spanish home is of 3 bars. Exceeds 200 water hammers of 50 bars, thus doubling the most demanding regulatory requirements.
- Top quality materials. Suppliers holding the following sanitary certifications: ACS; NSF; KTWA; WRAS
- Guaranteed dual quality control. 100% of the cartridges are tested twice, during manufacture and at the end of tap production.
- 5 years guarantee
- · Design 100% Teka
- Continuous improvement in the development of the production process, equipped with laboratory devices to perform the tests required by the regulations, including an acoustic
- \* Not all taps have temperature and fl ow regulators in the cartridge.









### **ADVANTAGES OF USING TEKA GENUINE PARTS**

Did you know that using genuine parts from Teka means less hassle for you and a longer lifespan for your Teka products?

That's because you are assured that Teka genuine parts are:

• Safe & durable • Tested & certified by Teka • 100% compatible • Guaranteed not to affect the functionality of the product

Now that you know this, have you checked your Teka products? Are you using Teka genuine parts?



### STAINLESS STEEL CLEANER & POLISH

Cleans, polishes & protects in one step

A high-performance aerosol with pleasant citrus fragrance that cleans and polishes myriad of metal surfaces to high gloss instantly-leaving a light protective film on the surface to resist fingerprints, streaking, hide blemishes, and slow re-soiling without greasy residue. Ideal for stainless steel/chrome finishes of your Teka kitchen appliances and bathroom products.



### **CHARCOAL FILTERS**

Charcoal filters act to absorb fumes, steam, odours and grease in order to purify the air before it is regenerated back into the room. It relies on the replacement of charcoal filters\* when the accumulation of particles reduces their effectiveness.

\*Advised to change every 6 months based on regular cooking



### **DUCTING ACCESSORIES**

- Sizes available 6"
- Aluminium Rust-resistant
- Inner netting incorporated to prevent small animals from accessing ducting tube
- Can be stretched up to 3 metres or 10 feet



### METAL FILTERS

- Traps the greasy components of steam and cooking vapours produced when food is cooked via the strategic positioning of metal meshes that make up the filters
- Teka metal filters consist of 4 layers of aluminium & 1 layer of stainless steel filter



### INDUCTION WOK WITH SUPPORTING WOKRING

- Measurement: ø 320mm
- Made of multiple layer material
- Rounded bottom suitable for induction hob
- Sturdy professional handle



### **DECALCIFY HIGH QUALITY STEAMER** WITH DURGOL® SWISS STEAMER®

- A special decalcifier for high-quality steamers of all brands.
- $\bullet \ \ \text{Highly effective, easy and safe to use and is guaranteed to decalcify easily and quickly.}$
- Regular use of this special formula will ensure the optimal quality of your prepared food and extend the life span of your steamer.
- Leaves no residue and after decalcifi cation and rinsing, your appliance is completely safe
- Designed to completely decalcify a steamer equipped with an automatic decalcification



### **VITRO CLEAN**

An effective and efficient cleaning solution, Vitro Clean is just the solution to keep your cherished Teka Vitro Ceramic and Induction Hobs in exceptional and tiptop condition.



### CARBON WATER FILTER

- Removes chlorine
- Removes odour
- Removes sediment
- Service life 1,500 gallons
- Recommended to change every 6 months (based on regular use)

[ For side-by-side fridges with ice maker and water dispenser ]



### TRAY FOR TEKA OVENS

Crystal clean enamel



### **GRID FOR TEKA** OVENS

• Anti-tip system



### STACKING KIT

To stack Washing Machine and Dryer, saving more space



### ECO KIT

• Saves water\* in a quick & easy way



TEKA ACCESSORIES 79 78 TEKA ACCESSORIES





## Our products come with a **TWO-YEAR** warranty

(excluding Refrigerator Compressor which bears TEN-YEAR warranty)

- The twenty four (24) months warranty covers the product against manufacturing defect, commences from the date of purchase.
- Terms & conditions apply.

### **Teka Service**

When you buy a Teka product, you are also buying the quality and assistance of our Technical Service.



Here, at Teka, we are always ready to listen and respond to your needs as **readily** and as quickly as possible.



Teka guarantees your electrical appliance against all manufacturing faults for 2 years.

Assistance and part replacement of the product within the 2 years warranty period is free of charge.

\*Terms and conditions apply.



If anything goes wrong or you need to replace a part, you can get in touch with us just by calling 03-76201600, by logging onto the www.teka.com.my/my web page or by visiting our Facebook site.




The Official Service only uses Type Approval processes and original Teka parts because, for us, peace-of-mind and quality come first.




Our Teka personnel are always ready to help you maximise your appliance's functionality and usage.

### **Technical Drawings**

### HLB 860 / HLB 840 / HLB 830 / HSB 645 / HSB 615




### **HSC 644 S**




ML 825 TFL

**MWE 201 FI** 




### **MWE 255 FI**




### **Technical Drawings**

### TKD 1610 WD / TKD 1490 / TKD 1480




TKS 890 H


TKS 850 C




NFM 680 X




NFM 620 X




NFM 370 S



TGF 300 NF




**TSL 400 NF** 




**Technical Drawings** 


CI3 350 NF




**RV 46 D** 



DW 605 S





mín 580

**CLC 835 MC** 

DW 8 57 FI

